INVOICE # 10-25573

January 14, 2021 10:04 AM

SALES PERSON

Dan Jochens dan.jochens@slymanbros.com



14755 Manchester Rd, Ballwin, MO 63011 Slyman Bros (West County) Phone: 636-227-7727

BILLING INFORMATION

William Dickinson
BILLD@OSAGEFOOD.COM
120 W Main St
undefined
Washington, Missouri, 63090
636-390-9477

DELIVER TO

William Dickinson
BILLD@OSAGEFOOD.COM
120 W Main St
undefined
Washington, Missouri, 63090
636-390-9477

PRODUCT	DESCRIPTION	LOCATION	PRICE	QTY	TOTAL
	WHITE TOP LOAD WASHER: TR7				
TR7003WN (NEW) SN:	Delivered On: 2021-01-25 Quantity: 1	Warehouse (Manchester, MO)	\$999.00	1	\$999.00
GTE19JTNRWW (NEW) SN:	GE(R) ENERGY STAR(R) 19.2 CU. FT. TOP-FREEZER REFRIGERATOR	Warehouse (Manchester, MO)	\$940.00	1	\$940.00
SN:		(Handhester, Frey	Haul Av	vay Old: Yes	s (

NO	ΓES

DAN JOCHENS - 09:54 AM 01-14-2021

FRIDGE DELIVER TO MAIN BILLING ADRESS. WASHER DELIVER TO 402 JEFFERSON STREET WASHINGTON MO 63090

DAN JOCHENS - 10:06 AM 01-14-2021

DELIVER WASHER TO 402 JEFFERSON STREET WASHINGTON MO 63090 ON 1/25 CUSTOMER WAITNIG FOR FRIDGE TO ARRIVE

Subtotals Sales Tax (West County) Delivery Charge	\$1,939.00 \$169.43 \$0.00
Total	\$2,108.43
Record Payment	
Amount Paid	
Payment: credit_card	\$2,108.43
Transaction Number: 10743G	
Note: VISA3767	
Date: 01/14/2021	
Balance Due (USD)	\$0.00

Product Code 1. TR7003WN Stainless Steel Washtub CapacityOuter Draintub Material 1. 3.2 Cubic Feet ColorTuff Guard Coated Top 1. White Width (in)Depth (in)Height (in)Work Surface Height (in)Height with Lid Open (in)Shipping Weight (ib) 1. 25 5/8 Preset CyclesSpeed CycleSpecial Cycles 1. 8 Motor Size (HP) 1. 1 - Variable Agency Approvals 1. cULus Max Spin Speed - RPMTemp SelectionsAutomatic Balancing SystemRear Self-Leveling LegsVariable Water Level SelectorExtra Rinse	PRODUCT:
1. TR7003WN Stainless Steel Washtub CapacityOuter Draintub Material 1. 3.2 Cubic Feet ColorTuff Guard Coated Top 1. White Width (in)Depth (in)Height (in)Work Surface Height (in)Height with Lid Open (in)Shipping Weight (lb) 1. 25 5/8 Preset CyclesSpeed CycleSpecial Cycles 1. 8 Motor Size (HP) 1. 1 - Variable Agency Approvals 1. cULus Max Spin Speed - RPMTemp SelectionsAutomatic Balancing SystemRear Self-Leveling LegsVariable Water Level SelectorExtra Rinse OptionWarm RinseBleach DispenserFabric Softener DispenserFavorite 1. 820	MODEL: TR7003WN
1. TR7003WN Stainless Steel Washtub CapacityOuter Draintub Material 1. 3.2 Cubic Feet ColorTuff Guard Coated Top 1. White Width (in)Depth (in)Height (in)Work Surface Height (in)Height with Lid Open (in)Shipping Weight (lb) 1. 25 5/8 Preset CyclesSpeed CycleSpecial Cycles 1. 8 Motor Size (HP) 1. 1 - Variable Agency Approvals 1. cULus Max Spin Speed - RPMTemp SelectionsAutomatic Balancing SystemRear Self-Leveling LegsVariable Water Level SelectorExtra Rinse OptionWarm RinseBleach DispenserFabric Softener DispenserFavorite 1. 820	
Stainless Steel Washtub CapacityOuter Draintub Material 1. 3.2 Cubic Feet ColorTuff Guard Coated Top 1. White Width (in)Depth (in)Height (in)Work Surface Height (in)Height with Lid Open (in)Shipping Weight (ib) 1. 25 5/8 Preset CyclesSpeed CycleSpecial Cycles 1. 8 Motor Size (HP) 1. 1 - Variable Agency Approvals 1. cULus Max Spin Speed - RPMTemp SelectionsAutomatic Balancing SystemRear Self-Leveling LegsVariable Water Level SelectorExtra Rinse OptionWarm RinseBleach DispenserFabric Softener DispenserFavorite 1. 820	Product Code
1. 3.2 Cubic Feet ColorTuff Guard Coated Top 1. White Width (in)Depth (in)Height (in)Work Surface Height (in)Height with Lid Open (in)Shipping Weight (lb) 1. 25 5/8 Preset CyclesSpeed CycleSpecial Cycles 1. 8 Motor Size (HP) 1. 1 - Variable Agency Approvals 1. cULus Max Spin Speed - RPMTemp SelectionsAutomatic Balancing SystemRear Self-Leveling LegsVariable Water Level SelectorExtra Rinse OptionWarm RinseBleach DispenserFabric Softener DispenserFavorite 1. 820	1. TR7003WN
ColorTuff Guard Coated Top 1. White Width (in)Depth (in)Height (in)Work Surface Height (in)Height with Lid Open (in)Shipping Weight (lb) 1. 25 5/8 Preset CyclesSpeed CycleSpecial Cycles 1. 8 Motor Size (HP) 1. 1 - Variable Agency Approvals 1. cULus Max Spin Speed - RPMTemp SelectionsAutomatic Balancing SystemRear Self-Leveling LegsVariable Water Level SelectorExtra Rinse OptionWarm RinseBleach DispenserFabric Softener DispenserFavorite 1. 820	Stainless Steel Washtub CapacityOuter Draintub Material
1. White Width (in)Depth (in)Height (in)Work Surface Height (in)Height with Lid Open (in)Shipping Weight (lb) 1. 25 5/8 Preset CyclesSpeed CycleSpecial Cycles 1. 8 Motor Size (HP) 1. 1 - Variable Agency Approvals 1. cULus Max Spin Speed - RPMTemp SelectionsAutomatic Balancing SystemRear Self-Leveling LegsVariable Water Level SelectorExtra Rinse OptionWarm RinseBleach DispenserFabric Softener DispenserFavorite 1. 820	1. 3.2 Cubic Feet
Width (in)Depth (in)Height (in)Work Surface Height (in)Height with Lid Open (in)Shipping Weight (lb) 1. 25 5/8 Preset CyclesSpeed CycleSpecial Cycles 1. 8 Motor Size (HP) 1. 1 - Variable Agency Approvals 1. cULus Max Spin Speed - RPMTemp SelectionsAutomatic Balancing SystemRear Self-Leveling LegsVariable Water Level SelectorExtra Rinse OptionWarm RinseBleach DispenserFabric Softener DispenserFavorite 1. 820	ColorTuff Guard Coated Top
1. 25 5/8 Preset CyclesSpeed CycleSpecial Cycles 1. 8 Motor Size (HP) 1. 1 - Variable Agency Approvals 1. cULus Max Spin Speed - RPMTemp SelectionsAutomatic Balancing SystemRear Self-Leveling LegsVariable Water Level SelectorExtra Rinse OptionWarm RinseBleach DispenserFabric Softener DispenserFavorite 1. 820	1. White
Preset CyclesSpeed CycleSpecial Cycles 1. 8 Motor Size (HP) 1. 1 - Variable Agency Approvals 1. cULus Max Spin Speed - RPMTemp SelectionsAutomatic Balancing SystemRear Self-Leveling LegsVariable Water Level SelectorExtra Rinse OptionWarm RinseBleach DispenserFabric Softener DispenserFavorite 1. 820	Width (in)Depth (in)Height (in)Work Surface Height (in)Height with Lid Open (in)Shipping Weight (lb)
1. 8 Motor Size (HP) 1. 1 - Variable Agency Approvals 1. cULus Max Spin Speed - RPMTemp SelectionsAutomatic Balancing SystemRear Self-Leveling LegsVariable Water Level SelectorExtra Rinse OptionWarm RinseBleach DispenserFabric Softener DispenserFavorite 1. 820	1. 25 5/8
Motor Size (HP) 1. 1 - Variable Agency Approvals 1. cULus Max Spin Speed - RPMTemp SelectionsAutomatic Balancing SystemRear Self-Leveling LegsVariable Water Level SelectorExtra Rinse OptionWarm RinseBleach DispenserFabric Softener DispenserFavorite 1. 820	Preset CyclesSpeed CycleSpecial Cycles
1. 1 - Variable Agency Approvals 1. cULus Max Spin Speed - RPMTemp SelectionsAutomatic Balancing SystemRear Self-Leveling LegsVariable Water Level SelectorExtra Rinse OptionWarm RinseBleach DispenserFabric Softener DispenserFavorite 1. 820	1. 8
Agency Approvals 1. cULus Max Spin Speed - RPMTemp SelectionsAutomatic Balancing SystemRear Self-Leveling LegsVariable Water Level SelectorExtra Rinse OptionWarm RinseBleach DispenserFabric Softener DispenserFavorite 1. 820	Motor Size (HP)
cULus Max Spin Speed - RPMTemp SelectionsAutomatic Balancing SystemRear Self-Leveling LegsVariable Water Level SelectorExtra Rinse OptionWarm RinseBleach DispenserFabric Softener DispenserFavorite 1. 820	1. 1 - Variable
Max Spin Speed - RPMTemp SelectionsAutomatic Balancing SystemRear Self-Leveling LegsVariable Water Level SelectorExtra Rinse OptionWarm RinseBleach DispenserFabric Softener DispenserFavorite 1. 820	Agency Approvals
OptionWarm RinseBleach DispenserFabric Softener DispenserFavorite 1. 820	1. cULus
	Max Spin Speed - RPMTemp SelectionsAutomatic Balancing SystemRear Self-Leveling LegsVariable Water Level SelectorExtra Rinse OptionWarm RinseBleach DispenserFabric Softener DispenserFavorite
2. 820	
	2. 820
Year Warranty	Year Warranty
1. 7	1. 7

SPEC PRODUCT DETAIL

1. 19.2 cu ft 2. 19.2 Net Weight 1. 202.0 lb 2. 202.0 Icemaker 1. Optional (IM4D Ready) Case Depth Without Door 1. 28.375 in 2. 28.375 Handle 1. Smooth Color-Matched Fresh Food Features 1. Interior Lighting - LED Side Air Clearances 1. 0.125 in 2. 0.125 **Exterior Design** 1. Textured Rounded Doors Freezer Door Shelves 1. 2 Fixed Width w/Door Open 90 Degrees Less Handle 1. 30.0 in 2. 30.0 Coil-Free Back 1. Yes Freezer Features 1. 1 Adjustable Shelf INVOICE # 10-25573 - Page 3 of 6

SPEC PRODUCT DETAIL

MODEL: GTE19JTNRWW

Total Capacity (cubic feet)

PRODUCT:

Depth Without Handle

- 1. 32.125 in
- 2. 32.125

Overall Depth

- 1. 34.5 in
- 2. 34.5

Warranty Notes

1. See written warranty for full details

Top Air Clearances

- 1. 1.0 in
- 2. 1.0

Leveling System

1. 2 Point Front Adjustable

Fresh Food Door Features

1. Dairy Compartment

Temperature Management Features

1. Air Tower

Defrost Type

1. Frost Free

Fresh Food Cabinet Shelves

1. 1 Glass Drawer Cover

Fresh Food Capacity

- 1. 13.59 cu ft
- 2. 13.59

Control Type

1. Upfront Temperature Controls

Back Air Clearances

- 1. 2.0 in
- 2. 2.0

App Filter - Capacity

1. Refer Medium (16-19 cu. ft.)

Fresh Food Door Bins

1	~	エヘナベ
١.		Lota

Textured Steel Case

1. Color Matched

Exterior Style

1. Free-Standing

Color Appearance

1. White

Height to Top of Case

- 1. 65.875 in
- 2. 65.875

Door Stops

1. Yes

Parts Warranty

1. Limited 1-year entire appliance

Fresh Food Door Shelves

1. 1 with Gallon Storage

App Filter - Product Type

1. Refer Top Freezer

Overall Width

- 1. 29.75 in
- 2. 29.75

Product Type

1. Top Freezer Refrigerator

Overall Height

- 1. 66.375 in
- 2. 66.375

Freezer Capacity

- 1. 5.57 cu ft
- 2. 5.57

Fresh Food Cabinet Drawers

1. 1 Snack Drawer

Width w/Door Open 90 Degrees Incl. Handle

- 1. 32.375 in
- 2. 32.375

Door Swing

1. Reversible Hinges

Approximate Shipping Weight

- 1. 225.0 lb
- 2. 225.0

App Filter - Dispenser

1. No

App Filter - Icemaker

1. No

Volts/Hertz/Amps

1. 120v; 60Hz; 15A

Depth with Door Open 90°

- 1. 60.5 in
- 2. 60.5

Labor Warranty

1. Limited 1-year entire appliance

Freezer Cabinet Shelves

1. 1 Adjustable Wire

Optional Icemaker Kit

1. IM4D

Performance Features

1. Easily Removable Door Gaskets

Sabbath Mode

1. Sabbath Mode

■ DISCLAIMER

TERMS & CONDITIONS

Return Policy. All products are considered "special order" unless otherwise noted. Special order products are non-cancellable and non-returnable. **Mail-In Rebates.** All rebate claims and payments are exclusively between the issuer (not Slyman Bros) and the consumer. The consumer has full responsibility on filing in the correct dates.

Standard Install Prices. Slyman Bros charges for standard install prices only, any additional work past a standard install must be paid directly to the installer at the time of installation.

Damage. Cosmetic damage and property damage MUST be reported at the time of delivery; by signing the delivery document you are agreeing to this and forfeiting your right to claim damage.

Out-of-Box Inventory. As is condition and are non-cancellable and non-returnable.

Backorders. Availability dates rely solely on the manufacturers and not Slyman Bros. Estimated dates can change without notice, we only promise to contact you to schedule delivery once the item arrives at Slyman Bros warehouse.