

INVOICE # 10-44743

September 23, 2021 10:26 AM



SALES PERSON

Dan Jochens
dan.jochens@slymanbros.com

14755 Manchester Rd, Ballwin, MO 63011

Slyman Bros (West County)

Phone: 636-227-7727

BILLING INFORMATION

Rob Shepherd
rob@urstad.com
314 N Broadway
St. Louis, Missouri, 63102
571-244-0913

DELIVER TO

Rob Shepherd
rob@urstad.com
314 N Broadway
St. Louis, Missouri, 63102
571-244-0913

PRODUCT	DESCRIPTION	LOCATION	PRICE	QTY	TOTAL
CGS750P4MW2 (NEW) SN:	CAF(EBACK) 30" SMART SLIDE-IN, FRONT-CONTROL, GAS DOUBLE-OVEN RANGE WITH CONVECTION Install : Gas Range Standard Install	Fenton, MO	\$3,199.00	1	\$3,199.00
CVM517P4MW2 (NEW) SN:	CAF(EBACK) 1.7 CU. FT. CONVECTION OVER-THE-RANGE MICROWAVE OVEN Install : O-T-R Microwave Standard Install	Fenton, MO	\$930.00	1	\$930.00
CDT845P4NW2 (NEW) SN:	CAF(EBACK) STAINLESS STEEL INTERIOR DISHWASHER WITH SANITIZE AND ULTRA WASH & DRY Install : Dishwasher Standard Install (includes new waterline kit, no modifications)	Fenton, MO	\$1,180.00	1	\$1,180.00
CWE19SP4NW2 (NEW) SN:	CAF(EBACK) ENERGY STAR(R) 18.6 CU. FT. COUNTER-DEPTH FRENCH-DOOR REFRIGERATOR Install : Freestanding Fridge Standard Install (to existing copper or stainless waterline)	Fenton, MO	\$2,299.00	1	\$2,299.00

Haul Away Old: No

NOTES

Subtotals	\$7,608.00
Sales Tax (West County)	\$664.79
Install Charge	\$380.00
Delivery Charge	\$0.00
Total	\$8,652.79
Record Payment	
Amount Paid	
Payment: blockchyp_credit_card	\$8,652.79
Note:	
7PQOHVY4PII6ZP2XAJBKYEIAAI	
Date: 09/23/2021	
Balance Due (USD)	\$0.00

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : CGS750P4MW2

Cooktop Burner Grate Color

1. Matte Black

2. Matte Black

Handle

1. Consumer Removable

 Customizable

 Professional Style

2. Professional Style
Customizable
Consumer Removable

Textured Steel Side Panels

1. Yes

2. Yes

Installation

1. Flush Appearance

 Free-standing cut-out

2. Free-standing cut-out
Flush Appearance

Oven Door Features

1. Big Clear View Oven Window

 Matte White Frameless Oven Door

2. Matte White Frameless Oven Door
Big Clear View Oven Window

Handle Design

1. GE Café

2. GE Café

Handle Color

1. Brushed Bronze

2. Brushed Bronze

Control Knobs

1. Weighted Brushed Bronze Appearance

2. Weighted Brushed Bronze Appearance

Color Appearance

1. Matte White

2. Matte White

Cooking System

1. True Convection

2. True Convection

Cleaning Time

1. Variable with Delay Clean Option

2. Variable with Delay Clean Option

Ignition System

1. Electronic

2. Electronic

Burner - Right Rear

1. 12,000 BTU

2. 12,000 BTU

Oven Interior

1. 2 Oven Interior Lights

Black

2. Black
2 Oven Interior Lights

Oven Rack Features

1. 1 Self-Clean Flat Oven Rack (Upper)

2 Self-Clean Flat Oven Racks (Lower)

6 Rack Positions

2. 6 Rack Positions
2 Self-Clean Flat Oven Racks (Lower)
1 Self-Clean Flat Oven Rack (Upper)

Burner - Left Rear

1. 5,000 BTU Precise Simmer

2. 5,000 BTU Precise Simmer

Oven Cleaning Type

1. Self-Clean with Steam Clean Option

2. Self-Clean with Steam Clean Option

Connected Capabilities

1. Amazon Alexa

DiGiorno

Drop

IFTTT

Innit

Nest

The Google Assistant

2. Amazon Alexa

DiGiorno

Drop

IFTTT

Innit

The Google Assistant

3. The Google Assistant
Sonos
Innit
IFTTT
Drop
DiGiorno
Amazon Alexa

Product Type

1. Slide-In Double Oven

2. Slide-In Double Oven

Style

1. Commercial

2. Commercial

Cooktop Type

1. Standard Grates

2. Standard Grates

Cooktop Burner Grate Material

1. Cast-Iron

2. Cast-Iron

Fuel Type

1. Natural Gas (factory set)

2. Natural Gas (factory set)

Burner - Center

1. 9,500 BTU Front / 9,500 BTU Rear

2. 9,500 BTU Front / 9,500 BTU Rear

WiFi Connect

1. Built-In

2. Built-In

Control Location

1. Front controls

2. Front controls

Dishwasher Safe Knobs

1. Yes

2. Yes

Cooktop Burner Grate Features

1. Heavy-Cast Edge-to-Edge Grates

2. Heavy-Cast Edge-to-Edge Grates

Control Type

1. Backlit

Glass Touch

2. Glass Touch
Backlit

Burner - Left Front

1. 21,000 BTU Tri-ring Burner

2. 21,000 BTU Tri-ring Burner

Leveling System

1. 4 Leveling Legs

2. 4 Leveling Legs

Cooking Technology

1. Traditional Upper; Convection Lower

2. Traditional Upper; Convection Lower

Configuration

1. Double Oven Range

2. Double Oven Range

Cooktop Burner Type

1. Sealed

2. Sealed

Valves (Degree of Turn)

1. 270

2. 270

Burner - Right Front

1. 15,000 BTU

2. 15,000 BTU

Cooktop Surface

1. Deep Recessed

Stainless Steel

2. Stainless Steel
Deep Recessed

Self-Clean Oven Door Lock

1. Automatic

2. Automatic

Net Weight

1. 236 lb

2. 236.0 lb

Depth Without Handle

1. 26 7/8 in

2. 26.875 in

Height to Cooking Surface (in.)

1. 36 1/4 +/- 1/4

2. 36 1/4 +/- 1/4

Cabinet Width

1. 30 in

2. 30.0 in

Approximate Shipping Weight

1. 256 lb

Overall Width

1. 29 7/8 in

2. 29.875 in

Overall Height

1. 37 3/8 in

2. 37.375 in

Height to Top of Rear Vent Trim

1. 37 3/8 in

2. 37.375 in

Overall Depth

1. 29 1/2 in

2. 29.5 in

Depth with Door Open

1. 43 7/8 in

2. 43.875 in

Oven Interior Dimensions (W x H x D) (in.)

1. 24 x 9-1/8 x 19-1/8 - Upper; 24 x 15 x 20-5/8 - Lower

2. 24 x 9-1/8 x 19-1/8 - Upper; 24 x 15 x 20-5/8 - Lower

Optional Kits

1. CXFCGHKPMBT Brushed Black

 CXFCGHKPMCU Brushed Copper

 CXFCGHKPMSS Brushed Stainless

Griddle

1. Included

 Integrated Cast Iron

 JXCGRILL1

2. WB31X28254
Integrated Cast Iron
Included

Grates

1. Included Center Gate

LP Conversion Kit

1. Included

Trim Kit

1. JXFILLR1SS

 Optional

Grill

1. Integrated Cast Iron

 JXCGRILL1

 Optional

2. Optional
JXCGRILL1
Integrated Cast Iron

Top Burner BTU Rating - Nat. Gas (000's BTU's)

1. (1) 21.0 Tri-Ring; (1) 15.0; (1) 12.0; (2) 9.5; (1) 5.0

2. (1) 21.0 Tri-Ring; (1) 15.0; (1) 12.0; (2) 9.5; (1) 5.0

Volts/Hertz/Amps

1. 120v; 60Hz; 15A

2. 120v; 60Hz; 15A

Top Burner BTU Rating - LP (000's BTU's)

1. (1) 18.0 Tri-Ring; (1) 15.0; (1) 12.0; (2) 9.5; (1) 5.0;

2. (1) 18.0 Tri-Ring; (1) 15.0; (1) 12.0; (2) 9.5; (1) 5.0;

Bake/Broiler BTU Rating - Nat. Gas (000's BTU's)

1. 7.0 / 120V - Upper; 14.0 / 16.5 - Lower

2. 7.0 / 120V - Upper; 14.0 / 16.5 - Lower

Bake/Broiler BTU Rating - LP (000's BTU's)

1. 7.0 / 120V - Upper; 13.5 / 13.5 - Lower

2. 7.0 / 120V - Upper; 13.5 / 13.5 - Lower

Convection Wattage

1. 1200W

2. 1200W

Total Capacity (cubic feet)

1. 7 cu ft

2. 7.0 cu ft

Capacity (Cu. Ft.)

1. 2.4 Upper / 4.3 Lower

2. 2.4 Upper / 4.3 Lower

Parts Warranty

1. Limited 1-year entire appliance

2. Limited 1-year entire appliance

Labor Warranty

1. Limited 1-year entire appliance

2. Limited 1-year entire appliance

Warranty Notes

1. See written warranty for full details

2. See written warranty for full details

Oven Control Features

1. Audible Preheat Signal

 Auto Oven Shut-Off with Override

 Auto Self Clean

 Automatic Oven Timer (Time Bake)

 Certified Sabbath Mode

 Chef Connect

 Co
2. Temperature Probe
Self-Clean Cool Down Time Display
In-Oven Broiling
Front Controls
Electronic Clock and Timer
Digipad Numeric Entry
Delay Clean Option
Delay Bake Option
3. Temperature Probe
Self-Clean Cool Down Time Display
In-Oven Broiling
Front Controls
Electronic Clock and Timer
Digipad Numeric Entry
Delay Clean Option
Delay Bake Option (Time Bake)
Control Lock Capability
Chef Connect
Certified Sabbath Mode
Automatic Oven Timer (Time Bake)
Auto Self Clean
Auto Oven Shut-Off with Override
Audible Preheat Signal

Oven Cooking Modes

1. Baked Goods - Both Ovens (No Preheat)

 Convection Bake

 Convection Roast

 Frozen Pizza Multi Rack - Lower Oven (No Preheat)

 Frozen Pizza Single Rack - Both Ovens
2. Warming (Both Ovens)
Proof (Lower Oven)
Frozen Snacks Single Rack- Lower Oven (No Preheat)
Frozen Snacks Multi Rack - Lower Oven
Frozen Pizza Single Rack - Lower Oven (No Preheat)
3. Warming (Both Ovens)
Proof (Lower Oven)
Frozen Snacks Single Rack- Lower Oven (No Preheat)
Frozen Snacks Multi Rack - Lower Oven
Frozen Pizza Single Rack - Lower Oven (No Preheat)
Frozen Pizza Multi Rack - Lower Oven
Convection Roast
Convection Bake
Baked Goods - Both Ovens

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : CVM517P4MW2

Approximate Shipping Weight

1. 95 lb

Cabinet Width

1. 30 in

2. 30.0 in

Net Weight

1. 85 lb

2. 85.0 lb

Cavity (W x H x D)

1. 21-5/8 x 9-3/4 x 14-1/8

2. 21-5/8 x 9-3/4 x 14-1/8

Overall Width

1. 29 7/8 in

2. 29.875 in

Overall Depth

1. 17 15/16 in

2. 17.9375 in

Overall Height

1. 16 5/16 in

2. 16.3125 in

Cooking Modes

1. Convection Bake

Fast Cook

Microwave

2. Microwave
Fast Cook
Convection Bake

Electronic Digital Display with Clock

1. Yes (LED)

2. Yes (LED)

Microwave Sensor Cooking Controls

1. Beverage

Cook (5 Foods)

Defrost: Weight/Time

Popcorn

Reheat

Steam Cook

2. Steam Cook
Reheat
Popcorn
Defrost: Weight/Time
Cook (5 Foods)
Beverage

Rack Type

1. 1 Round Rack

1 Square Rack

2 Fixed Positions

2. 2 Fixed Positions
1 Square Rack
1 Round Rack

Product Type

1. Over-the-range Microwave

2. Over-the-range Microwave

Convection Cooking Controls

1. Bake

Fast Cook

Roast

2. Roast
Fast Cook
Bake

Style

1. Over-The-Range

2. Over-The-Range

Turntable On / Off

1. Yes

2. Yes

Microwave Watts (IEC-705)

1. 950.0 W

2. 950.0 W

Power Levels

1. 10

2. 10

Control Type

1. Dial

Glass Touch

2. Glass Touch
Dial

Display On/Off

1. Yes

2. Yes

Microwave Oven Interior

1. Stainless Steel

2. Stainless Steel

Cooktop Lighting

1. High/Low/Off

LED

2. LED
High/Low/Off

Exhaust Fan

1. 3-Speed

300-CFM

2. 300-CFM
3-Speed

Turntable

1. Glass

2. Glass

Cooking Technology

1. Convection

2. Microwave/Convection

Turntable Size

1. 13.6 in

2. 13.6 in

Interior Oven Light

1. Halogen

2. Halogen

Recirculating Charcoal Filter Kit

1. Included

WB02X35607

Optional Kits

1. CXOTRHKPMBT Brushed Black

CXOTRHKPCU Brushed Copper

CXOTRHKPMSS Brushed Stainless

Case Color

1. Graphite Gray

2. Graphite Gray

Handle

1. Brushed Bronze

2. Brushed Bronze

Door Color

1. Matte White

2. Matte White

Color Appearance

1. Matte White

2. Matte White

Input Volts/Hertz

1. 120/60

2. 120/60

Electrical Input - 120V Watts

1. 1700

2. 1700

Labor Warranty

1. Limited 1-year entire appliance

2. Limited 1-year entire appliance

Parts Warranty

1. Limited 1-year entire appliance

 Limited 5-year magnetron tube

2. Limited 5-year magnetron tube
Limited 1-year entire appliance

Warranty Notes

1. See written warranty for full details

2. See written warranty for full details

Vent CFM

1. 300

2. 300

Exhaust Capacity

1. 300 ft³/min

2. 300.0 ft³/min

Total Capacity (cubic feet)

1. 1.70 cu ft

2. 1.7 cu ft

Venting Type

1. Externally Vented

2. Externally Vented

Control Features

1. Add 30 Seconds

 Cancel/Off

 Chef Connect On/Off

 Cook Time

 Mute On/Off

 My Cycle

 Power Level

 Settings

 Start/Pause

 Steam Cle
2. Vent Fan
Turtable On/Off
Timer On/Off
Surface Light
Steam Clean
Start/Pause
Settings
Power Level
My Cycle
Mute On/Off
Cook Time
Chef Connect On/Off
Cancel
3. Vent Fan
Turtable On/Off
Timer On/Off
Surface Light
Steam Clean
Start/Pause
Settings
Power Level
My Cycle
Mute On/Off
Cook Time
Chef Connect On/Off
Cancel/Off
Add 30 Seconds

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : CDT845P4NW2

Wash System

1. 3-Level

 800 Series

2. 800 Series
3-Level

Sensor

1. Clean Sensor

2. Clean Sensor

Lower Rack

1. 1/2 fixed tines, 1/2 fold down tines

 Ball-Tip Tines

2. Ball-Tip Tines
1/2 fixed tines, 1/2 fold down tines

Tub Type

1. Tall Tub

2. Tall Tub

Leveling System

1. 4 Leveling Legs

2. 4 Leveling Legs

Additional Protection

1. Active Flood Protect

2. Active Flood Protect

Number of Place Settings

1. Up to 16

2. Up to 16

Latch

1. Pull with Handle

2. Pull with Handle

Number of Options

1. 12

2. 12

Style

1. Built-In Top Control

2. Built-In Top Control

Water Filtration System

1. 100% Filtration with Hard Food Disposer and Removable Filter

2. 100% Filtration with Hard Food Disposer and Removable Filter

Cutlery Tray

1. One piece removable 3rd rack

2. One piece removable 3rd rack

Racking Material

1. Nylon

2. Nylon

Dishwasher Cycles

1. Auto

China

Express

Normal

Pots

2. Pots
Normal
Express
China
Auto

Rack Color

1. Black Pearl

2. Black Pearl

Dispenser

1. Rinse Aid with Indicator and Adjustment

2. Rinse Aid with Indicator and Adjustment

WiFi Connect

1. Optional (Requires part no. PBX23W00Y0)

2. Optional (Requires part no. PBX23W00Y0)

Control Type

1. 12 Touchpads

Cap Touch Controls

Top Controls

2. Top Controls
Cap Touch Controls
12 Touchpads

Racking System

1. Full 3rd rack

2. Full 3rd rack

Dishwasher Drying Features

1. Fan Assist Dry

Heated Dry - Ultra/On/Off

Multi-Wattage Wash & Dry Element

2. Multi-Wattage Wash & Dry Element
Heated Dry - Ultra/On/Off
Fan Assist Dry

Wash Arms

1. 3 Wash Levels

Bottle Jets

Deep Clean Silverware Jets

Lower- Reversing Quad Blade

Middle - Quad Blade

2. Middle - Quad Blade
Lower- Reversing Quad Blade
Deep Clean Silverware Jets
Bottle Jets
3 Wash Levels

Exterior Style

1. Traditional

2. Traditional

Dishwasher Control Features

- 1 "Clean" Light, 1 "Sanitized" Light, 1 "Low Rinse Aid" Light

 Audible End-of-Cycle Signal

 Cycle Countdown with Bi-Color LED Status Light on door

 Last Cycle Memory

- Last Cycle Memory
Cycle Countdown with Bi-Color LED Status Light on door
Audible End-of-Cycle Signal
1 "Clean" Light, 1 "Sanitized" Light, 1 "Low Rinse Aid" Light
- 1 "Clean" Light, 1 "Sanitized" Light Cycle Progress Indicators
Last Cycle Memory
Cycle Countdown with Bi-Color LED Status Light on door
Audible End-of-Cycle Signal

Number of Cycles

- 5

- 5

Tub and Door Liner

- Stainless Steel

- Stainless Steel

Showroom Power Mode

- Yes

- Yes

Handle

- Café

- Café

Installation

- Built-Up Floor Capable

 Flush Cabinet Installation

 Side Installation or Top Installation Included

- Side Installation or Top Installation Included
Flush Cabinet Installation
Built-Up Floor Capable

Handle Color

- Brushed Bronze

- Brushed Bronze

Door Style

- Long Door with Top Controls

- Long Door with Top Controls

Door Appearance

- Full-length flat door

- Full-length flat door

Color Appearance

- Matte White

- Matte White

Power Connection

- Optional cord kit (GPFACORD - WX09X70910, WX09X70911)

- Optional cord kit (GPFACORD - WX09X70910, WX09X70911)

Calrod Heater Watts

1. 800/500

2. 800/500

Volts/Hertz/Amps

1. 120v; 60Hz; 7.2A

2. 120v; 60Hz; 7.2A

Door Insulation

1. Insulation

 Mastic

2. Mastic
Insulation

Quiet Package

1. 45 dBA

2. 45 dBA

Outer Wrap

1. Bitumen

 Full-wrap Blanket

2. Full-wrap Blanket
Bitumen

Motor Type

1. Single Speed

2. Single Speed

Quiet Features

1. Quiet Water Valve

 Sealed Toe Kick

 Tub Collar Trim

2. Tub Collar Trim
Sealed Toe Kick
Quiet Water Valve

Height w/ Legs Retracted - Minimum Height

1. 33 3/8 in

2. 33.375 in

Overall Depth

1. 24 in

2. 24.0 in

Cabinet Width

1. 24 in

2. 24.0 in

Net Weight

1. 124 lb

2. 124.0 lb

Overall Width

1. 23 3/4 in

2. 23.75 in

Approximate Shipping Weight

1. 137 lb

Overall Height

1. 34 in

2. 34.0 in

Overall Depth with Handle

1. 26 3/10 in

2. 26.3 in

Height w/Legs Extended - Maximum Height

1. 34 5/8 in

2. 34.625 in

Labor Warranty

1. Limited 1-year entire appliance

2. Limited 1-year entire appliance

Warranty Notes

1. See written warranty for full details

2. See written warranty for full details

Parts Warranty

1. Limited 1-year entire appliance

2. Limited 1-year entire appliance

Optional Kits

1. CXADTH1PMBT Brushed Black

 CXADTH1PMCU Brushed Copper

 CXADTH1PMSS Brushed Stainless

Dishwasher Options

1. Bottle Jets

 Delay Start 1-12 Hr.

 Heated Dry Off

 Hi-Temp Wash

 Lock Controls

 Normal Dry

 Presoak + Sanitize (Certified to NSF Standard 184)

2. Bottle Jets

 Delay Start 1-12 Hr.

 Heated Dry Off

 Hi-Temp Wash

 Lock Controls

 Normal Dry

 Presoak + Sanitize (Certified to NSF Standard 184)

3. Bottle Jets

 Delay Start 1-12 Hr.

 Heated Dry Off

 Hi-Temp Wash

 Lock Controls

 Normal Dry

 Presoak + Sanitize (Certified to NSF Standard 184)

4. Bottle Jets

 Delay Start 1-12 Hr.

 Heated Dry Off

 Hi-Temp Wash

 Lock Controls

 Normal Dry

 Presoak + Sanitize (NSF Certified)

 Start/Reset

5. Wash Zone Upper Only
Wash Zone Lower Only
Ultra Dry
Start/Reset
Presoak + Sanitize (Certified to NSF Standard 184)
Normal Dry
Lock Controls
Hi-Temp Wash
Heated Dry Off
6. Wash Zone Upper Only
Wash Zone Lower Only
Ultra Dry
Start/Reset
Presoak + Sanitize (Certified to NSF Standard 184)
Normal Dry
Lock Controls
Hi-Temp Wash
Heated Dry Off
Delay Start 1-12 Hr.
Bottle Jets
7. Wash Zone Upper Only
Wash Zone Lower Only
Ultra Dry
Start/Reset
Sabbath Mode
Presoak + Sanitize (Certified to NSF Standard 184)
Normal Dry
Lock Controls
Hi-Temp Wash
Heated Dry Off
Delay Start 1-12 Hr.
Bottle Jets

Upper Rack

1. Premium Height Adjustable
Fixed tines with Bottle Jets
Chop stick slots
Ball-Tip Tines
2 Stem Safe Shelves
1/2 fixed tines, 1/2 fold down tines
1 Rack handle
2. 1 Rack handle

 1/2 fixed tines, 1/2 fold down tines

 2 Stem Safe Shelves

 Ball-Tip Tines

 Chop stick

slots
Fixed tines with Bottle Jets
Premium Hei

Rack Features

1. 2 short articulating plastic utility shelves w/Stemsafe and chop-stick slots
3-Piece Silverware Basket with Cell Covers
Adjustable Upper Rack
Ball-Tipped Tines
2. Full Extension Slides - Upper
Ball-Tipped Tines
Adjustable Upper Rack
3-Piece Silverware Basket with Cell Covers
2 short articulating plastic utility shelves w/Stemsafe and chop-s
3. Full Extension Slides - Upper
Ball-Tipped Tines
Adjustable Upper Rack
3-Piece Silverware Basket with Cell Covers
2 short articulating plastic utility shelves w/Stemsafe and chop-stick slots

Wash System Features

1. 90+ Spray Jet Wash System
Automatic HotStart
Automatic Temperature Control
Bottle Jets (4)
Deep Clean Silverware Jets
Drain Pump
Dual Pumps and
2. Reversing Quad Blade Lower Wash Arm
Quad Blade Middle Wash Arm
Hard Food Disposer with removable filter
Dual Pumps and Motors
Drain Pump
Deep Clean Silverware Jets
Bottle Je
3. Reversing Quad Blade Lower Wash Arm
Quad Blade Middle Wash Arm
Hard Food Disposer with removable filter
Dual Pumps and Motors
Drain Pump
Deep Clean Silverware Jets
Bottle Jets (4)
Automatic Temperature Control
Automatic HotStart
90+ Spray Jet Wash System

Sabbath Mode

1. Sabbath Mode

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : CWE19SP4NW2

Temperature Management Features

1. Multiflow Air System with Electronic Sensors

 Turbo Cool setting

2. Turbo Cool setting
Multiflow Air System with Electronic Sensors

Control Type

1. Digital Temperature Display

 Upfront Electronic Temperature Controls

2. Upfront Electronic Temperature Controls
Digital Temperature Display

Icemaker

1. Factory-Installed

2. Factory-Installed

WiFi Connect

1. ConnectPlus

2. ConnectPlus
3. Optional (Requires part no. PBX23W00Y0)

Performance Features

1. Easily Removable Door Gaskets

2. Easily Removable Door Gaskets

Filter Location

1. Upper right corner

2. Upper right corner

Door Alarm

1. Yes

2. Yes

Freezer Storage Baskets

1. 1 Full-Width, Full-Extension Plastic

 2 Total

2. 2 Total
1 Full-Width, Full-Extension Plastic

Freezer Cabinet Drawer Features

1. Freezer Drawer

2. Freezer Drawer

Defrost Type

1. Frost Guard

2. Frost Guard

Leveling System

1. 2 Point Front Adjustable

2. 2 Point Front Adjustable

Fresh Food Cabinet Shelves

1. 1 Quick Space Shelf
4 Split Adjustable
5 Total Glass
2. Glass
5 Total
4 Split Adjustable
1 Quick Space Shelf

Fresh Food Door Bins

1. 2 Fixed
6 Adjustable with Gallon Storage
8 Clear Look
2. Soft Touch Bin Liners
8 Clear Look
6 Adjustable with Gallon Storage
2 Fixed

Freezer Features

1. Ice Bucket
Interior Lighting - LED
2. Interior Lighting - LED
Ice Bucket

Exterior Style

1. Counter-Depth
2. Counter-Depth

Configuration

1. French Door
2. French Door

Door Liner

1. HIPS
2. HIPS

Dispenser

1. Internal Water
2. Internal Water

Fresh Food Cabinet Drawers

1. 1 Full-Width, Adjustable Temperature Drawer
2 Humidity Controlled Drawers
Multi-Level Drawers
2. Multi-Level Drawers
2 Humidity Controlled Drawers
1 Full-Width, Adjustable Temperature Drawer

Water Filtration

1. GE Water Filtration (XWFE Filter)
Water Filter Indicator Light
2. Water Filter Indicator Light
GE Water Filtration (XWFE Filter)

Product Type

1. Bottom Freezer Refrigerator
Counter Depth Refrigerator
French-Door Refrigerator
2. French-Door Refrigerator
Counter Depth Refrigerator
Bottom Freezer Refrigerator

Fresh Food Capacity

1. 13.59 cu ft
2. 13.59 cu ft

Total Capacity (cubic feet)

1. 18.60 cu ft

2. 18.6 cu ft

Freezer Capacity

1. 5.01 cu ft

2. 5.01 cu ft

Optional Kits

1. CXMA3H3PNBT Brushed Black

 CXMA3H3PNCU Brushed Copper

 CXMA3H3PNSS Brushed Stainless

Overall Depth

1. 31 in

2. 31.0 in

Height to Top of Hinge

1. 69 3/4 in

2. 69.75 in

Net Weight

1. 232 lb

2. 232.0 lb

Overall Width

1. 32 3/4 in

2. 32.75 in

Back Air Clearances

1. 2 in

2. 2.0 in

Approximate Shipping Weight

1. 252 lb

Depth with Door Open 90(degree)

1. 42 in

2. 42.0 in

Width w/Door Open 90 Degrees Incl. Handle

1. 40 1/2 in

2. 40.5 in

Case Depth Without Door

1. 24 1/8 in

2. 24.125 in

Top Air Clearances

1. 1 in

2. 1.0 in

Side Air Clearances

1. 1/8 in

2. 0.125 in

Depth Without Handle

1. 29 in

2. 29.0 in

Height to Top of Case

1. 68 5/8 in

2. 68.625 in

Overall Height

1. 69 7/8 in

2. 69.875 in

Exterior Design

1. Contoured Doors

Hidden Door Hinges

2. Hidden Door Hinges
Contoured Doors

Door Stops

1. Yes

2. Yes

Handle Color

1. Brushed Bronze

2. Brushed Bronze

Counter-Depth Design

1. Yes

2. Yes

Door Swing

1. Hinges on Left & Right

2. Hinges on Left & Right

Color Appearance

1. Matte White

2. Matte White

Handle

1. Café

2. Café

Warranty Notes

1. See written warranty for full details

2. See written warranty for full details

Labor Warranty

1. Limited 1-year entire appliance

2. Limited 1-year entire appliance

Parts Warranty

1. Limited 1-year entire appliance

2. Limited 1-year entire appliance

Cabinet Liner

1. ABS

Volts/Hertz/Amps

1. 120v; 60Hz; 15A

2. 120v; 60Hz; 15A

Fresh Food Features

1. Soft Touch Bin Liners
Interior Lighting - Dual Level LED

Sabbath Mode

1. Enhanced Shabbos Mode (when used with Shabbos Keeper, sold separately, visit www.zmantechologies.com for details)

DISCLAIMER

Delivery date is subject to change if the item goes on manufacturer backorder. Backorders may occur and availability dates rely solely on the manufacturers, not Slyman Bros. Special order items, out-of-box inventory, closeouts, and discontinued items are non-returnable and non-cancelable and must be serviced if issues occur. **Slyman Bros charges for standard install prices only**; any additional charges past a standard install must be paid directly to the contractor at the time of installation. **Once items are delivered:** Cosmetic damage and property damage **MUST** be reported at the time of delivery; by signing the delivery document you are agreeing to this and forfeiting your right to claim damage. **All promotional rebates must be claimed by the consumer** and the consumer has full responsibility.