INVOICE # 29-34439

May 10, 2021 12:51 PM

SALES PERSON

Cody Coleman
cody.coleman@slymanbros.com



52 Crossroads Plaza, O'Fallon, MO 63368 Slyman Bros (O'Fallon, MO) Phone: 636-277-9025

DELIVER TO

Brian Green bgreen@hrstaffing.biz 332 Laduemont Dr Creve Coeur, Missouri, 63141 636-734-2427

BILLING INFORMATION

Brian Green bgreen@hrstaffing.biz 52 Crossroads Plaza O'Fallon, Missouri, 63368 636-734-2427

PRODUCT	DESCRIPTION	LOCATION	PRICE	QTY	TOTAL
T30IR905SP (NEW) SN:	BUILT-IN REFRIGERATOR	Warehouse (Manchester, MO	\$5,696.00	1	\$5,696.00
PRD366WHU (NEW) SN:	36-INCH PRO HARMONY(R) STANDARD DEPTH DUAL FUEL RANGE	Warehouse (Manchester, MO	\$7,159.00	1	\$7,159.00
PH36GWS (NEW) SN:	36-INCH PRO GRAND(R) WALL HOOD	Warehouse (Manchester, MO	\$0.00	1	\$0.00
SMD2470ASY (NEW) SN:	24 IN. 1.2 CU. FT. 950W SHARP STAINLESS STEEL MICROWAVE DRAWER OVEN	Warehouse (Manchester, MO	\$999.00	1	\$999.00
T18IF905SP (NEW) SN:	BUILT-IN FREEZER	Warehouse (Manchester, MO	\$4,746.00	1	\$4,746.00
DWHD770WFP (NEW) SN:	24-INCH PROFESSIONAL STAINLESS STEEL SAPPHIRE(R)	Warehouse (Manchester, MO	\$500.00	1	\$500.00
				F	laul Away Old: No

CODY COLEMAN - 12:46 PM 05-10-2021

Drop off, contractor will install.

Subtotals	\$19,100.00
Sales Tax (O'Fallon, MO)	\$1,518.45
Delivery Charge	\$0.00
Total	\$20,618.45
Record Payment	
Amount Paid	
Payment: credit_card	\$15,000.00
Transaction Number: 01120p	
Date: 05/10/2021	
Payment: other	\$5,618.45
Note: 12 months	
Date: 05/10/2021	
Balance Due (USD)	\$0.00

Silence level (dBA)	
1. 40	
Door Hinge	
1. Right reversible	
Shelf Material - Refrigerator	
1. Glass	
Power Cord Length	
1. 118"	

SPEC PRODUCT DETAIL

MODEL: T30IR905SP

Appliance Width (in)

1. 29 3/4"

Variant color

Required cutout size (HxWxD) (in)

1. 84" x 30" x 24 3/4"

1. Not applicable

PRODUCT:

SPEC PRODUCT DETAIL PRODUCT: MODEL: PRD366WHU **Brand** 1. Thermador 2. Thermador SKU 1. PRD366WHU 2. PRD366WHU UPC code 1. 825225925194 2. 825225925194 Installation type 1. Free-standing Energy source 1. Gas 2. Mixed Installation Type 1. Freestanding appliance

Overall appliance dimensions (HxWxD) (in)

1. 35 7/8" x 35 15/16" x 24 3/4"

Required cutout size (HxWxD) (in)

1. 36" width slide-in

Net weight (lbs)

- 1. 410.000 lbs
- 2. 410.000

Cavity capacity (cu ft)

- 1. 5 Cu Ft
- 2. 4.9

Cavity dimensions (in)

1. 16 3/8" x 28" x 18 1/2"

Cooking mode

1. 3rd element convection, Centre-area grill/broiler, Convection Bake, Convection Broil, Conventional heat, Roasting function, Selfcleaning pyrolitic Included accessories 1. 1 x Broiler pan, 1 x island trim Optional accessories - primary cavity 1. PA12CHPBLK, PA36GHSH, PA36GLBH, PAGRIDDLE, PAKNOBLUNH, PALPKITHN, PWOKRINGHC, PA36WLBH, PAALTKITHW, PAKNOBLUWH, 2. PA12CHPBLK, PA36WLBH, PAALTKITHW, PAGRIDDLE, PAKNOBLUWH, PALPKITHW, PARKB36HY, PWOKRINGHC Current (A) 1. 50 A 2. 30 Watts (W) 1. 6,400 W 2. 6,400 Plug type 1. no plug Volts (V) 1. 240/208 V 2. 240/208

Size

1. 36 Inch

Optional accessories

1. PA12CHPBLK, PA36WLBH, PAALTKITHW, PAGRIDDLE, PAKNOBLUWH, PALPKITHW, PARKB36HY, PWOKRINGHC

MODEL: PH36GWS Installation type 1. Built-in 2. Built-in Air circulation 1. Ducted 2. Ducted 3. Ducted Type of control 1. Illuminated buttons, touch control 2. Illuminated buttons, touch control Color body 1. Stainless Steel Grease filter material 1. Washable stainless steel Installation Type 1. Built-in Material 1. Stainless steel **Motor location** 1. without motor Typology 1. Traditional Watts (W) 1. 2,000 W 2. 2,000 **Power Cord Length** 1. 0" Frequency (Hz) 1. 60 Hz 2. 60

SPEC PRODUCT DETAIL

PRODUCT:

Total output power of the motors

1. 0 W

Volts (V)

- 1. 120 V
- 2. 120

SPEC PRODUCT DETAIL
PRODUCT:
MODEL: SMD2470ASY
Finish
1. Stainless Steel
Drawer Opening
1. Easy Touch Automatic
Capacity*
1. 1.2 Cu. Ft. (holds 9" x 13" dish)
Output Power
1. 950 Watts
Sensor Cook, Reheat and Popcorn
1. Yes, 12 settings
Reheat Auto Settings
1. 2 Settings
Defrost Auto Settings
1. 6 Settings
Microwave Keep Warm Setting
1. Yes, up to 30 minutes
Clock
1. Yes
Minute Plus
1. Yes
Interior Oven Light
1. Yes
1. Yes Kitchen Timer
Kitchen Timer
Kitchen Timer 1. Yes

1	Yac
١.	165

Built-In Ready for Easy Installation

1. Yes

Control Panel Location

1. Center/Top

Control Panel Type

1. Touchpad, Drop-Down 45(degree) Angle

Display Type

1. LCD

Display Color

1. White on Black Background

Power Connection

1. 3-Prong Grounding Plug (included)

Power Ratings

- 1. 120V, 60Hz / 1.67 kW, 14.5 Amps
- 2. 120V, 60Hz / 1.67kW, 14.5 Amps

Safety Compliance

1. FCC, DHHS, UL Listed

Cutout Dimensions

1. 22 1/8" x 15 9/16" x 23 1/2"

Product Dimensions

1. 23 7/8" x 15 7/8" x 23 1/64"

Shipping Weight (lbs.)

1. 86

Product Weight (lbs.)

1. 74

Parts

1. 1 Year

Labor

1. 1 Year

Magnetron Tube

1. 5 Years total (Part Only)

UPC

1. 074000619371

24" Flush Mount Deflector Vent

1. SKMD24F0AS

Flush Mount Deflector Vent Kit

- 1. (1) PREF-B019MRP0 (2) LX-CZB055MRE0
- 2. (1) PREF-B020MRP0 (2) LX-CZB055MRE0

Capacity

1. 1.2 Cu. Ft. (holds 9" x 13" dish)

Safety Compliance:

1. FCC, DHHS, UL listed

Shipping Weight

1. 86

Product Weight

1. 74

30" Flush Mount Deflector Vent

1. SKMD30F0AS

SPEC PRODUCT DETAIL
PRODUCT:
MODEL: T18IF905SP
Appliance Width (in)
1. 17 3/4"
2. 17 3/4"
Required cutout size (HxWxD) (in)
1. 84" x 18" x 24 3/4"
Variant color
1. Not applicable
2. Not applicable
Silence level (dBA)
1. 42
Door Hinge
1. Left reversible
Light
1. Yes
Power Cord Length
1. 118"
2. 118"
Construction type
1. SBS components
Cold appliance
1. Isobutane
Number of compressors
1. 1
Oven Control
1. Electronic
Number of independent cooling systems
1. 1
Frost free system

1. Fridge and freezer
Installation Type
1. N/A
Depth (in)
1. 24"
Net weight (lbs)
1. 273.000
Type of control
1. Economy setting / Holiday mode, Super setting for freezer, Warning signal door open
Warning signal / malfunction
1. No signal
Watts (W)
1. 350
Current (A)
1. 10
Frequency (Hz)
1. 60
Plug type
1. 120V-3 prong
Volts (V)
1. 110-120

SPEC PRODUCT DETAIL PRODUCT: MODEL: DWHD770WFP Installation Type 1. Built-under 2. Built-under 3. Built-under Number of place settings 1. 16 2. 16 List of programmes 1. 1 Hour, Auto, Hand Wash, Normal, Pots & Pans, Quick, Rinse 2. 1 Hour, Auto, Hand Wash, Normal, Pots & Pans, Quick, Rinse **Cycle Options** 1. half load, Intensive Zone, Remote Start, Sanitation, VarioSpeed, Zeo Dry 2. half load, Power Boost, Remote Start, Sanitation, Save Time, Star Dry Display 1. Yes 2. Yes Silence level (dBA) 1. 42 2. 42 3rd Rack 1. Adjustable Chef's Tool Drawer 2. Adjustable Chef's Tool Drawer Interior light 1. Yes 2. Yes **Power Cord Length** 1. 55 1/8" 2. 55 1/8" 3. 67" 4. 67" Duration of the left-on mode - NEW (2012/30/EC) (min)

1. 0 min

Home Connect

Home Connect Features

- 1. iService Remote, Remote Monitoring and Control
- 2. Remote Monitoring and Control

Connectivity type

1. Wi-Fi

Overall appliance dimensions (HxWxD) (in)

1. 33 7/8" x 23 9/16" x 23 3/4"

Number of wash cycles

1. 7

Net weight (lbs)

- 1. 95 lbs
- 2. 110.000
- 3. 106.000

Status indicator

1. End of program audible, rem. time proj. White, sanitized LED US, water inlet

Program 1

1. Pots & Pans

Program 2

1. Auto

Program 3

- 1. Normal
- 2. Regular US

Program 4

- 1. Hand Wash
- 2. Delicate/Economy Wash US

Program 6

- 1. Quick
- 2. Quick Wash US

Program 7

1. Rinse &Hold US

Programme duration, programme1 (min.)

1. 110-135

1. 150-160 (degree)F 2. 150-160 Temperature program 2 1. 130-150 (degree)F 2. 130-150 Temperature program 3 1. 122-131 (degree)F 2. 122-131 Leak protection system 1. Aqua Stop Water consumption program 1 1. 4.8-6.3 gal 2. 4.8-6.3 Water consumption program 2 1. 3.5-6.6 gal 2. 3.5-6.6 Water consumption program 3 1. 1.5-4.5 gal 2. 1.5-4.5 Water consumption program 7 1. 1 gal 2. 1 Total annual water consumption (g) 1. 624 gallons 2. 624 INVOICE # 29-34439 - Page 14 of 16

Programme duration, programme2 (min.)

Programme duration, programme3 (min.)

Programme duration, programme7 (min.)

1. 105-129

1. 95-119

1. 9

Reference programme

1. Regular US

Temperature program 1

Maximum temperature for water intake ((degree)C) 1. 60 (degree)C 2. 60 Watts (W) 1. 1,440 W 2. 1,440 Current (A) 1. 12 A 2. 12 Plug type 1. fixed connection 2. Nema5-15P Color / Material housing 1. Lacquered Color / Control Panel 1. Grey Installation type 1. Built-in Panel ready 1. Not possible Concealed heating element 1. Yes **Tub** material 1. Stainless steel List of programs 1. 1 Hour, Auto, Hand Wash, Normal, Pots & Pans, Quick, Rinse 2. 1 Hour, Auto, Hand Wash, Normal, Pots & Pans, Quick, Rinse Home Connect(TM) 1. Yes Glass protection 1. Yes 2. Yes

Surge-back protect. installed

1. Yes

Water softene	·r
---------------	----

1. Yes

■ DISCLAIMER

Delivery date is subject to change if the item goes on manufacturer backorder. Backorders may occur and availability dates rely solely on the manufacturers, not Slyman Bros. Special order items, out-of-box inventory, closeouts, and discontinued items are non-returnable and non-cancelable and must be serviced if issues occur. Slyman Bros charges for standard install prices only; any additional charges past a standard install must be paid directly to the contractor at the time of installation. Once items are delivered: Cosmetic damage and property damage MUST be reported at the time of delivery; by signing the delivery document you are agreeing to this and forfeiting your right to claim damage. All promotional rebates must be claimed by the consumer and the consumer has full responsibility.