INVOICE # 29-44958

September 20, 2021 02:37 PM



SALES PERSON

Cody Coleman
cody.coleman@slymanbros.com

52 Crossroads Plaza, O'Fallon, MO 63368 Slyman Bros (O'Fallon, MO) Phone: 636-277-9025

BILLING INFORMATION

Ron Candrl rpcandrl@gmail.com 845 Brockwell Dr O'Fallon, Missouri, 63368 636-856-3848

DELIVER TO

Ron Candrl rpcandrl@gmail.com 845 Brockwell Dr O'Fallon, Missouri, 63368 636-856-3848

PRODUCT	DESCRIPTION	LOCATION	PRICE	QTY	TOTAL
HMV5053U (NEW) SN: • FD0105110794	500 SERIES OTR Install : O-T-R Microwave Standard Install	— Warehouse	\$525.00		
	Delivered On: 2021-11-04 Quantity: 1	(Manchester, MO		1	\$525.00
SGSX305TS (NEW) SN: 825225933052	GAS COOKTOP 30" STAINLESS STEEL SGSX305TS Install : Cooktop Standard Install	— Warehouse	\$1,899.00		\$1,899.00
	Delivered On: 2021-11-04 Quantity: 1	(Manchester, MO		1	
WKG101HWA (NEW) SN:	4.5 CF / 7.4 CF Gas Washtower with Center Control - White Install : Install	Warehouse (Manchester, MO	\$1,775.00	1	\$1,775.00
				H	laul Away Old: N

NOTES

CODY COLEMAN - 02:35 PM 09-20-2021

ABS to vent out Microwave and run gas line for cooktop charge customer.

CODY COLEMAN - 02:37 PM 09-20-2021

Contractor info ABS Home Repair 314-766-8486 Customer paid all standard installs.

Subtotals \$4,199.00	\$4,199.00	Subtotals
(O'Fallon, MO) \$333.82	\$333.82	Sales Tax (O'Fallon, MO)
Install Charge \$380.00	\$380.00	Install Charge
elivery Charge \$0.00	\$0.00	Delivery Charge
Total \$4,912.82	\$4,912.82	Total
cord Payment		Record Payment
Amount Paid		Amount Paid
one_payment \$4,912.82	\$4,912.82	Payment: phone_payment
Note:		Note:
NAJBKYEIAAI		5Q6UL6Q2IUI6ZEANAJBKYEIAAI
te: 09/20/2021		Date: 09/20/2021
Refund		Refund
Amount Paid		Amount Paid
account_credit -\$1,916.11	-\$1,916.11	Payment: account_credit
ato: 11 /15 /2021		Date: 11/15/2021

\$2,996.71

\$0.00

Total After Refund

Balance Due (USD)

ORDER RETURN

DATE RETURNED	PRODUCT	QTY	WARRANTIES	INSTALLS	AMOUNT
11/15/2021	WKG101HWA	1			\$1916.11

REASON FOR RETURN

specs were wrong thru LG.

SPEC PRODUCT DETAIL PRODUCT: MODEL: HMV5053U Design 1. Seamless Vent Cover Makes Clean Up a Breeze Capacity 1. 2.1 Cu. Ft. Oven Capacity Efficiency 1. Recirculation or Outside Venting Options - Up to 385 CFM 2. 1,100 Cooking Watts ${\tt 3. \ \ LED-Illumination\ \ Provides\ \ Optimal,\ Energy-Efficient\ \ Cavity\ \ and\ \ Task\ \ Lighting}$ 4. Recirculation or Outside Venting Options 5. Maximum extraction rate - 385 CFM Convenience 1. Timer With Cook Function and Automatic Shut Off 2. Popcorn Program - Get Fully "Popped" Popcorn Simply by Entering the Bag Size 3. Reheat Setting Automatically Determines Power Level and Cooking Time 4. Automatic Defrost Determines Power Level and Cooking Time Max. Microwave power (W) 1. 1,100 Product color 1. Stainless Steel Door opening 1. Handle 2. Handle Cavity material 1. lacquered Construction type 1. Built-in **Oven Control** 1. Electronic Front screen material

1. Glass

Overall appliance dimensions (HxWxD) (in)

Cavity capacity (cu ft)
1. 2.1
Cavity dimensions (in)
1. 9 13/16 x 23 3/4 x 15 3/16
Net weight (lbs)
1. 63.000
Turntable diameter (in)
1. 14 3/16"
Type of auto-cooking
1. Sensor and weight control
Type of control
1. Membrane keys
Watts (W)
1. 1,550
Power Cord Length
1. 40"
Current (A)
1. 15
Frequency (Hz)
1. 60
Plug type
1. 120V-3 prong
Volts (V)
1. 120

1. 17 1/2" x 29 7/8" x 15 7/8"

SPEC PRODUCT DETAIL

PRODUCT:

MODEL: SGSX305TS

Location of gas connection

- 1. bottom, rear, right
- 2. bottom, rear, right
- 3. bottom, rear, right
- 4. bottom, rear, right

Frequency (Hz)

- 1. 60 Hz
- 2. 60 Hz
- 3. 60
- 4. 60
- 5. 60
- 6. 60

Energy source

- 1. Gas
- 2. Gas
- 3. Gas
- 4. Gas
- 5. Gas
- 6. Gas
- 7. Gas

Power Cord Length

- 1. 60"
- 2. 60"
- 3. 60"
- 4. 60"

Watts (W)

- 1. 1,800 W
- 2. 1,800 W
- 3. 1,800
- 4. 1,800
- 5. 1,800
- 6. 1,800

Type of control

- 1. sword knobs
- 2. sword knobs
- 3. sword knobs
- 4. sword knobs

Safety device

- 1. automatic reignition
- 2. automatic reignition
- 3. automatic reignition

- 4. automatic reignition
- 5. automatic reignition
- 6. automatic reignition
- 7. automatic reignition
- 8. automatic reignition

Color of frame

- 1. Stainless Steel
- 2. Stainless Steel
- 3. Stainless Steel
- 4. Stainless Steel

Color of surface

- 1. Stainless Steel
- 2. Stainless Steel
- 3. Stainless Steel
- 4. Stainless Steel

Number of electric elements

- 1. 0
- 2. 0
- 3. 0
- 4. 0

Number of electric cooking zones

- 1. 0
- 2. 0
- 3. 0
- 4. 0

Number of gas burners

- 1. 5
- 2. 5
- 3. 5
- 4. 5

Number of halogen elements

- 1. 0
- 2. 0
- 3. 0
- 4. 0

Installation Type

- 1. Built-in
- 2. Built-in
- 3. Built-in
- 4. Built-in

Type of grate

- 1. Cast iron
- 2. Cast iron
- 3. Cast iron
- 4. Cast iron

Total number of cooktop burners

- 1. 5
- 2. 5
- 3. 5
- 4. 5

Number of radiant elements

- 1. 0
- 2. 0
- 3. 0
- 4. 0

Number of electric warming zones

- 1. 0
- 2. 0
- 3. 0
- 4. 0

Overall appliance dimensions (HxWxD) (in)

- 1. + 3 13/16" x 31" x 21 1/4"
- 2. + 3 13/16" x 31" x 21 1/4"
- 3. + 3 13/16" x 31" x 21 1/4"
- 4. + 3 13/16" x 31" x 21 1/4"

Net weight (lbs)

- 1. 37.000 lbs
- 2. 37.000
- 3. 37.000
- 4. 37.000
- 5. 37.000

Minimum distance from counter front (in)

- 1. 17/8"
- 2. 17/8"
- 3. 17/8"
- 4. 17/8"

Minimum distance from rear wall (in)

- 1. 3"
- 2. 3"
- 3. 3"
- 4. 3"

Location of 1st heating element

- 1. Flexible
- 2. Flexible
- 3. Flexible

4. Flexible

Type of safety device for gas

- 1. Without
- 2. Without
- 3. Without
- 4. Without

Power on indicator

Resid@al heat indicator

- 1. without
- 2. without
- 3. without
- 4. without

Main on/off switch

Gas cannection rating (W)

- 1. 15,240 W
- 2. 15,240
- 3. 15,240
- 4. 15,240
- 5. 15,240

Installation type

- 1. Built-in
- 2. Built-in
- 3. Built-in

Included accessories

- 1. 1 x cast iron pan support
- 2. 1x cast iron pan support

MODEL: WKG101HWA Series 1. Wash Tower Type 1. F/Loader, F/Loader Dryer 2. Electric 3. Gas Matching Gas Dryer 1. WKG101HVA **Touch Buttons** 1. Yes Full Touch Electronic Control Panel with LED Display 1. Yes Color 1. Graphite Steel (V) Matching Electric Dryer 1. WKE100HVA Capacity (cu.ft.) 1. Washer 4.5 cu. ft./Dryer 7.4 cu. ft. **CEE Tier** 1. Tier 2 IMEF 1. 2.92 IWF 1. 2.9 **Unified Center Control** 1. Yes **ENERGY STAR® Qualified**

SPEC PRODUCT DETAIL

PRODUCT:

1. Yes	
2. Yes	
ZEF	
1. 3.49	
No. of Programs	
1. 6	
2. 6	
Programs	
1. Normal, Bedding, Delicates, Heavy Duty, Speed Wash, Downloaded	
2. Normal, Bedding, Delicates, Heavy Duty, Small Load, Downloaded 2. Normal, Bedding, Delicates, Heavy Duty, Small Load, Downloaded	
No. of Options	
1. 9 2. 7	
Options	
 Delay wash, Steam, Extra Rinse, Pre-wash, Sanitary*, Tub Clean*, Control Lock*, Signal*, Wi-Fi* / Remote St Wrinkle Care, More Time, Less Time, Energy Saver, Control Lock*, Signal*, Wi-Fi* / Remote Start* 	:art*
No. of Wash/Rinse Temps	
1. 5	
Vash/Rinse Temps	
1. Hot, Warm/Hot, Warm, Cold/Warm, Cold	
No. of Spin Speeds	
1. 5	
Spin Speeds	
1. High, Medium/High, Medium, Low, No Spin	
1ax RPM	
1. 1300	
Vater Levels	
1. Load Sensing	
No. of Soil Levels	

Temperature Settings

1. High, Medium/High, Medium, Low/Medium, Low

INVOICE # 29-44958 - Page 10 of 15

1. Very, More, Normal, Less, Damp
Manual Dry Times
1. 60 min., 50 min., 40 min., 30 min., 20 min.
AI DD™
1. Yes
Steam Technology
1. Yes
Allergiene™ Cycle
1. Yes
Sanitary Cycle
1. Yes
Al Sensor Dry™
1. Yes
Sensor Dry
1. Yes
Precise Temperature Control with Variable Heater
1. Yes
TrueBalance™ Anti-Vibration System
1. Yes
4 Tray Dispenser
1. Prewash, Main Wash (with liquid detergent cup), Bleach, Fabric Softener
End of Cycle Signal
1. Yes 2. Yes
LoadSense
1. Yes
Control Lock*
1. Yes
Auto Suds Removal
AULO JULIS REINIUYUI

Drying Levels

1. Yes
Leveling Legs
1. 4 Adjustable Legs
Drum Light
1. Yes
2. Yes
Remaining Time Display/Status Indicator (s)
1. Yes
2. Yes
3 Minute Installation Check
1. Yes
FlowSense™ Duct Clogging Indicator
1. Yes
Wrinkle Care Option
1. Yes
Control Lock
1. Yes
Venting Option
1. 2 Way Venting
4 Adjustable Legs
1. Yes
SmartDiagnosis™ (v3.0)
1. Yes
2. Yes
Wi-Fi
1. Yes2. Yes
Remote start and cycle monitor
1. Yes 2. Yes
Energy Monitoring
1. Yes

2. Yes

Motor Type 1. Inverter Direct Drive Motor Axis 1. Horizontal NeveRust™ Stainless Steel Drum 1. Yes **Control Panel** 1. Plastic 2. Plastic Top Plate 1. Steel 2. Steel Cabinet 1. Painted Steel 2. Painted Steel Door / Rim 1. Large Circle Shiny Rose Gold Rim 2. Large Circle Shiny Rose Gold Rim **Door Cover** 1. Tinted Round Tempered Glass 2. Tinted Round Tempered Glass All Available Colors 1. White (W), Graphite Steel (V) 2. White (W), Graphite Steel (V) **Aluminized Alloy Steel Drum** 1. Yes AAFA 1. Yes Ratings 1. CSA Listed

Tub Clean Coach

1. Yes

2. CSA Listed

Electrical Requirements

- 1. 120V, 10 Amps
- 2. 120V, 15 Amps

BTU Rating

1. 20,000 Feet

LP Conversion Kit

1. 383EEL3002D

Side Venting Kit

1. 3911EZ9131X

Product (WxHxD)

1. 27" x 74 3/8" x 30 3/8" (700mm x 1890mm x 770mm)

Depth with Door Open

1. (55" D with door open)

Carton (WxHxD)

1. 30 1/16" x 79 11/32" x 32" (763 x 2015 x 813 (mm))

Weight (Product/Carton)

1. 311 lbs / 346 lbs

Parts and Labor

- 1. 1 Year
- 2. 1 Year

Direct Drive Motor

1. 10 Years

Drum

- 1. 3 Years
- 2. 3 Years

UPC

1. 048231029377

■ DISCLAIMER

TERMS & CONDITIONS

Return Policy. All products are considered "special order" unless otherwise noted. Special order products are non-cancellable and non-returnable.

Mail-In Rebates. All rebate claims and payments are exclusively between the issuer (not Slyman Bros) and the consumer. The consumer has full responsibility on filing in the correct dates.

Standard Install Prices. Slyman Bros charges for standard install prices only, any additional work past a standard install must be paid directly to the installer at the time of installation.

Damage. Cosmetic damage and property damage MUST be reported at the time of delivery; by signing the delivery document you are agreeing to this and forfeiting your right to claim damage.

Out-of-Box Inventory. As is condition and are non-cancellable and non-returnable.

Backorders. Availability dates rely solely on the manufacturers and not Slyman Bros. Estimated dates can change without notice, we only promise to contact you to schedule delivery once the item arrives at Slyman Bros warehouse.