INVOICE # 29-46964

October 16, 2021 11:58 AM

SALES PERSON

Mike Orlando mike.orlando@slymanbros.com



52 Crossroads Plaza, O'Fallon, MO 63368 Slyman Bros (O'Fallon, MO) Phone: 636-277-9025

BILLING INFORMATION

Steve Garlichs steveg@fairmarketinc.com 2534 Key Harbour Ct Lake Saint Louis, Missouri, 63367 314-409-7342

DELIVER TO

Steve Garlichs steveg@fairmarketinc.com 2534 Key Harbour Ct Lake Saint Louis, Missouri, 63367 314-409-7342

| PRODUCT | DESCRIPTION | LOCATION | PRICE | QTY | TOTAL |
|----------------------------|---|------------------------------|------------|-------------|------------|
| KUIX535HPS (NEW) SN: | KITCHENAID(R) 15" AUTOMATIC ICE MAKER WITH PRINTSHIELD(TM) FINISH - STAINLESS STEEL WITH PRINTSHIELD(TM) FINISH | Warehouse (Manchester, MO | \$2,500.00 | 1 | \$2,500.00 |
| KUBL214KSB (NEW) SN: | 24" BEVERAGE CENTER WITH GLASS DOOR AND WOOD-FRONT RACKS - BLACK CABINET/STAINLESS DOORS | Warehouse (Manchester, MO | \$2,100.00 | 1 | \$2,100.00 |
| KMBP100ESS (NEW) SN: | 30" BUILT IN MICROWAVE OVEN WITH CONVECTION COOKING - STAINLESS STEEL | Warehouse (Manchester, MO | \$1,950.00 | 1 | \$1,950.00 |
| SPE68U55UC (NEW) SN: | ADA 18" 800 SERIES RECESSED HNDL, 6/5 CYCLES, 3RD RCK, 44 DBA, RCKMATIC,10 PL STGS - SS | Warehouse (Manchester, MO | \$935.00 | 1 | \$935.00 |
| | | | Haul Awa | ıy Old: Yes | 4 |

| \$7,485.00 | Subtotals |
|------------|--------------------------------|
| \$595.06 | Sales Tax (O'Fallon, MO) |
| \$0.00 | Delivery Charge |
| \$8,080.06 | Total |
| | Record Payment |
| | Amount Paid |
| \$8,080.06 | Payment: blockchyp_credit_card |
| | Note: |
| | QV6ZPIJOT4I6ZM6IAJBKYEIAAI |
| | Date: 10/16/2021 |
| \$0.00 | Balance Due (USD) |

| SPEC PRODUCT DETAIL | |
|--------------------------------|--|
| PRODUCT: | |
| MODEL: KUIX535HPS | |
| | |
| Cabinet Width | |
| 1. 14-7/8 in | |
| Cutout Depth | |
| 1. 25.0 in | |
| Cutout Height | |
| 1. 34-1/2 in | |
| Cutout Width | |
| 1. 15.0 in | |
| Depth Closed Excluding Handles | |
| 1. 24.0 in | |
| Depth Closed Including Handles | |
| 1. 25-3/8 in | |
| Depth Excluding Doors | |
| 1. 22-1/8 in | |
| Depth With Door Open 90 Degree | |
| 1. 39-1/2 in | |
| Height To Top Of Cabinet | |
| 1. 33-5/8 in | |
| Height To Top Of Door Hinge | |
| 1. 34-1/16 in | |
| Cabinet Finish | |
| 1. Textured | |
| Handle Location | |
| 1. Horizontal | |
| Handle Material | |
| 1. Metal | |
| Reversible Door | |

| 1. Yes |
|---|
| Defrost Type |
| 1. Automatic Defrost |
| Ice Maker On/Off |
| 1. Yes |
| Location of Controls |
| 1. Interior Up Front |
| Water Filter Indicator/Reset |
| 1. Yes |
| Water Filter Location |
| 1. Interior |
| Ambient Temperature Range |
| 1. 55F to 110F |
| Drain Connection |
| 1. Rear Access 5/8"" OD |
| Drain Pump |
| 1. Pump Included |
| Ice Capacity Storage |
| 1. 25 |
| Interior Light |
| 1. LED |
| Energy Star(R) Qualified |
| 1. No |
| Selections |
| 1. Ice Scoop, Max Ice, Articulating Hinge, Clear Ice Technology, True Flush Installable, Easy Access Filter Install |
| Water Filter Part Number |
| 1. F2WC9I1 |
| Prop 65 |
| 1. CALIFORNIA RESIDENTS ONLY - WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov . |

| SPEC PRODUCT DETAIL |
|---------------------------------|
| PRODUCT: |
| MODEL: KUBL214KSB |
| |
| Cabinet Width |
| 1. 23-7/8 in |
| Capacity |
| 1. 4.89 cu. ft. |
| Depth Closed Excluding Handles |
| 1. 23-5/8 in |
| Depth Closed Including Handles |
| 1. 26-7/16 in |
| Depth With Door Open 90 Degree |
| 1. 48.0 in |
| Height To Top Of Cabinet |
| 1. 34.15625 in |
| Height To Top Of Door Hinge |
| 1. 34-3/8 in |
| Width |
| 1. 23-7/8 in |
| Type of Refrigerator |
| 1. Beverage Center |
| Auto Defrost |
| 1. Yes |
| Control Location |
| 1. Interior |
| Control Lockout |
| 1. Yes |
| Control Type |
| 1. Light-Guided Capactive Touch |
| Cooling On/Off |

| 1. Yes | | | |
|---------------------|-------------------------|--|--|
| Door Ajar/Open A | arm | | |
| 1. Yes | | | |
| Ice Maker On/Off | | | |
| 1. No | | | |
| Max Cool/Fast Coo | d | | |
| 1. No | | | |
| Number of Tempe | rature Controlled Zones | | |
| 1. 2 | | | |
| Sabbath Mode | | | |
| 1. Yes | | | |
| Water Filter Indica | tor/Reset | | |
| 1. No | | | |
| Cabinet Color | | | |
| 1. Black | | | |
| Cabinet Finish | | | |
| 1. Textured | | | |
| Door Color | | | |
| 1. Stainless S | teel | | |
| Handle Location | | | |
| 1. Vertical | | | |
| Handle Material | | | |
| 1. Metal | | | |
| Handle Type | | | |
| 1. Reach-Thr | ough Handle | | |
| Reversible Door | | | |
| 1. No | | | |
| Window | | | |
| 1. Yes | | | |
| Interior Light | | | |

| 1. LED |
|---|
| Liner Finish |
| 1. Plastic |
| Number of Racks |
| 1. 2 |
| Number of Shelves |
| 1. 2 |
| Rack Front Material |
| 1. Wood |
| Shelf Description |
| 1. 1 Fixed Full Depth Shelf, 1 Fixed Half Depth Shelf |
| Zone 1 Temperature Range |
| 1. 33F to 40F |
| Zone 2 Capacity |
| 1. 14 Bottles |
| Zone 2 Temperature Range |
| 1. 42F to 64F |
| CEE Tier |
| 1. Not Rated |
| Energy Star(R) Qualified |
| 1. No |
| Prop 65 |
| 1. CALIFORNIA RESIDENTS ONLY - WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov . |
| Amps |
| 1. 15 |
| Volts |
| 1. 115 |
| |

| PRODUCT: |
|--|
| MODEL: KMBP100ESS |
| |
| Capacity |
| 1. 1-2/5 |
| Cutout Depth |
| 1. 21-7/8 in |
| Cutout Height |
| 1. 17-5/8 in |
| Cutout Height Max |
| 1. 17-3/4 in |
| Cutout Height Min |
| 1. 17-3/8 in |
| Cutout Width |
| 1. 28-1/2 in |
| Depth |
| 1. 25-1/8 in |
| Depth With Door Open 90 Degree |
| 1. 35-5/8 in |
| Height |
| 1. 18-1/2 in |
| Width |
| 1. 29-3/4 in |
| ADA Compliant |
| 1. ADA Height and Side and Front Reach Compliant |
| CUL |
| 1. Yes |
| Microwave Type |
| 1. Built-In |
| Prop 65 |

SPEC PRODUCT DETAIL

| Size |
|---|
| 1. 30 in |
| JL |
| 1. UL |
| Handle Color |
| 1. Stainless Steel |
| Control Location |
| 1. White |
| Location of Controls |
| 1. Top |
| Number of Quick Touch/One-Touch Selections |
| 1. 10 |
| Cavity Finish |
| 1. Stainless |
| Convection |
| 1. Yes |
| Convection Power |
| 1. 1200 w |
| Cooking Power |
| 1. 900 w |
| Grill |
| 1. Yes |
| Grill Power |
| 1. 1600.0 w |
| nterior Light |
| 1. Halogen |
| Microwave Selections |
| |

 $1. \ \ CALIFORNIA\ RESIDENTS\ ONLY\ -\ WARNING: Cancer\ and\ Reproductive\ Harm\ -\ www.P65Warnings.ca.gov\ .$

| 1. Add A Minute, Control Lock, Convect, Cook Power, Cook Time, Crisp Pan, Defrost, Easy Convect, Popcorn, Reheat, Soften/Melt, Speed Cook, Steam |
|---|
| 2. Add A Minute, Control Lock, Convect, Cook Power, Cook Time, Crisp Pan, Defrost, Easy Convect, Popcorn, Reheat, Soften/Melt, Speed Cook, Steam, Timer |
| Sensor Cooking |
| 1. Yes |
| Turntable |
| 1. Yes |
| Turntable Diameter Size |
| 1. 14-1/8 in |
| Clock |
| 1. Yes |
| One Touch Cooking |
| 1. Yes |
| Timer |
| 1. Yes |
| Microwave Configuration |
| 1. Built-In |
| GPC Code |
| 1. 10001952 |
| IsInvoiceUnit |
| 1. true |
| IsOrderableUnit |
| 1. true |
| Product Type |
| 1. EA |
| UDEX |
| 1. 1100400568 |
| isBaseUnit |
| 1. true |
| isConsumerUnit |

1. true

Cooking Items Included

1. Crisp/Grill/Drip Pan, Steamer, Convection Rack

Features

1. Broil Element, Convection Cooking, Crispwave Microwave Technology with Crisper Pan, EasyConvect Conversion, Sensor Steam Cycle with Steam Container, ADA Compliant

Broil Element

1. Broil Element

Crispwave Microwave Technology with Crisper Pan

1. Crispwave Microwave Technology with Crisper Pan

EasyConvect Conversion

1. EasyConvect Conversion

Sensor Steam Cycle with Steam Container

1. Sensor Steam Cycle with Steam Container

Number of place settings 1. 10 List of programmes 1. Auto, Hand Wash, Normal, Pots & Pans, Quick, Rinse 2. Auto, Hand Wash, Normal, Pots & Pans, Quick, Rinse **Cycle Options** 1. Extra dry, half load, Sanitation Silence level (dBA) 1. 44 **Third Rack** 1. Standard Third Rack **Power Cord Length** 1. 47 1/4" 2. 47 1/4" Connectivity type 1. Not applicable Overall appliance dimensions (HxWxD) (in) 1. 32 1/16" x 17 5/8" x 22 9/16" Net weight (lbs) 1. 77 lbs 2. 77.000 lbs 3. 77.000 Status indicator 1. sanitized LED US, status display, Time remaining indicator front Program 1 1. Pots & Pans 2. Power Scrub Plus US

SPEC PRODUCT DETAIL

MODEL: SPE68U55UC

Installation Type

Built-under
Built-under

PRODUCT:

Program 2

1. Auto

Program 3

- 1. Hand Wash
- 2. Delicate/Economy Wash US

Program 4

- 1. Normal
- 2. Regular US

Program 5

- 1. Quick
- 2. Quick Wash US

Program 6

- 1. Rinse
- 2. Rinse & Hold US

Programme duration, programme1 (min.)

1. 110-125

Programme duration, programme2 (min.)

1. 105-129

Reference programme

1. Regular US

Temperature program 1

- 1. 151-160 (degree)F
- 2. 151-160

Temperature program 2

- 1. 131-151 (degree)F
- 2. 131-151

Leak protection system

1. Aqua Stop

Water consumption program 1

- 1. 4.4-5.8 gal
- 2. 4.4-5.8

Water consumption program 2

- 1. 2.9-5.3 gal
- 2. 2.9-5.3

Total annual water consumption (g) 1. 624 gallons 2. 624 Maximum temperature for water intake ((degree)C) 1. 60 (degree)C 2. 60 Watts (W) 1. 1,300 W 2. 1,300 Current (A) 1. 12 A 2. 12 Length inlet hose (cm) 1. 165 cm 2. 165 Plug type 1. Nema5-15P Color / Material housing 1. Lacquered Color / Control Panel 1. Stainless steel colour, lacqu. Construction type 1. Built-in Panel ready 1. Not possible Drying system 1. Inherent heat Tub material 1. Stainless steel List of programs 1. Auto, Delicate/Economy Wash US, Power Scrub Plus US, Quick Wash US, Regular US, Rinse & Hold US 2. Auto, Delicate/Economy Wash US, Power Scrub Plus US, Quick Wash US, Regular US, Rinse & Hold US

