

INVOICE # 58-33291

April 21, 2021 10:55 AM



SALES PERSON

Bob Slyman
bob.slyman@slymanbros.com

5841 S Lindbergh Blvd, St. Louis, MO 63123

Slyman Bros (South County)

Phone: 314-200-6556

BILLING INFORMATION

Tim Fitzsimmons
TIM.FITZSIMMONS49@GMAIL.COM
455 Big River View
Eureka, Missouri, 63025
314-640-0474

DELIVER TO

Tim Fitzsimmons
TIM.FITZSIMMONS49@GMAIL.COM
455 Big River View
Eureka, Missouri, 63025
314-640-0474

PRODUCT	DESCRIPTION	LOCATION	PRICE	QTY	TOTAL
KCGS556ESS (NEW) SN:	36" 5-BURNER GAS COOKTOP - STAINLESS STEEL Warranty : 5 Year Extended Warranty Plan	Warehouse (Manchester, MO)	\$1,299.95	1	\$1,299.95
KODE500ESS (NEW) SN:	30" DOUBLE WALL OVEN WITH EVEN-HEAT(TM) TRUE CONVECTION - STAINLESS STEEL Warranty : 5 Year Extended Warranty Plan	Warehouse (Manchester, MO)	\$2,999.95	1	\$2,999.95
KRFC300ESS (NEW) SN:	20 CU. FT. 36-INCH WIDTH COUNTER-DEPTH FRENCH DOOR REFRIGERATOR WITH INTERIOR DISPENSE - STAINLESS STEEL Warranty : 5 Year Extended Warranty	Warehouse (Manchester, MO)	\$2,499.95	1	\$2,499.95
SMD2470ASY (NEW) SN:	24 IN. 1.2 CU. FT. 950W SHARP STAINLESS STEEL MICROWAVE DRAWER OVEN Warranty : 5 Year Extended Warranty Plan	Warehouse (Manchester, MO)	\$1,099.95	1	\$1,099.95

Haul Away Old: Yes 3

NOTES

BOB SLYMAN - 10:54 AM 04-21-2021
NO INSTALL, CALL WHEN IN
JON SLYMAN - 03:00 PM 01-31-2022
All available for delivery
JON SLYMAN - 11:21 AM 02-01-2022
Double infinity install all Balance due of \$450

Subtotals	\$7,899.80
Sales Tax (South County)	\$611.29
Extend Warranty Charge	\$0.04
Delivery Charge	\$0.00
Total	\$8,511.13

Record Payment	
Amount Paid	
Payment: credit_card	\$8,511.09
Transaction Number: 06253M	
Date: 04/21/2021	
Payment: cash	\$0.04
Date: 04/30/2021	

Balance Due (USD) \$0.00

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : KCGS556ESS

Cutout Depth

- 1. 19-13/16 in

Cutout Height

- 1. 5-1/4 in

Cutout Width

- 1. 35-3/16 in

Depth

- 1. 21.0 in
- 2. 21

Height

- 1. 3-11/16 in
- 2. 3 11/16

Maximum Height

- 1. 4-5/16 in
- 2. 5 19/32

Width

- 1. 36.0 in
- 2. 36

Cutout Depth Max

- 1. 20.0 in

Cutout Depth Min

- 1. 19-1/2 in

Cutout Width Max

- 1. 35-5/8 in

Cutout Width Min

- 1. 34-7/8 in

Size

- 1. 36 in

Cooktop Type

1. Standard
2. Standard

Fuel Type

1. Gas
2. Gas

LP Convertible

1. Yes - Kit Included
2. Yes - Kit Included

Installs Over Built-In Oven

1. Yes
2. Yes

Power Boost

1. No
2. No

Knob Color

1. Stainless Steel

Infinite Heat Controls

1. Yes

Knob Type

1. Metal

Location of Controls

1. Front

Automatic Pan Detection

1. No
2. No

Downdraft Vent

1. No
2. No

Heating Element On Indicator Light

1. No
2. No

Hot Surface Indicator Light

1. No
2. No

Cooktop Element Style

- 1. Sealed Burner

Cooktop Surface Color

- 1. Color Coordinated

Ignition Type

- 1. Direct Spark Ignition

Number of Cooking Element-Burners

- 1. 5

Number of Grates

- 1. 3

Grate Details

- 1. Dishwasher Safe
- 2. Cast Iron Grates,Continuous,Dishwasher Safe,Matte Finish

Left Rear Element-Burner Type

- 1. Simmer

Right Front Element-Burner Type

- 1. Burner

Digital Display

- 1. No
- 2. No

Features

- 1. 20K BTU Dual-Ring Burner

Prop 65

- 1. Standard

Power Cord Included

- 1. Yes

20K BTU Dual-Ring Burner

- 1. 20K BTU Dual-Ring Burner

Cookshield Finish

- 1. Cookshield Finish
- 2. Cookshield Finish

Power Outage Compatible

1. Yes

isBaseUnit

1. true
2. true

GPC Code

1. 10001951
2. 10001951

isConsumerUnit

1. true
2. true

IsInvoiceUnit

1. true
2. true

IsOrderableUnit

1. true
2. true

Product Type

1. EA
2. EA

UDEX

1. 1100400623
2. 1100400623

Cooktop Surface Material

1. Stainless Steel

Cutout Depth Max(IN,inches)

1. 20

Cutout Depth Min(IN,inches)

1. 19 1/2

Cutout Depth(IN,inches)

1. 19 13/16

Cutout Height(IN,inches)

1. 5 1/4

Cutout Width Max(IN, inches)

- 1. 35 5/8

Cutout Width Min(IN, inches)

- 1. 34 7/8

Cutout Width(IN, inches)

- 1. 35 3/16

Depth(IN, inches)

- 1. 21

Height(IN, inches)

- 1. 3 11/16

Maximum Height(IN, inches)

- 1. 4 5/16

Width(IN, inches)

- 1. 36

Combinations with Oven

- 1. KOSC504,KOSE500,KOSE507,KOSE900,KOST100,KOST107

Size (in.)

- 1. 36

Control Location

- 1. Front

Control Type

- 1. Knobs

Griddle

- 1. Optional Accessory

Selection

- 1. Simmer

Number of Open Bays

- 1. NA

Center Rear Element-Burner Power

1. 20,000 BTU
2. 20000 BTU

Center Rear Element-Burner Type

1. Professional Dual Tier

Left Front Element-Burner Power

1. 10,000 BTU
2. 10000 BTU

Left Front Element-Burner Type

1. Burner

Left Rear Element-Burner Power

1. 6000 BTU

Right Front Element-Burner Power

1. 10,000 BTU

Right Rear Element-Burner Power

1. 7000 BTU

Right Rear Element-Burner Type

1. Burner

ADA Compliant

1. ADA Height and Side Reach Compliant

UL

1. Yes

KAD Cooktop

1. 20K BTU Dual-Ring Burner,ADA Compliant,Cookshield Finish,Even-Heat Melt Burner

Amps

1. 15

Hz

1. 60

Volts

1. 120

Accessory Relationships

1. Yes

ProductOutletCategories

1. Cooking

Status Badge Esport CA

1. New

IsDispatchUnit

1. .

Home Delivery

1. Yes

Style

1. Cooktops

Will Call

1. Yes

Carton Depth

1. 25

Carton Height

1. 12 1/16

Carton Width

1. 44 7/16

Cutout Depth (in)

1. 19 13/16

Cutout Height (in)

1. 5 1/4

Cutout Width (in)

1. 35 3/16

Gross Weight

1. 69

Net Weight

1. 0.0

Gross Weight(LB,pounds)

1. 69

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : KODE500ESS

Oven Window Size

- 1. Extra Large

Capacity

- 1. 10.00

Cutout Depth

- 1. 24.0 in

Cutout Height

- 1. 50-1/4 in

Cutout Width

- 1. 28-1/2 in

Depth Closed Excluding Handles

- 1. 24-1/2 in
- 2. 24 1/2

Depth With Door Open 90 Degree

- 1. 46-3/4 in
- 2. 46 3/4

Depth

- 1. 27-1/8 in
- 2. 27 1/8

Height

- 1. 51-1/4 in
- 2. 51 1/4

Width

- 1. 30.0 in
- 2. 30

Lower Oven Capacity

- 1. 5.0 cu. ft.

Upper Oven Capacity

- 1. 5.0 cu. ft.

Size

1. 30 in

Fuel Type

1. Electric
2. Electric

Installable Under Cooktop

1. No
2. No

LP Convertible

1. No
2. No

Oven Type

1. Double
2. Double

Door Lock

1. Yes
2. Yes

Door Removable

1. Yes
2. Yes

Language Conversion

1. English/French
2. English/French

Temperature Conversion

1. Yes
2. Yes

Automatic Shut-Off

1. Yes
2. Yes

Door Broil Position

1. Closed
2. Closed

Oven Cooking System

1. Convection Both
2. Convection Both

Interior Color

1. Black
2. Blue
3. Blue

Lower Oven Number of Oven Lights

1. 2
2. 2

Upper Oven Number of Oven Lights

1. 2
2. 2

Interior Coating

1. Porcelain
2. Porcelain

Light Control

1. Oven Light Touch Pad
2. Oven Light Touch Pad

Light Type

1. Halogen
2. Halogen

Broiler Location

1. Top of Oven
2. Top of Oven

Self-Cleaning Oven Racks

1. No
2. No

Delay Clean

1. Yes
2. Yes

Lower Oven Interior Depth

1. 19.0 in

Lower Oven Interior Height

1. 18.0 in

Lower Oven Interior Width

1. 25.0 in

Upper Oven Interior Depth

1. 19.0 in

Upper Oven Interior Height

1. 18.0 in

Upper Oven Interior Width

1. 25.0 in

Number of Lower Oven Racks

1. 3
2. 3

Number of Upper Oven Racks

1. 3
2. 3

Number of Lower Rack Guides

1. 6
2. 6

Number of Upper Rack Guides

1. 6
2. 6

Hidden Bake Element

1. Yes
2. Yes

Convection Functions

1. Bake Broil Roast Both
2. Bake Broil Roast Both

Number of Bake Elements

1. 1
2. 1

Number of Broil Elements

1. 1
2. 1

Handle Material

1. Metal
2. Metal

Flush Installation Approved

1. Yes
2. Yes

Bake Element Power

1. 2800W Both

Broiler Element Power

1. 4000W Both

Oven Cleaning Type

1. Adjustable Self Cleaning

Convection Element Type

1. True

Features

1. EasyConvect™ Conversion

Self Clean

1. Self Clean
2. Self Clean

EasyConvect™ Conversion

1. EasyConvect™ Conversion
2. EasyConvect™ Conversion

Even-Heat™ Preheat

1. Even-Heat™ Preheat

Even-Heat™ True Convection

1. Even-Heat™ True Convection
2. Even-Heat™ True Convection

FIT System

1. FIT System
2. FIT System

SatinGlide™ Roll Out Extension Rack

1. SatinGlide™ Roll Out Extension Rack
2. SatinGlide™ Roll Out Extension Rack

Flooring Program Codes

1. USKADBL

isBaseUnit

1. true
2. true

GPC Code

1. 10001950
2. 10001950

isConsumerUnit

1. true
2. true

IsInvoiceUnit

1. true
2. true

IsOrderableUnit

1. true
2. true

Product Type

1. EA
2. EA

UDEX

1. 1100400623
2. 1100400623

Capacity(FT³,cubic feet)

1. 10.00

Cutout Depth(IN,inch)

1. 24

Cutout Height(IN,inch)

1. 50 1/4

Cutout Width(IN,inch)

1. 28 1/2

Depth Closed Excluding Handles(IN,inch)

1. 24 1/2

Depth With Door Open 90 Degree(IN,inch)

1. 46 3/4

Depth(IN,inch)

1. 27 1/8

Height(IN,inch)

1. 51 1/4

Width(IN, inches)

- 1. 30

Lower Oven Capacity (Cu Ft.)

- 1. 5.0

Upper Oven Capacity (Cu Ft.)

- 1. 5.0

Size (in.)

- 1. 30

Door Type

- 1. Metal & Glass

Handle Color

- 1. Stainless Steel

Control Type

- 1. Glass Touch Digital Display

Display Color

- 1. White

Electronic Display Type

- 1. Digital

Oven Selections

- 1. Clock,Control Lock,Delay Start,Proofing,Sabbath Mode,Star K,Temperature Probe,Time Bake,Timer

Convection Element Power (watts)

- 1. 3200

Oven Rack 1 Type

- 1. Heavy Duty

Oven Rack 2 Type

- 1. Heavy Duty

Oven Rack 3 Type

- 1. Gliding Roll-Out

Lower Oven Interior Depth(IN, inches)

- 1. 19

Lower Oven Interior Height(IN,inch)

1. 18

Lower Oven Interior Width(IN,inch)

1. 25

Upper Oven Interior Depth(IN,inch)

1. 19

Upper Oven Interior Height(IN,inch)

1. 18

Upper Oven Interior Width(IN,inch)

1. 25

CUL

1. Yes

Prop 65

1. Standard

UL

1. Yes

KAD Wall Ovens

1. EasyConvect™ Conversion,Even-Heat™ Preheat,Even-Heat™ True Convection,FIT System,SatinGlide™ Roll Out Extension Rack,Self Clean

Energy Rating (kWh/year)

1. 355

Amps

1. 40

Volts

1. 240

Accessory Relationships

1. Yes

Oven Configuration

1. Double Oven

ProductOutletCategories

1. Cooking

Status Badge Esport CA

- 1. New

IsDispatchUnit

- 1. .

Home Delivery

- 1. Yes

Préchauffage EvenHeat™

- 1. Even-Heat™ Preheat

Temperature Probe

- 1. Temperature Probe

Style

- 1. Wall Ovens

Will Call

- 1. Yes

Carton Depth

- 1. 30 13/16

Carton Height

- 1. 53 1/2

Carton Width

- 1. 34 13/16

Cutout Depth (in)

- 1. 24

Cutout Height (in)

- 1. 50 1/4

Cutout Width (in)

- 1. 28 1/2

Gross Weight

- 1. 307
- 2. 296

Net Weight

- 1. 302.0

2. 291.0

Net Weight(LB,pounds)

1. 302

Gross Weight(LB,pounds)

1. 307

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : KRFC300ESS

Connectivity

- 1. No

Works With

- 1. No

Freezer Volume

- 1. 5.62 cu. ft.

Refrigerator Volume

- 1. 14.38 cu. ft.

Capacity

- 1. 20.00

Cabinet Width

- 1. 35-5/8 in

Cutout Height

- 1. 69.0 in

Cutout Width

- 1. 36.0 in

Depth Closed Excluding Handles

- 1. 26-7/8 in
- 2. 26 7/8

Depth Closed Including Handles

- 1. 29-3/8 in
- 2. 29 3/8

Depth Excluding Doors

- 1. 24-1/8 in
- 2. 24 1/8

Depth With Door Open 90 Degree

- 1. 43-1/8 in
- 2. 43 1/8

Depth

1. 30-1/2 in
2. 29 3/8

Height To Top Of Cabinet

1. 68-7/8 in
2. 68 7/8

Height To Top Of Door Hinge

1. 70-1/8 in
2. 70 1/8

Height

1. 70-1/8 in
2. 70 1/8

Width

1. 35-3/4 in
2. 35 3/4

Advance Foam Insulation

1. 99.9% lower Global Warming Potential and Better Energy Performance
2. 99.9% lower Global Warming Potential and Better Energy Performance

Counter Depth

1. Yes
2. Yes

Number of Doors

1. 3
2. 3

Hidden Hinge

1. Yes
2. Yes

Handle Material

1. Metal
2. Metal

LCD Touch Screen

1. No
2. No

Door Style

1. Contour
2. Contour

Cabinet Finish

1. Textured
2. Textured

Control Lockout

1. No

Door Ajar/Open Alarm

1. Yes

Location of Controls

1. Interior Up Front

Air Filter Indicator/Reset

1. No

Automatic Defrost

1. Yes

Water Filter Indicator/Reset

1. Yes
2. Yes

Water Filter Location

1. Interior
2. Interior

Produce Preserver

1. Yes
2. Produce Preserver
3. Yes
4. Produce Preserver

Number of Interior Shelves

1. 5
2. 5

Pantry Drawer

1. Yes
2. Yes

Deli Drawer

1. No
2. No

Supplementary Containers

1. No
2. No

Lighting

- 1. LED
- 2. LED

Freezer Number of Shelves

- 1. 0
- 2. 0

Dispenser Type

- 1. Interior Water Only
- 2. Interior Water Only

Dispenser Options

- 1. Filtered Water
- 2. Filtered Water

Types of Ice

- 1. Cubed
- 2. Cubed

Icemaker Location

- 1. Freezer
- 2. Freezer

Prop 65

- 1. Standard

Energy Star® Qualified

- 1. ENERGY STAR® Certified
- 2. ENERGY STAR® Qualified

Features

- 1. ExtendFresh Temperature Management System

Adjustable Spill Resistant Glass Shelves

- 1. Adjustable Spill Resistant Glass Shelves
- 2. Adjustable Spill Resistant Glass Shelves

FreshChill™ Temperature Controlled Full-Width Pantry

- 1. FreshChill™ Temperature Controlled Full-Width Pantry
- 2. FreshChill™ Temperature Controlled Full-Width Pantry

LED Lighting

- 1. LED Lighting
- 2. LED Lighting

ExtendFresh Temperature Management System

1. ExtendFresh Temperature Management System
2. ExtendFresh Temperature Management System

Freezer Type

1. 2 Tier
2. Slide-Out Door 2 Tier

Door Bins

1. No
2. 1 Dairy,2 Fixed Gallon,3 Adjustable Full-Width

Light

1. LED

Installation Configuration

1. Freestanding

Icemaker

1. Factory Installed

Freezer Volume (Cu Ft)

1. 5.62

Refrigerator Volume (Cu Ft)

1. 14.38

Capacity(FT³,cubic feet)

1. 20.00

Cabinet Width (IN,inches)

1. 35 5/8

Cutout Height(IN,inches)

1. 69

Cutout Width(IN,inches)

1. 36

Depth Closed Excluding Handles(IN,inches)

1. 26 7/8

Depth Closed Including Handles(IN,inches)

1. 29 3/8

Depth Excluding Doors(IN,inches)

1. 24 1/8

Depth With Door Open 90 Degree(IN,inch)

1. 43 1/8

Depth(IN,inch)

1. 30 1/2

Height To Top Of Cabinet(IN,inch)

1. 68 7/8

Height To Top Of Door Hinge(IN,inch)

1. 70 1/8

Height(IN,inch)

1. 70 1/8

Width(IN,inch)

1. 35 3/4

Type of Refrigerator

1. French Door

Cooling Type

1. Single Evaporator

Base Grille Color

1. Grey

Cabinet Color

1. Grey

Door Color

1. Stainless Steel

Door Finish

1. Smooth

Handle Color

1. Stainless Steel

Handle Type

1. Reach Through Handle

Control Location

1. Interior Up Front

Control Type

1. Electronic

Max Cool/Fast Cool

1. Yes

Conventional Shelves

1. 1 Fixed Full-Width Glass

Spill-Proof Glass Shelves

1. 4 Adjustable Half Width

Shelf Supports

1. Cantilever

Humidity-Controlled Drawers

1. 2 Half-Width

Non Climate Control Drawers

1. No

Temperature-Controlled Drawers

1. 1 Full Width Pantry

Liner Finish

1. White Glossy

Door Type

1. Pull-Out

Shelves

1. No

Freezer Drawer/Basket

1. 1 Full Width Lower Wire,1 Full Width Upper Wire

Fresh Flow Air Filter Included

1. No

Water Filter Part Number

1. EDR4RXD1

ADA Compliant

1. No

CEE Tier

1. Tier I

Energy Rating (kWh/year)

1. 563

UL

1. Yes

ULe Environmentally Preferred Certified

1. Passed 60 point AHAM (Association of Home Appliance Manufacturers) Sustainability Standards

Amps

1. 15

Hz

1. 60

Volts

1. 120

Accessory Relationships

1. Yes

Door Style Configuration

1. French Door

Refrigeration Configuration

1. Refrigerator

ProductOutletCategories

1. Refrigerators

Status Badge Esport CA

1. New

Home Delivery

1. Yes

Style

1. French Door

KAD Refrigerator

1. Automatic Ice Maker,ExtendFresh Temperature Management System,Interior Water Dispenser,LED Lighting,Produce Preserver

Will Call

1. Yes

Capacity (Cu Ft)

1. 20.00

Cabinet Width (in)

1. 35 5/8

Carton Depth

1. 33 1/2

Carton Height

1. 72 3/4

Carton Width

1. 38 1/2

Cutout Height (in)

1. 69

Cutout Width (in)

1. 36

Gross Weight

1. 284

Net Weight

1. 0.0

Gross Weight(LB,pounds)

1. 284

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : SMD2470ASY

Finish

- 1. Stainless Steel

Drawer Opening

- 1. Easy Touch Automatic

Capacity*

- 1. 1.2 Cu. Ft. (holds 9" x 13" dish)

Output Power

- 1. 950 Watts

Sensor Cook, Reheat and Popcorn

- 1. Yes, 12 settings

Reheat Auto Settings

- 1. 2 Settings

Defrost Auto Settings

- 1. 6 Settings

Microwave Keep Warm Setting

- 1. Yes, up to 30 minutes

Clock

- 1. Yes

Minute Plus

- 1. Yes

Interior Oven Light

- 1. Yes

Kitchen Timer

- 1. Yes

Control Lock

- 1. Yes

Demonstration Mode

1. Yes

Built-In Ready for Easy Installation

1. Yes

Control Panel Location

1. Center/Top

Control Panel Type

1. Touchpad, Drop-Down 45(degree) Angle

Display Type

1. LCD

Display Color

1. White on Black Background

Power Connection

1. 3-Prong Grounding Plug (included)

Power Ratings

1. 120V, 60Hz / 1.67 kW, 14.5 Amps
2. 120V, 60Hz / 1.67kW, 14.5 Amps

Safety Compliance

1. FCC, DHHS, UL Listed

Cutout Dimensions

1. 22 1/8" x 15 9/16" x 23 1/2"

Product Dimensions

1. 23 7/8" x 15 7/8" x 23 1/64"

Shipping Weight (lbs.)

1. 86

Product Weight (lbs.)

1. 74

Parts

1. 1 Year

Labor

1. 1 Year

Magnetron Tube

- 1. 5 Years total (Part Only)

UPC

- 1. 074000619371

24" Flush Mount Deflector Vent

- 1. SKMD24F0AS

Flush Mount Deflector Vent Kit

- 1. (1) PREF-B019MRP0 (2) LX-CZB055MRE0
- 2. (1) PREF-B020MRP0 (2) LX-CZB055MRE0

Capacity

- 1. 1.2 Cu. Ft. (holds 9" x 13" dish)

Safety Compliance:

- 1. FCC, DHHS, UL listed

Shipping Weight

- 1. 86

Product Weight

- 1. 74

30" Flush Mount Deflector Vent

- 1. SKMD30F0AS

DISCLAIMER

TERMS & CONDITIONS

Return Policy. All products are considered "special order" unless otherwise noted. Special order products are non-cancellable and non-returnable.

Mail-In Rebates. All rebate claims and payments are exclusively between the issuer (not Slyman Bros) and the consumer. The consumer has full responsibility on filing in the correct dates.

Standard Install Prices. Slyman Bros charges for standard install prices only, any additional work past a standard install must be paid directly to the installer at the time of installation.

Damage. Cosmetic damage and property damage MUST be reported at the time of delivery; by signing the delivery document you are agreeing to this and forfeiting your right to claim damage.

Out-of-Box Inventory. As is condition and are non-cancellable and non-returnable.

Backorders. Availability dates rely solely on the manufacturers and not Slyman Bros. Estimated dates can change without notice, we only promise to contact you to schedule delivery once the item arrives at Slyman Bros warehouse.