

QUOTE # 10-7951

June 04, 2020 04:41 AM



SALES PERSON

Jimmy Reed
jimmy.reed@slymanbros.com

15050 Manchester Rd, Ballwin, MO 63011
Slyman Bros (West County)
Phone: 636-227-7727

BILLING INFORMATION

Ge Slate
11
1, Missouri, 1

DELIVER TO

Ge Slate
11
1, Missouri, 1
1

PRODUCT	DESCRIPTION	PRICE	QTY	TOTAL
GNE29GMKES	29 CU FT FRENCH DOOR REFRIGERATOR	\$1,629.99	1	\$1,629.99
JB655EKES	SELF CLEAN CONVECTION RANGE	\$589.99	1	\$589.99
JVM3160EFES	1.6 CU FT 1000W OTR MICROWAVE	\$199.99	1	\$199.99
GDT665SMNES	INTEGRATED DISHWASHER WITH STEAM	\$574.99	1	\$574.99

Haul Away Old: No

NOTES

Subtotals	\$2,994.96
Sales Tax (West County)	\$261.70
Delivery Charge	\$0.00
Total	\$3,256.66

Balance Due (USD) \$3,256.66

SPEC PRODUCT DETAIL

PRODUCT : 29 CU FT FRENCH DOOR REFRIGERATOR

MODEL : GNE29GMKES

CAPACITY	
Total Capacity (cubic feet)	28.7
Fresh Food Capacity	19.57
Freezer Capacity	9.17

FILTER	
App Filter - Capacity	Refer Extra Large (25 cu. ft. and above)
App Filter - Autofill	No
App Filter - Hot Water	No
App Filter - Product Type	Refer French Door
App Filter - Dispenser	No
App Filter - Icemaker	Yes

APPEARANCE	
Handle Color	Stainless Steel
Exterior Design	Contoured Doors
Handle Design	Designer Style
Hidden Door Hinge(s)	Yes
Textured Steel Case	Case Only - Dark Gray
Color Appearance	Fingerprint Resistant Slate
Door Stops	Yes
Door Swing	Hinges on Left & Right

WARRANTY	
Warranty Notes	See written warranty for full details
Parts Warranty	Limited 1-year entire appliance
Labor Warranty	Limited 1-year entire appliance

WEIGHTS & DIMENSIONS	
Net Weight	355.0
Case Depth Without Door	29.375
Side Air Clearances	0.125
Depth Without Handle	33.75
Overall Depth	36.25
Top Air Clearances	1.0
Back Air Clearances	2.0

WEIGHTS & DIMENSIONS

Height to Top of Case	69.0
Overall Width	35.75
Overall Height	69.875
Width w/Door Open 90 Degrees Incl. Handle	44.625
Approximate Shipping Weight	375.0
Depth with Door Open 90(degree)	48.375

FEATURES

Filter Location	Left wall
Icemaker	Factory-Installed
Fresh Food Features	Showcase LED Lighting (5)
Freezer Features	Interior Lighting - LED (2)
Configuration	French Door
Temperature Management System	TwinChill(TM) Evaporators
Leveling System	2 Front Leveling Legs
Defrost Type	Frost Guard
Fresh Food Cabinet Shelves	4 Spill Proof 4 Split Adjustable; 1 Full-Width 5 Total - Glass
Control Type	Internal Electronic Digital Temperature Display
Fresh Food Door Bins	4 Adjustable with Gallon Storage 6 Total
Exterior Style	Free-Standing
Water Filtration	Advanced Filtration System (RPWFE) Removes Pharmaceuticals
Freezer Storage Baskets	2 Full-Width
Product Type	Bottom Freezer Refrigerator French-Door Refrigerator
Fresh Food Cabinet Drawers	1 Full-Width 2 Adjustable Humidity 3 Total
Dispenser	Non-Dispenser
Performance Features	Easily Removable Door Gaskets Sabbath Mode Capable

SPEC PRODUCT DETAIL

PRODUCT : SELF CLEAN CONVECTION RANGE

MODEL : JB655EKES

CAPACITY	
Total Capacity (cubic feet)	5.3

FILTER	
App Filter - Cleaning Type	Self-Clean
App Filter - Control Type	Electronic touchpad
App Filter - Drawer Type	Storage
App Filter - Cooktop Type	Radiant Smoothtop
App Filter - Voltage	240V
App Filter - Cooking Technology	Convection
App Filter - Cabinet Width	Cooking 30 in. (Standard)
App Filter - Product Type	Ranges Free-Standing Single Oven
App Filter - Convection	Yes
App Filter - Fuel Type	Electric

APPEARANCE	
Control Knobs	Stainless Steel Appearance
Handle	Designer Style Stainless Steel
Textured Steel Side Panels	Yes
Oven Door Features	Big View Oven Window Glass Door Stainless Overlay
Color Appearance	Fingerprint Resistant Slate

POWER / RATINGS	
KW Rating at 208V	9.3
Bake Wattage	2585W
KW Rating at 240V	12.4
Broiler Wattage	3800W
Amp Rating at 208V	40
Amp Rating at 240V	40

WARRANTY	
Warranty Notes	See written warranty for full details
Parts Warranty	Limited 1-year entire appliance
Labor Warranty	Limited 1-year entire appliance

WEIGHTS & DIMENSIONS

Net Weight	151.0
Height to Cooking Surface (in.)	35 3/4 - 36 1/2
Depth Without Handle	25.5
Overall Depth	28.0
Depth with Door Open	47.875
Oven Interior Dimensions (W x H x D) (in.)	24-1/8 x 19-1/2 x 19-3/8
Overall Width	29.875
Overall Height	47.0
Approximate Shipping Weight	171.0
Cabinet Width	30.0

FEATURES

Oven Cleaning Type	Self-Clean
Hot Surface Indicator Lights	1
Cooktop Burner Type	Radiant Smoothtop
Cooking System	Convection
Element - Center	6" 80W Warming Zone
Element - Left Front	9"/6" 3100W Power Boil
Oven Rack Features	2 Oven Racks 6 Rack Positions
Melt Setting	Yes
Oven Features	4-Pass Bake Element 6-Pass Broil Element
Fuel Type	Electric
Cooking Technology	Convection
Cooktop Surface	Gray Patterned Ceramic Glass One-Piece Upswept
Configuration	Range with Storage Drawer
Control Type	Digital Temperature Display Electronic Touchpads
Element - Right Front	12"/9" 3000W
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Convection Bake Delay Bake Option (Time Bake) Delay Clean Option Electronic
Product Type	Free-Standing Single Oven

FEATURES

Drawer Type	Storage
Interior Oven Light	1 Incandescent
Cooktop Type	Radiant Smoothtop
Control Location	Backsplash
Element - Right Rear	6" 1200W
Storage Drawer Features	Removable Full-Width
Heating Element "ON" Indicator Light	1
Element - Left Rear	6" 1200W
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Convection Bake Delay Bake Option (Time Bake) Delay Clean Option Electronic
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Convection Bake Delay Bake Option (Time Bake) Delay Clean Option Electronic
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Convection Bake Delay Bake Option (Time Bake) Delay Clean Option Electronic
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Convection Bake Delay Bake Option (Time Bake) Delay Clean Option Electronic
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Convection Bake Delay Bake Option (Time Bake) Delay Clean Option Electronic

SPEC PRODUCT DETAIL

PRODUCT : 1.6 CU FT 1000W OTR MICROWAVE

MODEL : JVM3160EFES

CAPACITY

Total Capacity (cubic feet)	1.6
Vent CFM	300

FILTER

App Filter - Venting Type	External
App Filter - Wattage	1000 to 1099
App Filter - Control Type	Electronic touchpad
App Filter - Voltage	120V
App Filter - Capacity	Microwave Medium (1.5 - 1.8 cu. ft.)
App Filter - Cooking Technology	Microwave Only
App Filter - Cabinet Width	Cooking 30 in. (Standard)
App Filter - Product Type	Microwave Over-the-Range
App Filter - Convection	No

APPEARANCE

Case Color	Black
Handle	Stainless Steel
Installation	Easy Mount
Door Color	Slate
Oven Door Features	Oven Window
Color Appearance	Fingerprint Resistant Slate

POWER / RATINGS

Electrical Input - 120V Watts	1580
Input Volts/Hertz	120/60
Electrical Input - 120V Amperage	15

WARRANTY

Warranty Notes	See written warranty for full details
Parts Warranty	Limited 1-year entire appliance
Labor Warranty	Limited 1-year entire appliance

ECONOMICAL / QUIET

Non-Vented	Optional
Venting Type	Externally Vented

WEIGHTS & DIMENSIONS

Net Weight	63.0
Overall Depth	15.25
Overall Width	29.875
Overall Height	16.5
Approximate Shipping Weight	66.0
Cabinet Width	30.0
Cavity (W x H x D)	18-13/16 x 9-1/4 x 14-13/32

FEATURES

Style	Over-The-Range
Turntable On / Off	Yes
Cooking Technology	Microwave
Turntable Size	13.5
Microwave Convenience Cooking Controls	Beverage Cook Time Defrost: Weight/Time Popcorn Potato Reheat
Microwave Watts (IEC-705)	1000.0
Cooking Modes	Microwave
Control Type	Electronic Touch
Cooktop Lighting	Bright/Night/Off
Exhaust Fan	2-Speed 300-CFM
Control Features	Add 30 Seconds Cancel/Off Lock Controls Power Level Set Clock Start/Pause Surface Light Timer On/Off Turntable On/Off Vent Fan
Power Levels	10
Express Cook	1-6 Minutes
Turntable	Glass
Product Type	Over-the-range Microwave
Interior Oven Light	Incandescent
Electronic Digital Display with Clock	Yes

SPEC PRODUCT DETAIL

PRODUCT : INTEGRATED DISHWASHER WITH STEAM

MODEL : GDT665SMNES

FILTER	
App Filter - Bottle Wash	Yes
App Filter - Food Disposer	Yes
App Filter - Stainless Steel Interior	Yes
App Filter - Cabinet Width	Dish Traditional 24 in.
App Filter - Product Type	Dish Built-In Top Control
App Filter - WiFi Connect	Optional

APPEARANCE	
Handle	Rounded Handle - Stainless Steel
Installation	Built-Up Floor Capable Flush Cabinet Installation Side or Top Mount Install Brackets Included
Handle Color	Stainless Steel w/Chrome
Door Appearance	Full-length door
Door Style	Long Door with Top Controls
Color Appearance	Fingerprint Resistant Slate

WARRANTY	
Warranty Notes	See written warranty for full details
Parts Warranty	Limited 1-year entire appliance
Labor Warranty	Limited 1-year entire appliance

POWER / RATINGS	
Calrod Heater Watts	800/500
Power Connection	Optional cord kit (GPFCORD - WX09X70910, WX09X70911)
Volts/Hertz/Amps	120V; 60Hz; 6.6A

ECONOMICAL / QUIET	
Quiet Features	Quiet Water Valve Sealed Toe Kick Tub Collar Trim
Quiet Package	46 dBA
Outer Wrap	Bitumen Full-wrap Blanket
Motor Type	Single Speed
Door Insulation	Insulation Mastic

WEIGHTS & DIMENSIONS

Net Weight	99.0
Overall Depth	24.0
Overall Depth with Handle	25.6
Height w/Legs Extended - Maximum Height	34.625
Overall Width	23.75
Overall Height	34.0
Approximate Shipping Weight	112.0
Cabinet Width	24.0
Height w/ Legs Retracted - Minimum Height	33.375

FEATURES

Wash System Features	Automatic HotStart Automatic Temperature Control Bottle Jets (4) Drain Pump Dual Pumps and Motors Piranha(TM) Hard Food Disposer with removable filter
Style	Built-In Top Control
Upper Rack	1 Rack handle Ball-Tip Tines Premium Height Adjustable
Racking Material	Nylon
Rack Features	1 Piece Silverware Basket with 3 Cell Covers Adjustable Upper Rack Ball-Tipped Tines Fold-Down Tines - Lower
Dishwasher Control Features	1 "Clean" Light, 1 "Sanitized" Light Cycle Progress Indicators 3 Digit Display Cycle Countdown with Bi-Color LED Status Light on door Audible End-of-Cycle Signal Last Cycle Memory
WiFi Connect	Optional (Requires part no. PBX23W00Y0)
Showroom Power Mode	Yes
Dishwasher Drying Features	Dry Boost(TM) Fan Assist Dry Heated Dry - On/Off Multi-Wattage Wash & Dry Element
Leveling System	4 Leveling Legs
Control Type	8 Touchpads Clean Touch Controls Top Controls
Number of Place Settings	Up to 16
Tub Type	Tall Tub
Rack Color	Silver
Exterior Style	Traditional

FEATURES

Number of Cycles	5
Wash System	3-Level 600 Series
Racking System	Full 3rd rack
Dishwasher Cycles	1 Hour Wash Auto Sense Heavy Wash Light Wash Normal Wash
Number of Options	11
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O
Tub and Door Liner	Stainless Steel
Latch	Pull with Handle
Wash Arms	3 Wash Levels Lower Middle Upper
Lower Rack	1 Rack handle Ball-Tip Tines Multi-Position Fold Down Tines
Additional Protection	Active Flood Protect
Water Filtration System	100% Filtration with Piranha Hard Food Disposer and Removable Filter
Sensor	Clean Sensor
Dispenser	Rinse Aid with Indicator and Adjustment
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O

FEATURES

Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O