

# QUOTE # 10-8052

June 06, 2020 11:01 AM



## SALES PERSON

Josh Reagan  
josh.reagan@slymanbros.com

15050 Manchester Rd, Ballwin, MO 63011  
Slyman Bros (West County)  
Phone: 636-227-7727

## BILLING INFORMATION

Duane's Cabinets  
JA098560  
Duane Arts  
sales@duanescabinets.com  
6970 Hwy Bb  
Union, Missouri, 63084  
636-584-4101

## DELIVER TO

Duane's Cabinets  
Bob And Mary Rawie  
r\_rawie@yahoo.com  
68 Jacobs Creek Dr  
Saint Charles, Missouri, 63304  
314-898-3677

| PRODUCT    | DESCRIPTION                           | PRICE      | QTY | TOTAL             |
|------------|---------------------------------------|------------|-----|-------------------|
| JDRP436HL  | RISE 36" DUAL-FUEL PROFESSIONAL RANGE | \$6,929.00 | 1   | \$6,929.00        |
| JMV9196CS  | 1.9 CU FT 1000W OTR MICROWAVE         | \$1,079.00 | 1   | \$1,079.00        |
| SHP878ZD5N | POCKET HANDLE BUILT-IN DISHWASHER     | \$849.00   | 1   | \$849.00          |
| AK7136ASBF | 36" UNDER CABINET RANGE HOOD          | \$469.00   | 1   | \$469.00          |
| ZRC0200    | RECIRCULATING KIT                     | \$39.00    | 1   | \$39.00           |
|            |                                       |            |     | Haul Away Old: No |

## NOTES

JOSH REAGAN - 11:45 AM 06-22-2020  
Will need appliances around September 2020. Kitchen will start early September.

|  |                   |
|--|-------------------|
| Subtotals                              | \$9,365.00        |
| Sales Tax (West County)                | \$818.31          |
| Delivery Charge                        | \$0.00            |
| Instant Rebate                         |                   |
| Compliments of Jenn-Air Instant Rebate | \$1,000.00        |
| <b>Total</b>                           | <b>\$9,183.31</b> |
| <hr/>                                  |                   |
| <b>Balance Due (USD)</b>               | <b>\$9,183.31</b> |

**SPEC PRODUCT DETAIL**

PRODUCT : RISE 36" DUAL-FUEL PROFESSIONAL RANGE

MODEL : JDRP436HL

| Dimensions                          |          |
|-------------------------------------|----------|
| Capacity                            | 5-1/10   |
| Depth Closed Excluding Handles (in) | 27-11/16 |
| Depth Closed Including Handles (in) | 29-13/16 |
| Depth With Door Open 90 Degree (in) | 46-1/2   |
| Depth (in)                          | 29-13/16 |
| Height (in)                         | 36.0     |
| Width (in)                          | 35-7/8   |

| Configuration and Overview |                    |
|----------------------------|--------------------|
| Size (in)                  | 36                 |
| Fuel Type                  | Dual Fuel          |
| Range Type                 | Freestanding       |
| LP Convertible             | Yes - Kit Included |
| UL                         | UL                 |
| ADA Compliant              | No                 |

| Oven Details                                       |                 |
|--|-----------------|
| Door Removable                                     | Yes             |
| Power On Indicator Light                           | Yes             |
| Automatic Convection Conversion Temperature Adjust | Yes             |
| Automatic Shut-Off                                 | No              |
| Oven Cooking System                                | True Convection |
| Interior Color                                     | Black           |
| Oven Control Location                              | Front           |
| Oven Control Type                                  | Knobs           |
| Bake Element Power                                 | 3000W           |
| Broiler Location                                   | Top of Oven     |
| Convection Element Type                            | Dual-Fan        |
| Number of Oven Lights                              | 3               |
| Oven Light Switch Location                         | Oven Control    |
| Oven Light Type                                    | Halogen         |
| Oven Interior Width (in)                           | 29-9/10         |
| Oven Interior Depth (in)                           | 16-3/10         |
| Oven Interior Height (in)                          | 14-3/10         |

| Oven Details          |                  |
|-----------------------|------------------|
| Number of Oven Racks  | 3                |
| Number of Rack Guides | 5                |
| Oven Rack Type        | Gliding Roll-Out |
| Hidden Bake Element   | Yes              |
| Convection Functions  | Bake             |

| Appearance      |                 |
|-----------------|-----------------|
| Handle Material | Metal           |
| Door Type       | Metal & Glass   |
| Handle Color    | Stainless Steel |
| Handle Type     | Towel Bar       |

| Cooktop Details                    |                           |
|------------------------------------|---------------------------|
| Heating Element On Indicator Light | No                        |
| Hot Surface Indicator Light        | No                        |
| Power Outage Compatible            | No                        |
| Cooktop Element Style              | Sealed Burner             |
| Cooktop Surface Color              | Black                     |
| Cooktop Surface Material           | Porcelain Coated Steel    |
| Ignition Type                      | Flame-Sensing Re-ignition |
| Number of Cooking Element-Burners  | 6                         |
| Number of Grates                   | 6                         |
| Auto Re-ignition                   | Yes                       |
| Cooktop Control Knob Type          | Metal                     |
| Cooktop Control Location           | Front                     |
| Grate Details                      | Dishwasher Safe           |
| Cooktop Control Type               | Knobs                     |
| Left Front Element-Burner Type     | Dual                      |
| Left Rear Element-Burner Type      | Dual                      |
| Right Front Element-Burner Type    | Dual-Stacked Burner       |

| Certifications |  |
|----------------|--|
| Prop 65        | CALIFORNIA RESIDENTS ONLY - WARNING: Cancer and Reproductive Harm - <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> |

| Electrical          |     |
|---------------------|-----|
| Hz                  | 60  |
| Power Cord Included | Yes |

**Exterior**

|                  |       |
|------------------|-------|
| Oven Window Size | Large |
|------------------|-------|

**Features**

|                         |     |
|-------------------------|-----|
| Natural Gas Convertible | Yes |
|-------------------------|-----|

|                         |                                |
|-------------------------|--------------------------------|
| Power Outage Compatible | Yes (Gas Cooktop Burners Only) |
|-------------------------|--------------------------------|

**Details**

|                    |       |
|--------------------|-------|
| Bake Element Power | 3000W |
|--------------------|-------|

|                       |       |
|-----------------------|-------|
| Broiler Element Power | 1667W |
|-----------------------|-------|

|                          |                        |
|--------------------------|------------------------|
| Cooktop Surface Material | Porcelain Coated Steel |
|--------------------------|------------------------|

|                    |               |
|--------------------|---------------|
| Oven Cleaning Type | Self-Cleaning |
|--------------------|---------------|

|                         |          |
|-------------------------|----------|
| Convection Element Type | Dual-Fan |
|-------------------------|----------|

|                       |   |
|-----------------------|---|
| Number of Rack Guides | 5 |
|-----------------------|---|

**Compatibility**

|              |              |
|--------------|--------------|
| Connectivity | Amazon Alexa |
|--------------|--------------|

|            |     |
|------------|-----|
| Works With | App |
|------------|-----|

**Design Type**

|                   |      |
|-------------------|------|
| Design Expression | RISE |
|-------------------|------|

**SPEC PRODUCT DETAIL**

PRODUCT : 1.9 CU FT 1000W OTR MICROWAVE

MODEL : JMV9196CS

| Dimensions  |        |
|-------------|--------|
| Capacity    | 1-9/10 |
| Depth (in)  | 17.0   |
| Height (in) | 17-5/8 |
| Width (in)  | 30.0   |

| Configuration and Overview |  |
|----------------------------|--|
| Microwave Type             | Over-the-Range   |
| Prop 65                    | CALIFORNIA RESIDENTS ONLY - WARNING: Cancer and Reproductive Harm - <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> |
| UL                         | UL   |
| ADA Compliant              | No   |

| Microwave Details            |              |
|------------------------------|--------------|
| Sensor Cooking               | Yes          |
| Microwave Selections         | Add A Minute |
| Cooking Power (w)            | 1000         |
| Convection                   | Yes          |
| Convection Power (w)         | 1600         |
| Interior Light               | Halogen      |
| Number of Racks              | 2            |
| Work Surface Light           | Halogen      |
| Turntable Diameter Size (in) | 14.0         |
| Scrolling Electronic Display | Yes          |

| Details |     |
|---------|-----|
| Clock   | Yes |

| Ventilation System |                               |
|--------------------|-------------------------------|
| Blower Type        | Axial                         |
| Filters            | Charcoal Odor Removing Filter |
| Duct Direction     | Vertical or Horizontal        |
| Duct Outlet Size   | 3 1/4 x 10                    |
| Duct Type          | Rectangular                   |
| Number of Speeds   | 6                             |
| Ventilation Type   | Downdraft                     |

**Configuration**

Microwave Configuration

Microwave Hood Combination

**Design Type**

Design Expression

Euro-Style

**GDS**

isBaseUnit

true

GPC Code

10001952

isConsumerUnit

true

IsInvoiceUnit

true

IsOrderableUnit

true

Product Type

EA

UDEX

1100400568

**Microwave**

Microwave Selections

Add A Minute

**SPEC PRODUCT DETAIL**

PRODUCT : POCKET HANDLE BUILT-IN DISHWASHER

MODEL : SHP878ZD5N

| General                  |   |
|--------------------------|---|
| Installation Type        | Built-under   |
| Number of place settings | 16  |
| List of programmes       | Auto 53-60(degree)C, Delicate, Economy, Intensive, Pre-Rinse, Quick L |
| Cycle Options            | Chrystal Protect, half load, HygienePlus, Intensive Zone, Zeo Dry     |
| Silence level (dBA)      | 42  |
| Third Rack               | Flexible Third Rack   |
| Power Cord Length        | 67"   |

| Connectivity      |                |
|-------------------|----------------|
| Connectivity type | Not applicable |

| Size and weight                           |                              |
|---|------------------------------|
| Overall appliance dimensions (HxWxD) (in) | 33 7/8" x 23 9/16" x 23 3/4" |
| Net weight (lbs)                          | 95 lbs                       |

| Programmes                            |   |
|---------------------------------------|---|
| Status indicator                      | End of program audible, InfoLight red, sanitized LED US, Time remaining indic. internal |
| List of programmes                    | Auto 53-60(degree)C, Delicate, Economy, Intensive, Pre-Rinse, Quick L                   |
| Program 1                             | Intensive   |
| Program 2                             | Auto  |
| Program 4                             | Economy   |
| Program 6                             | Pre Rinse   |
| Programme duration, programme1 (min.) | 110-135   |
| Programme duration, programme2 (min.) | 105-129   |
| Programme duration, programme3 (min.) | 75-85   |
| Programme duration, programme4 (min.) | 130-135   |
| Programme duration, programme5 (min.) | 65  |
| Programme duration, programme6 (min.) | 9   |
| Reference programme                   | Eco   |
| Temperature program 1                 | 151-160 (degree)F   |
| Temperature program 2                 | 127-140 (degree)F   |
| Temperature program 3                 | 113-122 (degree)F   |
| Temperature program 4                 | 113-131 (degree)F   |
| Temperature program 5                 | 122 (degree)F   |

**Safety**

|                        |           |
|------------------------|-----------|
| Leak protection system | Aqua Stop |
|------------------------|-----------|

**Consumption values**

|  |              |
|--|--------------|
| Water consumption program 1                      | 4.9-6.4 gal  |
| Water consumption program 2                      | 3.4-6.4 gal  |
| Water consumption program 3                      | 2.4-3.9 gal  |
| Water consumption program 4                      | 2.4-5.5 gal  |
| Water consumption program 5                      | 3.8 gal      |
| Water consumption program 6                      | 1.1 gal      |
| Total annual water consumption (g)               | 624 gallons  |
| Maximum temperature for water intake ((degree)C) | 60 (degree)C |

**Connection**

|                   |           |
|-------------------|-----------|
| Watts (W)         | 1,440 W   |
| Power Cord Length | 67"       |
| Current (A)       | 12 A      |
| Plug type         | Nema5-15P |

**Construction type**

|                          |                 |
|--------------------------|-----------------|
| Color / Material housing | Lacquered       |
| Color / Control Panel    | Black           |
| Construction type        | Built-in        |
| Panel ready              | Not possible    |
| Installation Type        | Built-under     |
| Tub material             | Stainless steel |



**SPEC PRODUCT DETAIL**

PRODUCT : 36" UNDER CABINET RANGE HOOD

MODEL : AK7136ASBF

|   |                        |
|---|------------------------|
| UPC   | 646328002311           |
| BLOWER INCLUDED YES/NO  | yes                    |
| INTERNAL BLOWER 1 CFM   | 400                    |
| INTERNAL BLOWER 1 SONES   | 5                      |
| CONTROLS TYPE   | Mechanical slide       |
| BLOWER SPEEDS   | 3                      |
| AUTOMATIC DELAY-OFF   | no                     |
| CLEANAIR FUNCTION   | no                     |
| LIGHTS TYPE (INCLUDED)  | halogen                |
| LIGHTS QUANTITY   | 2                      |
| WATTS PER BULB  | 50                     |
| LIGHTS LEVELS   | 2                      |
| FILTER TYPE   | baffle                 |
| DUCT DISCHARGE  | vertical or horizontal |
| DUCT SIZE, VERTICAL, INCHES                                     | 7, 3.25 x 10           |
| DUCT SIZE, HORIZONTAL, INCHES                                   | 3.25 x 10              |
| MOUNTING HEIGHT ABOVE COOKTOP, INCHES                           | 24 - 32                |
| INPUT VOLTAGE   | 120                    |
| MAXIMUM AMPERAGE  | 1.7                    |
| NOMINAL WIDTH, INCHES   | 36                     |
| NET WIDTH, INCHES   | 35.9375                |
| DEPTH, INCHES   | 21                     |
| HEIGHT, INCHES (for chimney hoods, heights include duct covers) | 7.375                  |
| WEIGHT, LBS   | 35.6                   |
| SHIPPING HEIGHT, INCHES   | 25.24                  |
| SHIPPING WIDTH, INCHES  | 38.82                  |
| SHIPPING LENGTH, INCHES   | 10.63                  |
| SHIPPING WEIGHT, LBS  | 42.6                   |

**SPEC PRODUCT DETAIL**

PRODUCT : RECIRCULATING KIT

MODEL : ZRC0200