

QUOTE # 10-8148

June 08, 2020 10:37 AM



SALES PERSON

Jimmy Reed
jimmy.reed@slymanbros.com

15050 Manchester Rd, Ballwin, MO 63011
Slyman Bros (West County)
Phone: 636-227-7727

BILLING INFORMATION

Sue Mckinney
tpmckinney@sbcglobal.net
938 Wilderness Way Dr
Eureka, Missouri, 63025
314-852-2192

DELIVER TO

Sue Mckinney
tpmckinney@sbcglobal.net
938 Wilderness Way Dr
Eureka, Missouri, 63025
314-852-2192

PRODUCT	DESCRIPTION	PRICE	QTY	TOTAL
KFGD500ESS	DOUBLE OVEN GAS RANGE W/ CONVECTION Install : Gas Range Standard Install	\$1,729.99	1	\$1,729.99
KMHS120ESS	2.0 CU FT 1000W OTR MICROWAVE Install : O-T-R Microwave Standard Install	\$449.99	1	\$449.99
KUIX335HPS	15" AUTOMATIC CLEAR ICEMAKER Install : Ice Machine Standard Install	\$1,849.99	1	\$1,849.99
KRFF305ESS	25 CU FT FRENCH DOOR REFRIGERATOR Install : Freestanding Fridge Standard Install	\$1,899.99	1	\$1,899.99
KDTE234GPS	INTEGRATED CONSOLE DISHWASHER Install : Dishwasher Standard Install	\$799.99	1	\$799.99

Haul Away Old: Yes

NOTES

Subtotals	\$6,729.95
Sales Tax (West County)	\$588.06
Install Charge	\$540.00
Delivery Charge	\$0.00
Total	\$7,858.01

Balance Due (USD) \$7,858.01

SPEC PRODUCT DETAIL

PRODUCT : DOUBLE OVEN GAS RANGE W/ CONVECTION

MODEL : KFGD500ESS

Dimensions	
Capacity	6.00
Depth Closed Including Handles	28-1/2 in
Depth With Door Open 90 Degree	45-1/2 in
Height	47-3/8 in
Lower Oven Capacity	3.9 cu. ft.
Upper Oven Capacity	2.1 cu. ft.
Width	29-15/16 in

Configuration and Overview	
Fuel Type	Gas
Prop 65	CALIFORNIA RESIDENTS ONLY - WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov .
Range Type	Freestanding Double Oven
Size	30 in
UL	UL

Appearance	
Door Type	Glass Window
Handle Color	Stainless Steel
Handle Material	Metal

Oven Details	
Automatic Convection Conversion Temperature Adjust	Yes
Bake Element Power	10000 BTU Upper-16000 BTU Lower
Broiler Location	Top of Oven
Convection Element Type	Single-Fan
Convection Functions	Bake, Roast
Drawer Type	None
Hidden Bake Element	Yes
Interior Color	Blue
Lower Oven Interior Depth	18-3/4 in
Lower Oven Interior Height	14-22/25 in
Lower Oven Interior Width	25.0 in
Number of Oven Lights	1
Number of Oven Racks	1 Upper-2 Lower

Oven Details

Number of Rack Guides	2 Upper-5 Lower
Oven Control Location	Backguard
Oven Control Type	Electronic Touch
Oven Cooking System	Thermal Upper-Convection Lower
Oven Light Type	Incandescent
Oven Rack Type	1 Gliding Roll-Out, 2 Heavy Duty
Power On Indicator Light	Yes
Upper Oven Interior Depth	19-1/4 in
Upper Oven Interior Height	7-3/8 in
Upper Oven Interior Width	25.0 in

Cooktop Details

Center Rear Element-Burner Power	7350 BTU
Cooktop Control Knob Type	Metal
Cooktop Control Location	Front
Cooktop Control Type	Knobs
Cooktop Element Style	Sealed Burner
Cooktop Surface Color	Stainless
Cooktop Surface Material	Stainless Steel
Grate Details	Dishwasher Safe, Matte Finish, Continuous, Cast Iron Grates
Heating Element On Indicator Light	No
Hot Surface Indicator Light	No
Left Front Element-Burner Power	17,000 BTU
Left Front Element-Burner Type	Burner
Left Rear Element-Burner Power	5000 BTU
Left Rear Element-Burner Type	Burner
Number of Cooking Element-Burners	5
Number of Grates	2
Power Outage Compatible	No
Right Front Element-Burner Power	10,000 BTU
Right Front Element-Burner Type	Burner
Right Rear Element-Burner Type	Burner

Details

Bake Element Power	10000 BTU Upper-16000 BTU Lower
Broiler Element Power	10000 BTU-Upper
Convection Element Type	Single-Fan

Details

Number of Rack Guides	2 Upper-5 Lower
Oven Cleaning Type	Self-Cleaning

Electrical

Hz	60
Power Cord Included	No

Controls

Electronic Display Type	Stainless Steel
-------------------------	-----------------

Features

Power Outage Compatible	No
-------------------------	----

Exterior

Oven Window Size	Large
------------------	-------

GDS

GPC Code	10003690
IsInvoiceUnit	true
IsOrderableUnit	true
Product Type	EA
UDEX	1100400623
isBaseUnit	true
isConsumerUnit	true

SPEC PRODUCT DETAIL

PRODUCT : 2.0 CU FT 1000W OTR MICROWAVE

MODEL : KMHS120ESS

Dimensions	
Capacity	2.00
Depth	16-1/4 in
Depth With Door Open 90 Degree	40-1/2 in
Height	17-1/4 in
Width	30.0 in

Configuration and Overview	
ADA Compliant	No
Microwave Type	Over-the-Range
Prop 65	CALIFORNIA RESIDENTS ONLY - WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov .
Size	30 in
UL	UL

Appearance	
Handle Color	Stainless Steel

Microwave Details	
Cavity Finish	Non-Stick
Convection	No
Cooking Power	1000 w
Interior Light	Incandescent
Microwave Selections	Control Lock, Add 30 Seconds, Beverage, Cook Power, Cook Time, Defrost, Dinner Plate, Fresh Vegetable, Frozen Entree, Keep Warm, Pizza, Popcorn, Potato, Power Level, Reheat, Soften/Melt, Stea
Number or Racks	1
Scrolling Electronic Display	Yes
Sensor Cooking	Yes
Turntable	Yes
Turntable Diameter Size	14.0 in
Work Surface Light	Halogen
Microwave Selections	Control Lock, Add 30 Seconds, Beverage, Cook Power, Cook Time, Defrost, Dinner Plate, Fresh Vegetable, Frozen Entree, Keep Warm, Pizza, Popcorn, Potato, Power Level, Reheat, Soften/Melt, Stea
Microwave Selections	Control Lock, Add 30 Seconds, Beverage, Cook Power, Cook Time, Defrost, Dinner Plate, Fresh Vegetable, Frozen Entree, Keep Warm, Pizza, Popcorn, Potato, Power Level, Reheat, Soften/Melt, Stea

Details	
Clock	Yes
Night Light	Yes
Number of Power Levels	10
Timer	Yes

Controls	
Control Location	White
Convenience Cooking Controls	Yes
Location of Controls	Right
Number of Convenience Control Pads	16

Ventilation System	
Blower Type	Axial
Duct Direction	Vertical or Horizontal
Duct Outlet Size	3 1/4 x 10
Duct Type	Rectangular
Filters	Charcoal Odor Removing Filter
Number of Speeds	3
Ventilation Type	Updraft

Configuration	
Microwave Configuration	Microwave Hood Combination

GDS	
GPC Code	10001952
IsInvoiceUnit	true
IsOrderableUnit	true
Product Type	EA
UDEX	1100400568
isBaseUnit	true
isConsumerUnit	true

Microwave	
Microwave Selections	Control Lock, Add 30 Seconds, Beverage, Cook Power, Cook Time, Defrost, Dinner Plate, Fresh Vegetable, Frozen Entree, Keep Warm, Pizza, Popcorn, Potato, Power Level, Reheat, Soften/Melt, Stea
Microwave Selections	Control Lock, Add 30 Seconds, Beverage, Cook Power, Cook Time, Defrost, Dinner Plate, Fresh Vegetable, Frozen Entree, Keep Warm, Pizza, Popcorn, Potato, Power Level, Reheat, Soften/Melt, Stea

SPEC PRODUCT DETAIL

PRODUCT : 15" AUTOMATIC CLEAR ICEMAKER

MODEL : KUIX335HPS

Dimensions	
Cabinet Width	14-7/8 in
Cutout Depth	25.0 in
Cutout Height	34-1/2 in
Cutout Width	15.0 in
Depth Closed Excluding Handles	24.0 in
Depth Closed Including Handles	25-3/8 in
Depth Excluding Doors	22-1/8 in
Depth With Door Open 90 Degree	39-1/2 in
Height To Top Of Cabinet	33-5/8 in
Height To Top Of Door Hinge	34-1/16 in

Appearance	
Cabinet Finish	Textured
Handle Location	Horizontal
Handle Material	Metal
Reversible Door	Yes

Controls	
Defrost Type	Automatic Defrost
Ice Maker On/Off	Yes
Location of Controls	Interior Up Front

Filter Details	
Water Filter Indicator/Reset	Yes
Water Filter Location	Interior

Details	
Ambient Temperature Range	55F to 110F
Drain Connection	Rear Access 5/8" OD
Drain Pump	No, Gravity Drain
Ice Capacity Storage	25
Interior Light	LED

Certifications	
Energy Star(R) Qualified	No

EndecaProps	
-------------	--

ProductOutletCategories

Refrigerators

Ice Maker Features

Selections

Clear Ice Technology, Articulating Hinge, True Flush Installable, Ice Scoop, Max Ice, Easy Access Filter Install

Filters

Water Filter Part Number

F2WC911

SPEC PRODUCT DETAIL

PRODUCT : 25 CU FT FRENCH DOOR REFRIGERATOR

MODEL : KRFF305ESS

Dimensions	
Cabinet Width	35-5/8 in
Capacity	25-19/100
Cutout Height	69.0 in
Cutout Width	36.0 in
Depth	35-1/2 in
Depth Closed Excluding Handles	33.0 in
Depth Closed Including Handles	35-1/2 in
Depth Excluding Doors	29-1/8 in
Depth With Door Open 90 Degree	48-1/8 in
Freezer Volume	7.44 cu. ft.
Height	70-1/8 in
Height To Top Of Cabinet	68-7/8 in
Height To Top Of Door Hinge	70-1/8 in
Refrigerator Volume	17.75 cu. ft.
Width	35-7/8 in

Configuration and Overview	
ADA Compliant	No
Advance Foam Insulation	99.9% lower Global Warming Potential and Better Energy Performance
CEE Tier	Tier I
Counter Depth	No
Number of Doors	3
Prop 65	CALIFORNIA RESIDENTS ONLY - WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov .
UL	UL

Appearance

Cabinet Finish	Textured
Door Finish	Smooth
Door Style	Contour
Handle Color	Stainless Steel
Handle Material	Metal
Handle Type	Reach-Through Handle
Hidden Hinge	Yes
LCD Touch Screen	No

Controls

Air Filter Indicator/Reset	No
Automatic Defrost	Yes
Control Lockout	No
Door Ajar/Open Alarm	Yes
Location of Controls	Interior Up Front

Filter Details

Fresh Flow Air Filter	No
Produce Preserver	Yes
Water Filter Indicator/Reset	Yes
Water Filter Location	Interior

Refrigerator Details

Deli Drawer	No
Humidity-Controlled Drawers	2 Half-Width
Lighting	LED
Number of Interior Shelves	5
Pantry Drawer	Yes
Supplementary Containers	No

Freezer Details

Door Type	Pull-Out
-----------	----------

Dispenser Details

Dispenser Options	Filtered Water
Dispenser Type	Interior Water Only
Types of Ice	Cubed

Icemaker Details

Icemaker Location	Freezer
-------------------	---------

Certifications

Energy Star(R) Qualified	ENERGY STAR(R) Certified
--------------------------	--------------------------

Electrical

Hz	60
----	----

Freezer Compartment

Door Bins	No
Door Type	Pull-Out
Freezer Type	2 Tier
Light	LED
Shelves	No

Filters

Water Filter Part Number	EDR4RXD1
--------------------------	----------

Compatibility

Connectivity	No
Works With	No

Configuration

Installation Configuration	Freestanding
----------------------------	--------------

Icemaker

Icemaker	Factory Installed
----------	-------------------

SPEC PRODUCT DETAIL

PRODUCT : INTEGRATED CONSOLE DISHWASHER

MODEL : KDTE234GPS

Dimensions	
Depth	24-1/2 in
Depth Closed Excluding Handles	24-1/2 in
Depth Closed Including Handles	27-1/2 in
Depth With Door Open 90 Degree	49-1/2 in
Height	34-1/2 in
Maximum Height	34-1/2 in
Minimum Height	33-1/2 in
Number of Place Settings	14
Width	23-7/8 in

Configuration and Overview	
ADA Compliant	No
CEE Tier	Tier I
Decibel Level dBA	46
Dishwasher Type	Built-In
Prop 65	CALIFORNIA RESIDENTS ONLY - WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov .
UL	UL

Controls	
Automatic Temperature Controls	Yes
Last Cycle Recall	No
Location of Controls	Top
Sensor	Yes

Appearance	
Door Style	Flat
Handle Color	White
Handle Material	Metal
Handle Type	Towel Bar
Window	No

Details	
Built-In Water Softener	No
Dispenser	Detergent and Rinse Aid
Hoses Included	Both Fill Hose and Drain

Details	
Interior Light	No
Number of Racks	3
Number of Wash Levels	5.0
Number of Washarms	3
Rack Material	Nylon
Rinse Aid Dispenser Level Indicator	Optical Level Indicator
True Hold Door	Yes
Tub Material	Stainless Steel
Tub Style	Built-in Tall Tub 24'''
Wash System	Filter
Water Filtration	Yes

Cycles and Options	
Number of Wash Cycles	5

Upper Rack	
Adjustable	2 Position
Cushion-Tip Tines	Yes
Extras	No
Fold-Down Tines	No
Style	Straight
Utility Basket	No

Lower Rack	
Cushion-Tip Tines	Yes
Extras	No
Fold-Down Tines	No
Glides	Rollers
Style	Extended
Utility Basket	No

Silverware Basket	
Covers	Yes
Culinary Basket	No
Location	Bottom Rack

Third Level Rack	
Adjustable	No
Glides	Satin Glides

Third Level Rack

Removable	Yes
Type	Culinary Rack

Certifications

Energy Star(R) Qualified	ENERGY STAR(R) Certified
Kosher Consumer Friendly	Yes
NSF(R) Certified	Yes

Compatibility

Connectivity	No
Works With	No

Electrical

Power Cord Included	Yes
---------------------	-----

Options

Dishwasher Option Selections	Hi Temp Wash, Sani Rinse(R), Heated Dry, Extended Dry, 2-4-8 Hour Delay
------------------------------	---

Features

Sound Package	Yes
---------------	-----