

QUOTE # 10-8616

June 13, 2020 02:44 AM



SALES PERSON

Jimmy Reed
jimmy.reed@slymanbros.com

15050 Manchester Rd, Ballwin, MO 63011
Slyman Bros (West County)
Phone: 636-227-7727

BILLING INFORMATION

William Fenton
wmfbilliam@hotmail.com
55 Wilderness Rd
Eureka, Missouri, 63025
314-332-6776

DELIVER TO

William Fenton
wmfbilliam@hotmail.com
55 Wilderness Rd
Eureka, Missouri, 63025
314-332-6776

PRODUCT	DESCRIPTION	PRICE	QTY	TOTAL
PB911SJSS	SELF/STEAM CLEAN CONVECTION RANGE Install : Electric Range Install	\$899.99	1	\$899.99
SHX3AR75UC	BAR HANDLE BUILT-IN DISHWASHER Install : Dishwasher Standard Install	\$624.99	1	\$624.99
RF23R6201SR	23' C-DPTH FRENCH DOOR REFRIGERATOR Install : Freestanding Fridge Standard Install Warranty : 5 Year Extended Warranty	\$2,299.99	1	\$2,299.99

Haul Away Old: Yes 1

NOTES

Subtotals	\$3,824.97
Sales Tax (West County)	\$334.23
Extend Warranty Charge	\$269.96
Install Charge	\$210.00
Delivery Charge	\$0.00
Total	\$4,639.16

Balance Due (USD) \$4,639.16

SPEC PRODUCT DETAIL

PRODUCT : SELF/STEAM CLEAN CONVECTION RANGE

MODEL : PB911SJSS

CAPACITY	
Total Capacity (cubic feet)	5.3

FILTER	
App Filter - Cleaning Type	Steam and Self-Clean
App Filter - Control Type	Electronic touchpad
App Filter - Drawer Type	Storage
App Filter - Cooktop Type	Radiant Smoothtop
App Filter - Cooking Technology	Convection
App Filter - Cabinet Width	Cooking 30 in. (Standard)
App Filter - Product Type	Ranges Free-Standing Single Oven
App Filter - Convection	Yes
App Filter - Fuel Type	Electric
App Filter - Edge-to-Edge Cooktop	Yes

APPEARANCE	
Control Knobs	Weighted Stainless Steel Appearance
Handle Color	Stainless Steel
Handle Design	Designer Style
Textured Steel Side Panels	Yes
Oven Door Features	Big View Oven Window Full-Wrapped Metal Frame Full-Wrapped Stainless
Color Appearance	Stainless Steel/Gray

POWER / RATINGS	
KW Rating at 208V	10.1
Bake Wattage	2850W
KW Rating at 240V	13.4
Broiler Wattage	3800W
Amp Rating at 208V	40
Amp Rating at 240V	40

WARRANTY	
Warranty Notes	See written warranty for full details
Parts Warranty	Limited 1-year entire appliance
Labor Warranty	Limited 1-year entire appliance

WEIGHTS & DIMENSIONS

Net Weight	165.0
Depth Without Handle	25.5
Overall Depth	28.0
Depth with Door Open	47.875
Oven Interior Dimensions (W x H x D) (in.)	24-1/8 x 19-1/2 x 19-3/8
Overall Width	29.875
Overall Height	47.0
Approximate Shipping Weight	185.0
Cabinet Width	30.0

FEATURES

Oven Cleaning Type	Self-Clean with Steam Clean Option
Hot Surface Indicator Lights	1
Cooktop Burner Type	Radiant Smoothtop
Cooking System	True European Convection with Precise Air
Element - Center	6" 80W Warming Zone
Element - Left Front	8"/5" 1900W
Oven Rack Features	3 Heavy-Duty Oven Racks 6 Rack Positions
Melt Setting	Yes
Oven Features	6-Pass Broil Element Hidden Bake
Fuel Type	Electric
Cooking Technology	Convection
Cooktop Surface	Edge-to-Edge Gray Patterned Ceramic Glass One-Piece Upswept
Configuration	Range with Storage Drawer
Control Type	Digital Temperature Display Electronic Touchpads
Oven Cooking Modes	Warming
Element - Right Front	12"/9"/6" 3600W Power Boil
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Chef Connect Control Lock Capability Convection Roas

FEATURES

Product Type	Free-Standing Single Oven
Drawer Type	Storage
Interior Oven Light	1 Halogen Preheat Notification
Cooktop Type	Radiant Smoothtop
Control Location	Backsplash
Element - Right Rear	6" 1200W
Storage Drawer Features	Removable Full-Width
Heating Element "ON" Indicator Light	5
Element - Left Rear	8" 2000W
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Chef Connect Control Lock Capability Convection Roas
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Chef Connect Control Lock Capability Convection Roas
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Chef Connect Control Lock Capability Convection Roas
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Chef Connect Control Lock Capability Convection Roas
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Chef Connect Control Lock Capability Convection Roas

FEATURES

Oven Control Features	<ul style="list-style-type: none"> Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Chef Connect Control Lock Capability Convection Roas
Oven Control Features	<ul style="list-style-type: none"> Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Chef Connect Control Lock Capability Convection Roas
Oven Control Features	<ul style="list-style-type: none"> Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Chef Connect Control Lock Capability Convection Roas
Oven Control Features	<ul style="list-style-type: none"> Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Chef Connect Control Lock Capability Convection Roas
Oven Control Features	<ul style="list-style-type: none"> Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Chef Connect Control Lock Capability Convection Roas
Oven Control Features	<ul style="list-style-type: none"> Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Chef Connect Control Lock Capability Convection Roas

FEATURES

Oven Control Features

- Audible Preheat Signal
- Auto Oven Shut-Off with Override
- Auto Recipe Conversion
- Auto Self Clean
- Certified Sabbath Mode
- Chef Connect
- Control Lock Capability
- Convection Roast

Oven Control Features

- Audible Preheat Signal
- Auto Oven Shut-Off with Override
- Auto Recipe Conversion
- Auto Self Clean
- Certified Sabbath Mode
- Chef Connect
- Control Lock Capability
- Convection Roast

Oven Control Features

- Audible Preheat Signal
- Auto Oven Shut-Off with Override
- Auto Recipe Conversion
- Auto Self Clean
- Certified Sabbath Mode
- Chef Connect
- Control Lock Capability
- Convection Roast

SPEC PRODUCT DETAIL

PRODUCT : BAR HANDLE BUILT-IN DISHWASHER

MODEL : SHX3AR75UC

General	
Installation Type	Built-under
Number of place settings	14
List of programmes	Auto, Auto Half Load US, Hand Wash, Normal, Pots & Pans, Quick
Cycle Options	Sanitation
Silence level (dBA)	50
Third Rack	None

Connectivity	
Connectivity type	Not applicable

Size and weight	
Overall appliance dimensions (HxWxD) (in)	33 7/8" x 23 9/16" x 22 9/16"
Adjustable plinth	both horizontal and vertical
Net weight (lbs)	76 lbs

Programmes	
Status indicator	End of program audible, Programme status, sanitized LED US
List of programmes	Auto, Auto Half Load US, Hand Wash, Normal, Pots & Pans, Quick
Program 1	Pots & Pans
Program 2	Auto
Program 3	Normal
Program 4	Hand Wash
Program 5	Quick
Programme duration, programme1 (min.)	110-130
Programme duration, programme2 (min.)	115-130
Programme duration, programme3 (min.)	130-135
Programme duration, programme4 (min.)	80-85
Programme duration, programme5 (min.)	30
Programme duration, programme6 (min.)	95-115
Reference programme	Regular US
Number of different wash temperatures	5
Temperature program 1	150-160 (degree)F
Temperature program 2	125-130 (degree)F
Temperature program 3	122-131 (degree)F
Temperature program 4	113-122 (degree)F

Programmes

Temperature program 5	113 (degree)F
Temperature program 6	125-130 (degree)F

Safety

Leak protection system	Aqua Stop
------------------------	-----------

Consumption values

Water consumption program 2	3.8-6.5 gal
Water consumption program 3	3-5.7 gal
Water consumption program 4	3-4.4 gal
Water consumption program 5	3.5 gal
Water consumption program 6	2.9-4.6 gal
Total annual water consumption (g)	688 gallons
Maximum temperature for water intake ((degree)C)	50 (degree)C

Connection

Watts (W)	1,440 W
Current (A)	12 A
Plug type	fixed connection

Construction type

Color / Material housing	Tin grey
Color / Control Panel	Black
Construction type	Built-in
Panel ready	Not possible
Drying system	Inherent heat
Installation Type	Built-under
Tub material	Plastic

SPEC PRODUCT DETAIL

PRODUCT : 23' C-DPTH FRENCH DOOR REFRIGERATOR

MODEL : RF23R6201SR

Key Features	
Ice Max	Yes
Wi-Fi Connectivity	Yes
ADA Compliant	Yes

Standard Features	
Cool Select Pantry with Temperature Control	Yes
External Filtered Water and Ice Dispenser	Yes
High-Efficiency LED Lighting	Yes
Surround Air Flow	Yes
Power Freeze and Power Cool Options	Yes
Humidity Controlled Crispers	Yes
Tempered Glass Spill Proof Shelves	5
Gallon Bins	Yes
EZ-Open Handle(TM)	Yes
2-Minute Door Alarm	Yes
CoolTight Door	Yes (Auto Close)
Dispenser Light	Yes
Display Color	Ice Blue
Child Lock	Yes
Filter Indicator	Yes
Handles	Flat Handle
Water Filter	HAF-QIN (Included)
Wi-Fi Connectivity	Yes
Twin Cooling Plus(R)	Yes
Sabbath Mode	Yes
Adjustable Shelves	Yes
Modern Look Design	Yes

Refrigerator Design	
Type	3DR French Door
Color	Fingerprint Resistant Stainless Steel

Refrigerator Features	
Humidity Control Crispers	2
Gallon Bins	Yes

Refrigerator Features

Total Bins	6
CoolSelect Pantry(TM)	Yes
Foldable Shelves	1
Fixed Shelves	3
Interior Light	TOP LED (6EA x 2)
Internal Digital Display	Yes
Slide-In Shelf	1
Spill proof shelves	Yes
Water and Ice Dispenser	Yes
Automatic Ice Maker	Yes

Freezer Features

Total Ice Capacity (lbs.)	2.7
EZ-Open Handle(TM)	Yes
Drawer Divider	Yes
Interior Light	Bottom of Refrigerator Door, High Efficiency LED, 1ea
Bins	2

Power

ENERGY STAR(R) Certified	Yes
Energy Consumption	699 kWh/Year
Volt/Amps	115V/60Hz/5.0A

Capacity

Total Capacity	22.6 cu. ft.
Refrigerator Capacity	15.7 cu. ft.
Freezer Capacity	6.9 cu. ft.

Dimensions

Product Dimensions with Hinges, Handles and Door	35 3/4" W x 70" H x 31" D
Product Dimensions without Hinges and Door	35 3/4" W x 68 7/8" H x 24" D
Product Dimensions with Door without Handles	35 3/4" W x 70" H x 28 1/2" D
Shipping Dimensions	38 1/4" W x 76" H x 31 1/4" D
Net Depth with Door Handle	31"
Net Height with Hinge	70"
Net Height without Hinge	68 7/8"
Net Depth w/o Door Handle	28 1/2"
Depth without Door (in)	24"

Weight

Product Weight	279 lb.
Shipping Weight	300 lb.

Warranty

1 Year	1-Year Parts and Labor on Refrigerator
5 Years	5-year Parts and Labor on sealed Refrigeration system only* *Compressor, evaporator, condenser, drier, connecting tubing
10 Years	10-year Part and 5- year Labor on Digital Inverter Compressor