

QUOTE # 10-8923

June 18, 2020 05:27 AM



SALES PERSON

Jimmy Reed
jimmy.reed@slymanbros.com

15050 Manchester Rd, Ballwin, MO 63011
Slyman Bros (West County)
Phone: 636-227-7727

BILLING INFORMATION

David Gruendler
davegruendler@gmail.com
1965 Rieth Terrace
Kirkwood, Missouri, 63122
314-374-6293

DELIVER TO

David Gruendler
davegruendler@gmail.com
1965 Rieth Terrace
Kirkwood, Missouri, 63122
314-374-6293

PRODUCT	DESCRIPTION	PRICE	QTY	TOTAL
JGRP536HM	36" NOIR GAS PROFESSIONAL-STYLE RANGE WITH CHROME-INFUSED GRIDDLE	\$6,029.10	1	\$6,029.10
JFFCC72EFS	24 CU FT FRENCH DOOR REFRIGERATOR	\$4,319.10	1	\$4,319.10
EW4336SS	36" WALL MOUNT CHIMNEY RANGE HOOD	\$399.99	1	\$399.99
KDPM604KPS	INTEGRATED CONSOLE DISHWASHER	\$774.99	1	\$774.99
JMC1116AS	1.6 CU FT 1200W MICROWAVE OVEN	\$719.10	1	\$719.10
				Haul Away Old: No

NOTES

Subtotals	\$12,242.28
Sales Tax (West County)	\$1,069.73
Delivery Charge	\$0.00
Instant Rebate	
Compliments of Jenn-Air Instant	
Rebate	\$1,000.00
Total	\$12,312.01
<hr/>	
Balance Due (USD)	\$12,312.01

SPEC PRODUCT DETAIL

PRODUCT : 36" NOIR GAS PROFESSIONAL-STYLE RANGE WITH CHROME-INFUSED GRIDDLE

MODEL : JGRP536HM

Dimensions	
Capacity	5-1/10
Depth Closed Excluding Handles (in)	27-11/16
Depth Closed Including Handles (in)	29-5/16
Depth With Door Open 90 Degree (in)	46-1/2
Depth (in)	29-5/16
Height (in)	38-3/4
Width (in)	35-7/8

Certifications	
Prop 65	CALIFORNIA RESIDENTS ONLY - WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Configuration and Overview	
Size (in)	30
Fuel Type	Gas
Range Type	Freestanding
LP Convertible	Yes - Kit Included
UL	UL
ADA Compliant	No

Design Type	
Design Expression	NOIR

Oven Details	
Door Removable	Yes
Power On Indicator Light	Yes
Automatic Convection Conversion Temperature Adjust	Yes
Automatic Shut-Off	No
Oven Cooking System	True Convection
Interior Color	Black
Oven Control Location	Front
Oven Control Type	Knobs
Bake Element Power	17000 BTU
Broiler Location	Top of Oven
Convection Element Type	Dual-Fan
Number of Oven Lights	3

Oven Details

Oven Light Switch Location	Oven Control
Oven Light Type	Halogen
Oven Interior Width (in)	29-9/10
Oven Interior Depth (in)	16-3/10
Oven Interior Height (in)	14-3/10
Number of Oven Racks	3
Number of Rack Guides	5
Oven Rack Type	Gliding Roll-Out
Hidden Bake Element	No
Convection Functions	Bake

Appearance

Handle Material	Metal
Door Type	Metal & Glass
Handle Color	Stainless Steel
Handle Type	Towel Bar

Cooktop Details

Heating Element On Indicator Light	Yes
Hot Surface Indicator Light	No
Power Outage Compatible	No
Cooktop Element Style	Sealed Burner
Cooktop Surface Color	Black
Cooktop Surface Material	Porcelain Coated Steel
Ignition Type	Flame-Sensing Re-ignition
Number of Cooking Element-Burners	4
Number of Grates	2
Auto Re-ignition	Yes
Cooktop Control Knob Type	Metal
Cooktop Control Location	Front
Grate Details	Dishwasher Safe
Cooktop Control Type	Knobs
Left Front Element-Burner Type	Dual
Left Rear Element-Burner Type	Dual
Right Front Element-Burner Type	Dual

Electrical

Hz	60
----	----

Electrical

Power Cord Included	Yes
---------------------	-----

Compatibility

Connectivity	Amazon Alexa
--------------	--------------

Works With	WiFi
------------	------

Exterior

Oven Window Size	Large
------------------	-------

Features

Natural Gas Convertible	Yes
-------------------------	-----

Power Outage Compatible	Yes (Gas Cooktop Burners Only)
-------------------------	--------------------------------

Details

Bake Element Power	17000 BTU
--------------------	-----------

Broiler Element Power	11000 BTU
-----------------------	-----------

Cooktop Surface Material	Porcelain Coated Steel
--------------------------	------------------------

Convection Element Type	Dual-Fan
-------------------------	----------

Number of Rack Guides	5
-----------------------	---

SPEC PRODUCT DETAIL

PRODUCT : 24 CU FT FRENCH DOOR REFRIGERATOR

MODEL : JFFCC72EFS

Dimensions	
Freezer Volume (cu. ft.)	6.30
Refrigerator Volume (cu. ft.)	17.50
Capacity	23-4/5
Total Volume (cu. ft.)	23.8
Cabinet Width (in)	35-3/4
Depth Closed Excluding Handles (in)	29-5/16
Depth Closed Including Handles (in)	31-1/4
Depth Excluding Doors (in)	24-5/8
Depth With Door Open 90 Degree (in)	44.0
Depth (in)	35-3/4
Height To Top Of Cabinet (in)	70-15/16
Height To Top Of Door Hinge (in)	71-15/16
Height (in)	71-15/16
Width (in)	35-3/4

Configuration and Overview	
Advance Foam Insulation	99.9% lower Global Warming Potential and Better Energy Performance
Counter Depth	Yes
Number of Doors	3
ADA Compliant	No
CEE Tier	Not Rated
Installation Option	Freestanding
UL	UL
Prop 65	CALIFORNIA RESIDENTS ONLY - WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Appearance	
Door Finish	Smooth
Handle Color	Stainless Steel
Hidden Hinge	Yes
Handle Material	Metal
Handle Type	Reach-Through Handle
LCD Touch Screen	No
Door Style	Contour
Reversible Door	No

Appearance	
Cabinet Finish	Textured
Controls	
Control Lockout	Yes
Door Ajar/Open Alarm	Yes
Sabbath Mode	Yes
Location of Controls	Exterior Dispenser
Air Filter Indicator/Reset	No
Automatic Defrost	Yes
Filter Details	
Water Filter Indicator/Reset	Yes
Water Filter Location	Interior
Fresh Flow Air Filter	Yes
Produce Preserver	Yes
Refrigerator Details	
Number of Interior Shelves	3
Humidity-Controlled Drawers	2 Half-Width
Pantry Drawer	No
Non Climate Control Drawers	1 Full Width Pull Out Platter
Supplementary Containers	Herb Tender Container
Lighting	LED
Freezer Details	
Door Type	Pull-Out
Freezer Number of Shelves	1
Dispenser Details	
Dispenser Type	Exterior Ice and Water
Dispenser Options	Filtered Water
Types of Ice	Crushed/Cubed
Icemaker Details	
Icemaker Location	Refrigerator Door
Certifications	
Energy Star(R) Qualified	No

Electrical

Hz	60
----	----

Freezer Compartment

Freezer Type	2 Tier
Door Type	Pull-Out
Shelves	1 Sliding Partial-Width Glass
Door Bins	Pizza Pocket
Light	LED

Filters

Water Filter Part Number	EDR2RXD1
--------------------------	----------

Compatibility

Connectivity	Android
Works With	WiFi

Design Type

Design Expression	Euro-Style
-------------------	------------

Configuration

Installation Configuration	Freestanding
----------------------------	--------------

Icemaker

Icemaker	Factory Installed
----------	-------------------

SPEC PRODUCT DETAIL

PRODUCT : 36" WALL MOUNT CHIMNEY RANGE HOOD

MODEL : EW4336SS

Color Finish	Stainless Steel
CFM	400 Max high - 180 Min normal
Sones	1.5
Product Depth	19-11/16"
Product Height	27-3/16" - 43-1/16"
Product Width	35-7/8"
Light Number Of Levels	2
Light Lumens	600
Light Type	LED
Nightlight Or Nightlight Setting	No
Light Bulb Wattage	7W
Light Bulb Recommended Type	LED Module
Light Bulbs Included	Yes
Light Bulb Quantity	1 LED Module
Filter Quantity	2
Boost Mode	No
Filter Type	Aluminum
Motor Number Of Speeds	3
Built In Timer	No
ADA Compliance	No
Accommodates Ceiling Height	8' - 9' Opt. 9' - 10'
Damper Included	No
Non-ducted Filter Included	No
Amperage	1.6
Rated Voltage	120
Switch Control Type	Capacitive Touch
Non-Ducted Recirculation Capable	Yes
Warranty	1 Year
UL Listed	Yes
Duct Connector Size	6" Round
Duct Direction	Vertical
Duct Shape	Round
Duct Diameter	6"
HVI Certified	Yes

SPEC PRODUCT DETAIL

PRODUCT : INTEGRATED CONSOLE DISHWASHER

MODEL : KDPM604KPS

Dimensions	
Depth	24-1/2 in
Depth Closed Excluding Handles	24-1/2 in
Depth Closed Including Handles	24-1/2 in
Depth With Door Open 90 Degree	51.0 in
Height	31-1/2 in
Number of Place Settings	16
Width	23-7/8 in

Configuration and Overview	
Decibel Level dBA	44
Dishwasher Type	Built-In

Controls	
Automatic Temperature Controls	Yes
Location of Controls	Top, Hidden
Sensor	Yes

Appearance	
Door Style	Flat
Handle Material	Plastic

Details	
Built-In Water Softener	No
Dispenser	Detergent and Rinse Aid
Hoses Included	Drain Hose
Interior Light	No
Number of Racks	3
Number of Wash Levels	7.0
Number of Washarms	5
Rack Material	Nylon
Rinse Aid Dispenser Level Indicator	Yes
True Hold Door	Yes
Tub Material	Stainless Steel
Tub Style	Built-in Tall Tub 24'''
Water Filtration	Yes

Features	
Sound Package	Yes
Cycles and Options	
Number of Wash Cycles	5
Options	
Dishwasher Option Selections	Hi Temp Wash, Sani Rinse(R), ProDry , Extended ProDry, Top 2 Racks, 1-24 Hour Delay
Lower Rack	
Cushion-Tip Tines	Yes
Fold-Down Tines	1 Adjustable & 1 Fold Down
Style	Extended
Utility Basket	No
Silverware Basket	
Covers	Yes
Culinary Basket	No
Location	Bottom Rack
Third Level Rack	
Adjustable	No
Removable	Yes
Certifications	
Energy Star(R) Qualified	ENERGY STAR(R) Certified
NSF(R) Certified	Yes
Electrical	
Power Cord Included	No

SPEC PRODUCT DETAIL

PRODUCT : 1.6 CU FT 1200W MICROWAVE OVEN

MODEL : JMC1116AS

Dimensions	
Capacity	1-3/5
Depth With Door Open 90 Degree (in)	34-3/4
Depth (in)	17-1/4
Height (in)	13.0
Width (in)	21-3/4

Configuration and Overview	
Microwave Type	Countertop
Prop 65	CALIFORNIA RESIDENTS ONLY - WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
UL	UL
ADA Compliant	No

Controls	
Number of Keypads	16

Microwave Details	
Sensor Cooking	Yes
Microwave Selections	Beverage
Cooking Power (w)	1200
Cavity Finish	Powder Coat
Convection	No
Interior Light	Incandescent
Work Surface Light	No
Turntable Diameter Size (in)	13.0
Scrolling Electronic Display	No

Details	
Number of Power Levels	10
Clock	Yes

Configuration	
Microwave Configuration	Countertop

Design Type	
Design Expression	Stainless Steel

GDS	
-----	--

isBaseUnit	true
GPC Code	10001952
isConsumerUnit	true
IsInvoiceUnit	true
IsOrderableUnit	true
Product Type	EA
UDEX	1100400568

Microwave

Microwave Selections	Beverage
----------------------	----------