QUOTE #10-9354

June 24, 2020 03:35 AM

SALES PERSON

Jimmy Reed jimmy.reed@slymanbros.com Slyman Bros

15050 Manchester Rd, Ballwin, MO 63011 Slyman Bros (West County) Phone: 636-227-7727

DELIVER TO

Kevin Crimmins kevin.crimmins@gmail.com 13222 Fairoyal Dr Des Peres, Missouri, 63131 314-795-6215

BILLING INFORMATION

Kevin Crimmins kevin.crimmins@gmail.com 13222 Fairoyal Dr Des Peres, Missouri, 63131 314-795-6215

PRODUCT	DESCRIPTION	PRICE	QTY	TOTAL
PYE22KYNFS	22 CU FT FRENCH DOOR REFRIGERATOR	\$2,129.99	1	\$2,129.99
P2S930SELSS	SLIDE-IN CONVECTION DUAL FUEL RANGE	\$2,589.99	1	\$2,589.99
PDT775SYNFS	INTEGRATED DISHWASHER WITH STEAM	\$839.99	1	\$839.99
PEB9159SJSS	1.5 CU FT CONVECTION CT MICROWAVE	\$649.99	1	\$649.99
UVW8301SLSS	30" UNIVERSAL T-SHAPED HOOD	\$419.99	1	\$419.99
				Haul Away Old: No

Sales Tax (West County) \$579.33 Delivery Charge \$0.00	\$6,629.95	Subtotals
Delivery Charge \$0.00		
Total \$7,200.20		,
10tui \$7,209.20	\$7,209.28	Total
	\$7,209.28	Balance Due (USD)

PRODUCT: 22 CU FT FRENCH DOOR REFRIGERATOR

MODEL: PYE22KYNFS

MODEL : PYE22KYNFS		
CAPACITY		
Total Capacity (cubic feet)	22.1	
Fresh Food Capacity	14.92	
Freezer Capacity	7.16	
FILTER		
App Filter - Capacity	Refer Large (20-24 cu. ft.)	
App Filter - Autofill	Yes	
App Filter - Hot Water	No	
App Filter - Product Type	Refer French Door	
App Filter - Dispenser	Yes	
App Filter - Icemaker	Yes	
APPEARANCE		
Dispenser Color	Stainless Steel	
Counter-Depth Design	Yes	
Handle Color	Stainless Steel w/Chrome	
Exterior Design	Contoured Doors	
Handle Design	Designer Style	
Hidden Door Hinge(s)	Yes	
Textured Steel Case	Case Only - Dark Gray	
Color Appearance	Fingerprint Resistant Stainless Steel	
Door Stops	Yes	
Door Swing	Hinges on Left & Right	
WAR	RANTY	
Warranty Notes	See written warranty for full details	
Parts Warranty	Limited 1-year entire appliance Limited 5-year sealed refrigerating system	
Labor Warranty	Limited 1-year entire appliance Limited 5-year sealed refrigerating system	
POWER / RATINGS		
Volts/Hertz/Amps	120v; 60Hz; 15A	
WEIGHTS & DIMENSIONS		
Net Weight	333.0	
Case Depth Without Door	24.375	

WEIGHTS & DIMENSIONS		
Side Air Clearances	0.125	
Depth Without Handle	29.75	
Overall Depth	31.25	
Top Air Clearances	1.0	
Back Air Clearances	2.0	
Height to Top of Case	69.0	
Overall Width	35.75	
Overall Height	69.875	
Width w/Door Open 90 Degrees Incl. Handle	44.625	
Approximate Shipping Weight	363.0	
Depth with Door Open 90(degree)	43.375	

FEATURES		
Filter Location	Left wall	
Icemaker	Optional 2nd Icemaker (IM5D) in Freezer Space Saving Ice	
Dispenser Features	Door Alarm Hands-Free AutoFill LED Dispenser Light Water Filter Indicator Light	
Fresh Food Features	Showcase LED Lighting (7)	
Freezer Features	Interior Lighting - LED (2) Turbo Freeze	
Configuration	French Door	
Temperature Management System	TwinChill(TM) Evaporators	
Leveling System	2 Front Leveling Legs	
Fresh Food Door Features	Dairy Compartment Drop Down Tray	
Temperature Management Features	Turbo Cool setting	
Defrost Type	Frost Guard	
Fresh Food Cabinet Shelves	1 Quick Space Shelf 3 Spill Proof 4 Split Adjustable; 1 Full-Width 5 Total - Glass with Silver Trim	
Control Type	External Electronic Digital Temperature Display	
Fresh Food Door Bins	2 Adjustable 3 with Gallon Storage 6 Total	
Exterior Style	Counter-Depth	
Water Filtration	Advanced Filtration System (RPWFE) Removes Pharmaceuticals Water Filter Indicator Light	

FEATURES		
Freezer Storage Baskets	2 Full-Width	
Product Type	Bottom Freezer Refrigerator Counter Depth Refrigerator French-Door Refrigerator	
Freezer Door Bins	1 Total	
Fresh Food Cabinet Drawers	1 Full-Width, Adjustable Temperature Drawer 2 Adjustable Humidity 3 Total Electronic Temperature Control w/ LED Lighting	
Dispenser	Cubes, Crushed Ice and Water Large Color-Matched	
Performance Features	Easily Removable Door Gaskets Sabbath Mode Capable	

PRODUCT: SLIDE-IN CONVECTION DUAL FUEL RANGE

MODEL: P2S930SELSS

CAPACITY		
Total Capacity (cubic feet)	5.7	
FILTER		
App Filter - Cleaning Type	Steam and Self-Clean	
App Filter - Drawer Type	Storage	
App Filter - Cooktop Type	Standard Grates	
App Filter - Product Type	Ranges Slide-In Single Oven	
App Filter - Control Type	Electronic touchpad	
App Filter - Convection	Yes	
App Filter - Fuel Type	Dual Fuel	
App Filter - Tri-Ring Burner	Yes	
App Filter - Cooking Technology	Convection	
App Filter - Cabinet Width	Cooking 30 in. (Standard)	
APPEARANCE		
Handle	Designer Style Stainless Steel	
Installation	Flush Appearance Free-standing cut-out	
Oven Door Features	Big View Oven Window	
Control Knobs	Weighted Stainless Steel Appearance	
Cooktop Burner Grate Color	Matte Black	
Color Appearance	Stainless Steel	
	POWER / RATINGS	
KW Rating at 208V	2.7	
Top Burner BTU Rating - LP (000's BTU's)	(1) 18.0; (1) 15.0; (1) 9.5/8.0; (1) 5.0	
Broiler Wattage	4000W	
Amp Rating at 240V	40	
Bake Wattage	2850W	
KW Rating at 240V	3.6	
Power Connection	Power Cord - Not Included	
Amp Rating at 208V	40	
Top Burner BTU Rating - Nat. Gas (000's BTU's)	(1) 21.0 (1) 15.0; (1) 9.5/8.0; (1)5.0	
Volts/Hertz/Amps	208/240V; 60Hz; 40A	

WARRANTY	
Warranty Notes	See written warranty for full details
Parts Warranty	Limited 1-year entire appliance
Labor Warranty	Limited 1-year entire appliance

WEIGHTS & DIMENSIONS	
Net Weight	236.0
Height to Cooking Surface (in.)	36 1/4 +/- 1/4
Depth Without Handle	26.875
Overall Depth	29.5
Cabinet Opening	30.0
Depth with Door Open	47.5
Approximate Shipping Weight	256.0
Cabinet Width	30.0
Overall Height	36.5
Height to Top of Rear Vent Trim	37.625
Oven Interior Dimensions (W x H x D) (in.)	24 x 19 x 20-5/8
Overall Width	30.0

FEATURES		
Oven Cleaning Type	Self-Clean Steam Clean	
Cooktop Burner Type	Sealed	
Cooking System	True European Convection with Precise Air	
Oven Interior	1 Incandescent Black	
Fuel Type	Dual Fuel	
Burner - Left Rear	5,000 BTU Precise Simmer	
Burner - Center	9,500 BTU Dual Oval	
Cooktop Surface	Deep Recessed Edge-to-Edge Stainless Steel	
Configuration	Range with Smooth Glide Storage Drawer	
WiFi Connect	Built-In	
Oven Rack Features	3 Self-Clean Oven Racks	
Burner - Left Front	21,000 BTU Tri-ring Burner	
Oven Cooking Modes	Convection Bake Convection Roast Frozen Pizza Multi Rack (No Preheat) Frozen Pizza Single Rack (No Preheat) Frozen Snacks Multi Rack (No Preheat) Frozen Snacks Single Rack (No	

FEATURES	
Burner - Right Rear	9,500 BTU
Ignition System	Electronic
Connected Capabilities	Amazon Alexa DiGiorno Drop IFTTT Innit Nest The Google Assistant
Self-Clean Oven Door Lock	Automatic
Cooktop Burner Grate Features	Edge-to-Edge Grates
Product Type	Slide-In Single Oven
Cooktop Type	Standard Grates
Control Location	Front controls
Oven Control Features	Audible Preheat Signal Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Control Lock Capability Convection Bake Convection Roast Dual Broil Electronic Clo
Cooktop Burner Grate Material	Heavy Cast Iron
Drawer Type	Storage
Burner - Right Front	15,000 BTU
Cooking Technology	Convection
Control Type	Glass Touch
Oven Cooking Modes	Convection Bake Convection Roast Frozen Pizza Multi Rack (No Preheat) Frozen Pizza Single Rack (No Preheat) Frozen Snacks Multi Rack (No Preheat) Frozen Snacks Single Rack (No
Oven Control Features	Audible Preheat Signal Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Control Lock Capability Convection Bake Convection Roast Dual Broil Electronic Clo
Oven Cooking Modes	Convection Bake Convection Roast Frozen Pizza Multi Rack (No Preheat) Frozen Pizza Single Rack (No Preheat) Frozen Snacks Multi Rack (No Preheat) Frozen Snacks Single Rack (No

FEATURES		
Oven Control Features	Audible Preheat Signal Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Control Lock Capability Convection Bake Convection Roast Dual Broil Electronic Clo	
Oven Cooking Modes	Convection Bake Convection Roast Frozen Pizza Multi Rack (No Preheat) Frozen Pizza Single Rack (No Preheat) Frozen Snacks Multi Rack (No Preheat) Frozen Snacks Single Rack (No	
Oven Control Features	Audible Preheat Signal Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Control Lock Capability Convection Bake Convection Roast Dual Broil Electronic Clo	
Oven Cooking Modes	Convection Bake Convection Roast Frozen Pizza Multi Rack (No Preheat) Frozen Pizza Single Rack (No Preheat) Frozen Snacks Multi Rack (No Preheat) Frozen Snacks Single Rack (No	
Oven Control Features	Audible Preheat Signal Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Control Lock Capability Convection Bake Convection Roast Dual Broil Electronic Clo	
Oven Cooking Modes	Convection Bake Convection Roast Frozen Pizza Multi Rack (No Preheat) Frozen Pizza Single Rack (No Preheat) Frozen Snacks Multi Rack (No Preheat) Frozen Snacks Single Rack (No	
Oven Control Features	Audible Preheat Signal Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Control Lock Capability Convection Bake Convection Roast Dual Broil Electronic Clo	

PRODUCT: INTEGRATED DISHWASHER WITH STEAM

MODEL: PDT775SYNFS

MODEL : PDT775SYNFS		
FIL	TER	
App Filter - Bottle Wash	Yes	
App Filter - Food Disposer	Yes	
App Filter - Stainless Steel Interior	Yes	
App Filter - Cabinet Width	Dish Traditional 24 in.	
App Filter - Product Type	Dish Built-In Top Control	
App Filter - WiFi Connect	Built-In	
APPEA	RANCE	
Handle	Rounded Handle - Stainless Steel	
Installation	Built-Up Floor Capable Flush Cabinet Installation Side Installation or Top Installation Included	
Handle Color	Stainless Steel w/Chrome	
Door Appearance	Full-length door	
Door Style	Long Door with Top Controls	
Color Appearance	Fingerprint Resistant Stainless Steel	
WARI	RANTY	
Warranty Notes	See written warranty for full details	
Parts Warranty	Limited 1-year entire appliance	
Labor Warranty	Limited 1-year entire appliance	
POWER /	RATINGS	
Calrod Heater Watts	1200/400	
Power Connection	Optional cord kit (GPFCORD - WX09X70910, WX09X70911)	
Volts/Hertz/Amps	120V; 60Hz; 10.2A	
ECONOMICAL / QUIET		
Quiet Features	Quiet Water Valve Sealed Toe Kick Tub Collar Trim	
Quiet Package	42 dBA	
Outer Wrap	Bitumen Full-wrap Blanket	
Motor Type	Variable Speed	
Door Insulation	Insulation Mastic	

WEIGHTS & DIMENSIONS	
Net Weight	108.0
Overall Depth	24.0
Overall Depth with Handle	25.6
Height w/Legs Extended - Maximum Height	34.625
Overall Width	23.75
Overall Height	34.0
Approximate Shipping Weight	121.0
Cabinet Width	24.0
Height w/ Legs Retracted - Minimum Height	33.375

FEA	TURES
Wash System Features	90+ Spray Jet Wash System Automatic HotStart Automatic Temperature Control Bottle Jets (4) Deep Clean Silverware Jets Drain Pump Hidden Heater Piranha(TM) Hard Food Dispo
Style	Built-In Top Control
Upper Rack	1 Rack handle 1/2 fixed tines, 1/2 fold down tines Ball-Tip Tines Premium Height Adjustable
Racking Material	Nylon
Rack Features	1 Piece Silverware Basket with 3 Cell Covers Adjustable Upper Rack Ball-Tipped Tines Fold-Down Tines - Lower Fold-down tines - Upper
Dishwasher Control Features	1 "Clean" Light, 1 "Sanitized" Light Cycle Progress Indicators 3 Digit Display Cycle Countdown with Cycle Status Bar on door Audible End-of-Cycle Signal Last Cycle Memory White LE
WiFi Connect	Built-In
Showroom Power Mode	Yes
Cutlery Tray	Optional 3rd rack (GPF3RACK)
Dishwasher Drying Features	Hidden Heater Twin Turbo Dry Boost(TM)
Leveling System	3 Point Leveling
Control Type	8 Touchpads Cap Touch Controls Top Controls
Number of Place Settings	Up to 16

FEATURES	
Tub Type	Tall Tub
Rack Color	Silver
Exterior Style	Traditional
Number of Cycles	5
Wash System	700 Series
Dishwasher Cycles	1 Hour Wash Auto Sense Heavy Wash Light Wash Normal Wash
Number of Options	11
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam Presoak Twin Turbo Dry Boost(TM) Wash TempBoost Wash Z
Tub and Door Liner	Stainless Steel
Latch	Pull with Handle
Wash Arms	3 Wash Levels Lower Middle Upper
Lower Rack	1 Rack handle Ball-Tip Tines Multi-Position Fold Down Tines
Additional Protection	Active Flood Protect Leak Defense with Active Flood Protect
Floor Protection	Leak Defense with Active Flood Protect - Leak Pan with Sensor
Water Filtration System	100% Filtration with Piranha Hard Food Disposer and Removable Filter
Sensor	Clean Sensor
Dispenser	Electronic Low Rinse Aid Sensor Rinse Aid with Indicator and Adjustment
Wash System Features	90+ Spray Jet Wash System Automatic HotStart Automatic Temperature Control Bottle Jets (4) Deep Clean Silverware Jets Drain Pump Hidden Heater Piranha(TM) Hard Food Dispo

FEATURES		
Dishwasher Control Features	1"Clean" Light, 1"Sanitized" Light Cycle Progress Indicators 3 Digit Display Cycle Countdown with Cycle Status Bar on door Audible End-of-Cycle Signal Last Cycle Memory White LE	
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam Presoak Twin Turbo Dry Boost(TM) Wash TempBoost Wash Z	
Wash System Features	90+ Spray Jet Wash System Automatic HotStart Automatic Temperature Control Bottle Jets (4) Deep Clean Silverware Jets Drain Pump Hidden Heater Piranha(TM) Hard Food Dispo	
Dishwasher Control Features	1"Clean" Light, 1"Sanitized" Light Cycle Progress Indicators 3 Digit Display Cycle Countdown with Cycle Status Bar on door Audible End-of-Cycle Signal Last Cycle Memory White LE	
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam Presoak Twin Turbo Dry Boost(TM) Wash TempBoost Wash Z	
Wash System Features	90+ Spray Jet Wash System Automatic HotStart Automatic Temperature Control Bottle Jets (4) Deep Clean Silverware Jets Drain Pump Hidden Heater Piranha(TM) Hard Food Dispo	
Dishwasher Control Features	1"Clean" Light, 1"Sanitized" Light Cycle Progress Indicators 3 Digit Display Cycle Countdown with Cycle Status Bar on door Audible End-of-Cycle Signal Last Cycle Memory White LE	

FEAT	URES
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam Presoak Twin Turbo Dry Boost(TM) Wash TempBoost Wash Z
Wash System Features	90+ Spray Jet Wash System Automatic HotStart Automatic Temperature Control Bottle Jets (4) Deep Clean Silverware Jets Drain Pump Hidden Heater Piranha(TM) Hard Food Dispo
Dishwasher Control Features	1"Clean" Light, 1"Sanitized" Light Cycle Progress Indicators 3 Digit Display Cycle Countdown with Cycle Status Bar on door Audible End-of-Cycle Signal Last Cycle Memory White LE
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam Presoak Twin Turbo Dry Boost(TM) Wash TempBoost Wash Z
Wash System Features	90+ Spray Jet Wash System Automatic HotStart Automatic Temperature Control Bottle Jets (4) Deep Clean Silverware Jets Drain Pump Hidden Heater Piranha(TM) Hard Food Dispo
Dishwasher Control Features	1 "Clean" Light, 1 "Sanitized" Light Cycle Progress Indicators 3 Digit Display Cycle Countdown with Cycle Status Bar on door Audible End-of-Cycle Signal Last Cycle Memory White LE

FEATURES	
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam Presoak Twin Turbo Dry Boost(TM) Wash TempBoost Wash Z

PRODUCT: 1.5 CU FT CONVECTION CT MICROWAVE

MODEL: PEB9159SJSS

CAPACITY		
Total Capacity (cubic feet)	1.5	
Unit Capacity	Family-Size	
FIL	TER	
App Filter - Wattage	1000 to 1099	
App Filter - Control Type	Electronic touchpad	
App Filter - Voltage	120V	
App Filter - Capacity	Microwave Medium (1.5 - 1.8 cu. ft.)	
App Filter - Cooking Technology	Microwave with Convection	
App Filter - Product Type	Microwave Built-In Microwave Countertop	
App Filter - Convection	Yes	
APPEARANCE		
Case Color	Gray	
Installation	Built-In Countertop	
Door Color	Stainless Steel	
Built-In Capability	Optional 27" Built-In Kit JX9152SJSS Optional 30" Built-In Kit JX9153SJSS	
Color Appearance	Stainless Steel	
POWER /	RATINGS	
Volts/Hertz	120V; 60Hz	
Electrical Input - 120V Watts	1500	
Electrical Input - 120V Amperage	13.0	
Frequency (MHz)	2450	
WARRANTY		
Warranty Notes	See written warranty for full details	
Parts Warranty	Limited 1-year entire appliance	
Labor Warranty	Limited 1-year entire appliance	
WEIGHTS & DIMENSIONS		
Net Weight	38.0	
Overall Depth	20.0	
Overall Width	21.75	

WEIGHTS & DIMENSIONS	
Overall Height	13.0
Approximate Shipping Weight	44.0
Depth with Door Open 90(degree)	36.4375
Cavity (W x H x D)	15-1/2 x 10-7/8 x 15-1/2

	TURES
Cooking System	Turntable
Rack Type	2 Removable Oven Racks - Pedestal
Microwave Oven Interior	Stainless Steel
Convection Cooking Controls	Bake Roast
Cooking Technology	Microwave/Convection
Turntable Size	13.5
Combination Cooking Controls	Combination Cook
Microwave Watts (IEC-705)	1000.0
Timer (On/Off)	Yes
Sound Volume Control	On/Off
Scrolling Display with Help	Yes
Instant On Controls	Yes
Control Features	Add 30 Seconds Auto & Time Defrost Clock Combination Auto Cook Control Lock Convection Roast Cook Time Display On/Off Mute Timer Warm
Power Levels	10
Express Cook	Instant-On 1-6
Turntable	Glass Recessed
Product Type	Countertop Microwave
Electronic Digital Display with Clock	Yes (LED)
Microwave Sensor Cooking Controls	Beverage Cook Popcorn Reheat

PRODUCT: 30" UNIVERSAL T-SHAPED HOOD

MODEL: UVW8301SLSS		
FIL	TER	
App Filter - Venting Type	Convertible	
App Filter-Multi Brand	GE Monogram	
App Filter - Hood Type	Designer (includes "canopy" and "chimney")	
App Filter - Cabinet Width	Vent 30 in. (Standard)	
APPEARANCE		
Blower / Light Switch Color	Backlit	
Color Appearance	Stainless Steel	
WARRANTY		
Warranty Notes	See written warranty for full details	
Parts Warranty	Limited 1-year entire appliance	
Labor Warranty	Limited 1-year entire appliance	
POWER / RATINGS		
Amp Rating at 120V	5.3	
ECONOMICAL / QUIET		
Venting Type	Convertible	
WEIGHTS &	DIMENSIONS	
Net Weight	65.0	
Overall Depth	20.0	
Overall Width	30.0	
Overall Height	24.0	
Approximate Shipping Weight	75.0	
Cabinet Width	30.0	
FEATURES		
8" Round Duct	Yes	
Removable Filter	Grease & Charcoal included	
Optional Accessories	JXHC1 - Power Cord Kit JXMUA8 - Makeup air accessory kit UX10DC8SLSS - 10' High Ceiling Duct Cover Kit UX12DC9SLSS - 12' High Ceiling Duct Cover Kit UX14DC9SLSS - 14' High Ceiling	

FEAT	TURES
CFM/ Sones Rating	100/1.0 (Working Speed) 200/ 3.0 (Medium Speed) 350/3.1 (High Speed) 350/6.5 (Boost Speed)
Exhaust Options	Recirculating Vented to Outside
Cooktop Lighting	2 LED
Control Type	Backlit Electronic
Ducting	Vertical Only
Fan Speed Control	4-Speed
Charcoal Filter	UXCF91
Product Type	Designer Hood
Control Location	Front
Time Delay Shut-Off	Yes
Filter Cleaning	Dishwasher Safe
Light Controls	On/Off/Night
Optional Accessories	JXHC1 - Power Cord Kit JXMUA8 - Makeup air accessory kit UX10DC8SLSS - 10' High Ceiling Duct Cover Kit UX12DC9SLSS - 12' High Ceiling Duct Cover Kit UX14DC9SLSS - 14' High Ceiling
Optional Accessories	JXHC1 - Power Cord Kit JXMUA8 - Makeup air accessory kit UX10DC8SLSS - 10' High Ceiling Duct Cover Kit UX12DC9SLSS - 12' High Ceiling Duct Cover Kit UX14DC9SLSS - 14' High Ceiling
Optional Accessories	JXHC1 - Power Cord Kit JXMUA8 - Makeup air accessory kit UX10DC8SLSS - 10' High Ceiling Duct Cover Kit UX12DC9SLSS - 12' High Ceiling Duct Cover Kit UX14DC9SLSS - 14' High Ceiling
Optional Accessories	JXHC1 - Power Cord Kit JXMUA8 - Makeup air accessory kit UX10DC8SLSS - 10' High Ceiling Duct Cover Kit UX12DC9SLSS - 12' High Ceiling Duct Cover Kit UX14DC9SLSS - 14' High Ceiling
Optional Accessories	JXHC1 - Power Cord Kit JXMUA8 - Makeup air accessory kit UX10DC8SLSS - 10' High Ceiling Duct Cover Kit UX12DC9SLSS - 12' High Ceiling Duct Cover Kit UX14DC9SLSS - 14' High Ceiling