

QUOTE # 10-9524

June 26, 2020 03:11 AM



SALES PERSON

Jimmy Reed
jimmy.reed@slymanbros.com

15050 Manchester Rd, Ballwin, MO 63011
Slyman Bros (West County)
Phone: 636-227-7727

BILLING INFORMATION

Barb Schroeder
dbasm@charter.net
408 Dogwood Hills Ct
Ballwin, Missouri, 63021
636-541-4613

DELIVER TO

Barb Schroeder
dbasm@charter.net
408 Dogwood Hills Ct
Ballwin, Missouri, 63021
636-541-4613

| PRODUCT | DESCRIPTION | PRICE | QTY | TOTAL |
|------------|-------------------------------------|------------|-----|------------|
| WRF555SDFZ | 25 CU FT FRENCH DOOR REFRIGERATOR | \$1,824.99 | 1 | \$1,824.99 |
| MFI2269FRZ | 22 CU FT FRENCH DOOR REFRIGERATOR | \$2,099.99 | 1 | \$2,099.99 |
| WFG550S0HZ | 30" SELF CLEAN CONVECTION GAS RANGE | \$749.99 | 1 | \$749.99 |
| WDTA50SAHZ | BUILT IN INTEGRATED DISHWASHER | \$549.99 | 1 | \$549.99 |
| WMH31017HZ | 1.7 CU FT 1000W OTR MICROWAVE | \$224.99 | 1 | \$224.99 |

Haul Away Old: No

NOTES

| | |
|-------------------------|-------------------|
| Subtotals | \$5,449.95 |
| Sales Tax (West County) | \$476.22 |
| Delivery Charge | \$0.00 |
| Total | \$5,926.17 |

Balance Due (USD) \$5,926.17

SPEC PRODUCT DETAIL

PRODUCT : 25 CU FT FRENCH DOOR REFRIGERATOR

MODEL : WRF555SDFZ

| Dimensions | |
|--------------------------------|---------------|
| Cabinet Width | 35-5/8 in |
| Capacity | 24-7/10 |
| Cutout Height | 69.0 in |
| Cutout Width | 36.0 in |
| Depth | 35-1/4 in |
| Depth Closed Excluding Handles | 32-7/8 in |
| Depth Closed Including Handles | 35-1/4 in |
| Depth Excluding Doors | 29.0 in |
| Depth With Door Open 90 Degree | 48.0 in |
| Freezer Volume | 6.70 cu. ft. |
| Height | 70-1/8 in |
| Height To Top Of Cabinet | 68-5/8 in |
| Height To Top Of Door Hinge | 70-1/8 in |
| Refrigerator Volume | 18.00 cu. ft. |
| Total Volume | 24.7 cu. ft. |
| Width | 35-5/8 in |

| Configuration and Overview | |
|----------------------------|--|
| ADA Compliant | No |
| Advance Foam Insulation | 99.9% lower Global Warming Potential and Better Energy Performance |
| CEE Tier | Tier I |
| Counter Depth | No |
| Number of Doors | 3 |
| Prop 65 | CALIFORNIA RESIDENTS ONLY - WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov . |
| UL | UL |

| Appearance | |
|-----------------|----------------------|
| Cabinet Finish | Textured |
| Door Finish | Smooth |
| Door Style | Contour |
| Handle Color | Black Stainless |
| Handle Material | Metal |
| Handle Type | Reach-Through Handle |
| Hidden Hinge | Yes |

| Appearance | |
|------------------------------|---|
| LCD Touch Screen | No |
| Reversible Door | No |
| Controls | |
| Air Filter Indicator/Reset | No |
| Automatic Defrost | Yes |
| Control Lockout | Yes |
| Door Ajar/Open Alarm | Yes |
| Location of Controls | Exterior Dispenser |
| Filter Details | |
| Fresh Flow Air Filter | No |
| Produce Preserver | Yes |
| Water Filter Indicator/Reset | Yes |
| Water Filter Location | Interior |
| Refrigerator Details | |
| Deli Drawer | No |
| Humidity-Controlled Drawers | 2 Half-Width |
| Lighting | LED |
| Number of Interior Shelves | 5 |
| Pantry Drawer | Yes |
| Supplementary Containers | No |
| Freezer Details | |
| Door Type | Pull-Out |
| Dispenser Details | |
| Dispenser Options | Filtered Water, Control/Child Lock, Night Light |
| Dispenser Type | Exterior Ice and Water |
| Types of Ice | Crushed/Cubed |
| Icemaker Details | |
| Icemaker Location | Refrigerator |
| Certifications | |
| Energy Star(R) Qualified | ENERGY STAR(R) Certified |
| Electrical | |
| Hz | 60 |

Freezer Compartment

| | |
|--------------|----------|
| Door Bins | No |
| Door Type | Pull-Out |
| Freezer Type | 2 Tier |
| Light | LED |
| Shelves | No |

Filters

| | |
|--------------------------|----------|
| Water Filter Part Number | EDR4RXD1 |
|--------------------------|----------|

Compatibility

| | |
|--------------|----|
| Connectivity | No |
| Works With | No |

Configuration

| | |
|----------------------------|--------------|
| Installation Configuration | Freestanding |
|----------------------------|--------------|

Icemaker

| | |
|----------|-------------------|
| Icemaker | Factory Installed |
|----------|-------------------|

SPEC PRODUCT DETAIL

PRODUCT : 22 CU FT FRENCH DOOR REFRIGERATOR

MODEL : MFI2269FRZ

| Dimensions | |
|--------------------------------|---------------|
| Cabinet Width | 32-5/8 in |
| Capacity | 21-71/100 |
| Cutout Height | 69.0 in |
| Cutout Width | 33.0 in |
| Depth | 34-1/2 in |
| Depth Closed Excluding Handles | 31-7/8 in |
| Depth Closed Including Handles | 34-1/4 in |
| Depth Excluding Doors | 28-1/8 in |
| Depth With Door Open 90 Degree | 47.0 in |
| Freezer Volume | 5.83 cu. ft. |
| Height | 70.0 in |
| Height To Top Of Cabinet | 68-1/2 in |
| Height To Top Of Door Hinge | 70-1/8 in |
| Refrigerator Volume | 15.88 cu. ft. |
| Width | 32-5/8 in |

| Configuration and Overview | |
|----------------------------|--|
| ADA Compliant | No |
| Advance Foam Insulation | 99.9% lower Global Warming Potential and Better Energy Performance |
| CEE Tier | Not Rated |
| Counter Depth | No |
| Number of Doors | 3 |
| Prop 65 | CALIFORNIA RESIDENTS ONLY - WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov . |
| UL | UL |

| Appearance | |
|------------------|----------------------|
| Cabinet Finish | Textured |
| Door Finish | Smooth |
| Door Style | Contour |
| Handle Color | White |
| Handle Material | Metal |
| Handle Type | Reach-Through Handle |
| Hidden Hinge | Yes |
| LCD Touch Screen | No |

| Appearance | |
|------------------------------|------------------------|
| Reversible Door | Yes |
| Controls | |
| Air Filter Indicator/Reset | No |
| Automatic Defrost | Yes |
| Control Lockout | Yes |
| Door Ajar/Open Alarm | Yes |
| Location of Controls | Exterior Dispenser |
| Filter Details | |
| Fresh Flow Air Filter | No |
| Produce Preserver | Yes |
| Water Filter Indicator/Reset | Yes |
| Water Filter Location | Interior |
| Refrigerator Details | |
| Humidity-Controlled Drawers | 2 Half-Width |
| Lighting | LED |
| Number of Interior Shelves | 4 |
| Pantry Drawer | Yes |
| Supplementary Containers | No |
| Freezer Details | |
| Door Type | Pull-Out |
| Dispenser Details | |
| Dispenser Options | Filtered Water |
| Dispenser Type | Exterior Ice and Water |
| Types of Ice | Cubed |
| Icemaker Details | |
| Icemaker Location | Refrigerator |
| Certifications | |
| Energy Star(R) Qualified | No |
| Electrical | |
| Hz | 60 |
| Freezer Compartment | |
| Door Bins | No |

Freezer Compartment

| | |
|--------------|----------|
| Door Type | Pull-Out |
| Freezer Type | 2 Tier |
| Light | LED |
| Shelves | No |

Filters

| | |
|--------------------------|----------|
| Water Filter Part Number | EDR4RXD1 |
|--------------------------|----------|

Compatibility

| | |
|--------------|----|
| Connectivity | No |
| Works With | No |

Configuration

| | |
|----------------------------|--------------|
| Installation Configuration | Freestanding |
|----------------------------|--------------|

Icemaker

| | |
|----------|-------------------|
| Icemaker | Factory Installed |
|----------|-------------------|

SPEC PRODUCT DETAIL

PRODUCT : 30" SELF CLEAN CONVECTION GAS RANGE

MODEL : WFG550S0HZ

| Dimensions | |
|--------------------------------|------------|
| Capacity | 5.00 |
| Cutout Depth | 24.0 in |
| Cutout Height | 36.0 in |
| Cutout Width | 30.0 in |
| Depth | 27-3/4 in |
| Depth Closed Excluding Handles | 25-5/16 in |
| Depth Closed Including Handles | 27-3/4 in |
| Depth With Door Open 90 Degree | 46-5/8 in |
| Height | 47-7/8 in |
| Maximum Height | 47-7/8 in |
| Minimum Height | 46-7/8 in |
| Width | 29-7/8 in |

| Configuration and Overview | |
|----------------------------|--|
| ADA Compliant | No |
| CUL | Yes |
| Fuel Type | Gas |
| LP Convertible | Yes |
| Prop 65 | CALIFORNIA RESIDENTS ONLY - WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov . |
| Range Type | Freestanding |
| Size | 30 in |
| UL | UL |

| Oven Details | |
|--|----------------|
| Automatic Convection Conversion Temperature Adjust | No |
| Automatic Shut-Off | Yes |
| Bake Element Power | 16500 BTU |
| Broiler Location | Top of Oven |
| Convection Element Type | Single-Fan |
| Convection Functions | Bake |
| Door Removable | Yes |
| Drawer Type | Storage Drawer |
| Hidden Bake Element | Yes |
| Interior Color | Dark Grey |

Oven Details

| | |
|----------------------------|------------------|
| Number of Oven Lights | 1 |
| Number of Oven Racks | 2 |
| Number of Rack Guides | 5 |
| Oven Control Location | Backguard |
| Oven Control Type | Electronic Touch |
| Oven Cooking System | Convection |
| Oven Interior Depth | 18-1/2 in |
| Oven Interior Height | 18-7/8 in |
| Oven Interior Width | 24-1/2 in |
| Oven Light Switch Location | Oven Control |
| Oven Light Type | Incandescent |
| Oven Rack Type | Standard |
| Power On Indicator Light | Yes |

Appearance

| | |
|-----------------|----------------------|
| Door Type | Glass Window |
| Handle Color | Stainless Steel |
| Handle Material | Metal |
| Handle Type | Reach-Through Handle |

Cooktop Details

| | |
|------------------------------------|---|
| Auto Re-ignition | Yes |
| Center Rear Element-Burner Power | 8000 BTU |
| Cooktop Control Knob Type | Plastic |
| Cooktop Control Location | Front |
| Cooktop Control Type | Knobs |
| Cooktop Element Style | Sealed Burner |
| Cooktop Surface Color | Black |
| Cooktop Surface Material | Porcelain Coated Steel |
| Grate Details | Dishwasher Safe, Satin Finish, Continuous, Cast Iron Grates |
| Heating Element On Indicator Light | No |
| Hot Surface Indicator Light | No |
| Ignition Type | Direct Spark Ignition |
| Left Front Element-Burner Power | 15,000 BTU |
| Left Front Element-Burner Type | Power Burner |
| Left Rear Element-Burner Power | 9500 BTU |
| Left Rear Element-Burner Type | Multi Purpose |

Cooktop Details

| | |
|-----------------------------------|--------------|
| Number of Cooking Element-Burners | 5 |
| Number of Grates | 3 |
| Power Outage Compatible | Yes |
| Right Front Element-Burner Power | 15,000 BTU |
| Right Front Element-Burner Type | Power Burner |
| Right Rear Element-Burner Type | Simmer |

Details

| | |
|-------------------------|--------------------------|
| Bake Element Power | 16500 BTU |
| Broiler Element Power | 10000 BTU |
| Convection Element Type | Single-Fan |
| Number of Rack Guides | 5 |
| Oven Cleaning Type | Adjustable Self Cleaning |

Certifications

| | |
|--------------------------|-----|
| Kosher Consumer Friendly | Yes |
|--------------------------|-----|

Electrical

| | |
|---------------------|-----|
| Power Cord Included | Yes |
|---------------------|-----|

Features

| | |
|-------------------------|-----|
| Natural Gas Convertible | Yes |
| Power Outage Compatible | Yes |

Exterior

| | |
|------------------|-------|
| Oven Window Size | Large |
|------------------|-------|

SPEC PRODUCT DETAIL

PRODUCT : BUILT IN INTEGRATED DISHWASHER

MODEL : WDTA50SAHZ

| Dimensions | |
|--------------------------------|-----------|
| Depth | 24-1/2 in |
| Depth Closed Excluding Handles | 24-1/2 in |
| Depth Closed Including Handles | 24-1/2 in |
| Depth With Door Open 90 Degree | 49-1/2 in |
| Height | 34-1/2 in |
| Maximum Height | 34-1/2 in |
| Minimum Height | 33-1/2 in |
| Number of Place Settings | 15 |
| Width | 23-7/8 in |

| Configuration and Overview | |
|----------------------------|--|
| ADA Compliant | No |
| CEE Tier | Tier I |
| Decibel Level dBA | 47 |
| Dishwasher Type | Built-In |
| Prop 65 | CALIFORNIA RESIDENTS ONLY - WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov . |
| UL | UL |

| Controls | |
|--------------------------------|-------------|
| Automatic Temperature Controls | Yes |
| Last Cycle Recall | Yes |
| Location of Controls | Top, Hidden |
| Sensor | Yes |

| Appearance | |
|-----------------|-----------------|
| Door Style | Flat |
| Handle Color | Stainless Steel |
| Handle Material | Plastic |
| Handle Type | Pocket Handle |
| Window | No |

| Details | |
|-------------------------|-------------------------|
| Built-In Water Softener | No |
| Dispenser | Detergent and Rinse Aid |
| Interior Light | No |

| Details | |
|-------------------------------------|-----------------------|
| Number of Racks | 2 |
| Number of Wash Levels | 3.0 |
| Number of Washarms | 3 |
| Rack Material | Nylon |
| Rinse Aid Dispenser Level Indicator | Yes |
| True Hold Door | Yes |
| Tub Material | Stainless Steel |
| Tub Style | Built-in Tall Tub 24" |
| Wash System | Filter |
| Water Filtration | Yes |

| Cycles and Options | |
|-----------------------|---|
| Number of Wash Cycles | 5 |

| Upper Rack | |
|-------------------|----------------------|
| Adjustable | 2 Position-Removable |
| Cushion-Tip Tines | Yes |
| Extras | 1-Plastic Cup Shelf |
| Fold-Down Tines | 2 Fold Down |
| Style | Straight |
| Utility Basket | No |

| Lower Rack | |
|-------------------|----------|
| Cushion-Tip Tines | Yes |
| Extras | No |
| Fold-Down Tines | No |
| Glides | Rollers |
| Style | Straight |
| Utility Basket | No |

| Silverware Basket | |
|-------------------|--------------|
| Covers | Yes |
| Culinary Basket | No |
| Location | Rack or Door |

| Certifications | |
|--------------------------|--------------------------|
| Energy Star(R) Qualified | ENERGY STAR(R) Certified |
| Kosher Consumer Friendly | Yes |
| NSF(R) Certified | Yes |

Electrical

| | |
|----|----|
| Hz | 60 |
|----|----|

Compatibility

| | |
|--------------|----|
| Connectivity | No |
|--------------|----|

| | |
|------------|----|
| Works With | No |
|------------|----|

Options

| | |
|------------------------------|---|
| Dishwasher Option Selections | 2-4-8 Hour Delay, Control Lock, Hi Temp Wash, Sani Rinse(R), Heated Dry, Extended Dry |
|------------------------------|---|

Features

| | |
|---------------|-----|
| Sound Package | Yes |
|---------------|-----|

SPEC PRODUCT DETAIL

PRODUCT : 1.7 CU FT 1000W OTR MICROWAVE

MODEL : WMH31017HZ

| Dimensions | |
|--------------------------------|-------------|
| Capacity | 1-7/10 |
| Depth | 15-9/16 in |
| Depth With Door Open 90 Degree | 39-3/8 in |
| Height | 17-1/8 in |
| Width | 29-15/16 in |

| Configuration and Overview | |
|----------------------------|--|
| ADA Compliant | No |
| Microwave Type | Over-the-Range |
| Prop 65 | CALIFORNIA RESIDENTS ONLY - WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov . |
| Size | 30 in |
| UL | UL |

| Appearance | |
|--------------|-------|
| Handle Color | White |

| Controls | |
|--|-------|
| Location of Controls | Right |
| Number of Keypads | 26 |
| Number of Quick Touch/One-Touch Selections | 6 |

| Details | |
|------------------------|-----|
| Clock | Yes |
| Night Light | Yes |
| Number of Power Levels | 10 |
| Timer | Yes |

| Microwave Details | |
|-------------------|--------------|
| Cavity Finish | Powder Coat |
| Convection | No |
| Cooking Power | 1000 w |
| Grill | No |
| Interior Depth | 14.0 |
| Interior Height | 9-1/2 |
| Interior Light | Incandescent |

Microwave Details

| | |
|-------------------------|--|
| Interior Width | 21-1/16 |
| Microwave Selections | Add 30 Seconds, Control Lock, Cook, Cook Power, Cook Time, Defrost, End of Cycle Signal, Off/Cancel, Pizza, Popcorn, Potato, Reheat, Soften/Melt |
| Sensor Cooking | No |
| Turntable | Yes |
| Turntable Diameter Size | 12.0 in |
| Work Surface Light | Incandescent |

Features

| | |
|---------------------|-----|
| Fan Speed Indicator | Yes |
|---------------------|-----|

Ventilation System

| | |
|------------------|-------------------------------|
| Blower Type | Centrifugal |
| Duct Direction | Vertical or Horizontal |
| Duct Outlet Size | 3 1/4 x 10 |
| Duct Type | Rectangular |
| Filters | Charcoal Odor Removing Filter |
| Number of Speeds | 2 |
| Ventilation Type | Updraft |

Electrical

| | |
|----|----|
| Hz | 60 |
|----|----|

Configuration

| | |
|-------------------------|----------------------------|
| Microwave Configuration | Microwave Hood Combination |
|-------------------------|----------------------------|

Microwave

| | |
|----------------------|---|
| Microwave Selections | Add 30 Seconds, Control Lock, Cook, Cook Power, Cook Time, Defrost, End of Cycle Signal, Off/Cancel, Pizza, Popcorn, Potato, Reheat, Soften/Melt, Timer |
|----------------------|---|