QUOTE # 10-9527

June 26, 2020 03:30 AM

SALES PERSON

Jimmy Reed jimmy.reed@slymanbros.com

Slyman Bras APPLIANCES

15050 Manchester Rd, Ballwin, MO 63011 Slyman Bros (West County) Phone: 636-227-7727

BILLING INFORMATION

Barb Schroeder dbasm@charter.net 408 Dogwood Hills Ct Ballwin, Missouri, 63021 636-541-4613

DELIVER TO

Barb Schroeder dbasm@charter.net 408 Dogwood Hills Ct Ballwin, Missouri, 63021 636-541-4613

PRODUCT	DESCRIPTION	PRICE	QTY	TOTAL
JVM3160RFSS	1.6 CU FT 1000W OTR MICROWAVE	\$189.99	1	\$189.99
GFE24JSKSS	24 CU FT FRENCH DOOR REFRIGERATOR	\$1,699.99	1	\$1,699.99
GDT665SSNSS	INTEGRATED DISHWASHER WITH STEAM	\$599.99	1	\$599.99
JGB700SEJSS	30" SELF CLEAN CONVECTION GAS RANGE	\$639.99	1	\$639.99
				Haul Away Old: No

NOTES

Subtotals \$3,129.96

Sales Tax (West County) \$273.50

Delivery Charge \$0.00

Total \$3,403.46

Balance Due (USD) \$3,403.46

PRODUCT: 1.6 CU FT 1000W OTR MICROWAVE

MODEL: JVM3160RFSS

	CAPACITY	
Total Capacity (cubic feet)	1.6	
Vent CFM	300	
FILTER		
App Filter - Venting Type	External	
App Filter - Wattage	1000 to 1099	
App Filter - Control Type	Electronic touchpad	
App Filter - Voltage	120V	
App Filter - Capacity	Microwave Medium (1.5 - 1.8 cu. ft.)	
App Filter - Cooking Technology	Microwave Only	
App Filter - Cabinet Width	Cooking 30 in. (Standard)	
App Filter - Product Type	Microwave Over-the-Range	
App Filter - Convection	No	
	APPEARANCE	
Case Color	Black	
Handle	Stainless Steel Appearance	
Installation	Easy Mount	
Door Color	Stainless Steel	
Oven Door Features	Oven Window	
Color Appearance	Stainless Steel	
	POWER / RATINGS	
Electrical Input - 120V Watts	1580	
Input Volts/Hertz	120/60	
Electrical Input - 120V Amperage	15	
WARRANTY		
Warranty Notes	See written warranty for full details	
Parts Warranty	Limited 1-year entire appliance	
Labor Warranty	Limited 1-year entire appliance	
ECONOMICAL / QUIET		
Non-Vented	Optional	
Venting Type	Externally Vented	
WEIGHTS & DIMENSIONS		

Net Weight	63.0
Overall Depth	15.25
Overall Width	29.875
Overall Height	16.5
Approximate Shipping Weight	66.0
Cabinet Width	30.0
Cavity (W x H x D)	18-13/16 x 9-1/4 x 14-13/32

FEATURES		
Style	Over-The-Range	
Turntable On / Off	Yes	
Cooking Technology	Microwave	
Turntable Size	13.5	
Microwave Convenience Cooking Controls	Beverage Cook Time Defrost: Weight/Time Popcorn Potato Reheat	
Microwave Watts (IEC-705)	1000.0	
Cooking Modes	Microwave	
Control Type	Electronic Touch	
Cooktop Lighting	Bright/Night/Off	
Exhaust Fan	2-Speed 300-CFM	
Control Features	Add 30 Seconds Cancel/Off Lock Controls Power Level Set Clock Start/Pause Surface Light Timer On/Off Turntable On/Off Vent Fan	
Power Levels	10	
Express Cook	1-6 Minutes	
Turntable	Glass	
Product Type	Over-the-range Microwave	
Interior Oven Light	Incandescent	
Electronic Digital Display with Clock	Yes	

PRODUCT: 24 CU FT FRENCH DOOR REFRIGERATOR

MODEL: GFE24JSKSS

MODEL: GFE24JSKSS		
CAPACITY		
Total Capacity (cubic feet)	23.7	
Fresh Food Capacity	16.46	
Freezer Capacity	7.28	
FILTER		
App Filter - Capacity	Refer Large (20-24 cu. ft.)	
App Filter - Autofill	No	
App Filter - Hot Water	No	
App Filter - Product Type	Refer French Door	
App Filter - Dispenser	Yes	
App Filter - Icemaker	Yes	
APPEA	RANCE	
Dispenser Color	Stainless Appearance	
Handle Color	Stainless Steel	
Exterior Design	Contoured Crown Doors Hidden Door Hinges	
Handle Design	Designer Style	
Textured Steel Case	Case Only - Dark Gray	
Color Appearance	Stainless Steel	
Door Stops	Yes	
Door Swing	Hinges on Left & Right	
WAR	RANTY	
Warranty Notes	See written warranty for full details	
Parts Warranty	Limited 1-year entire appliance	
Labor Warranty	Limited 1-year entire appliance	
POWER / RATINGS		
Volts/Hertz/Amps	120v; 60Hz; 15A	
ECONOMICAL / QUIET		
Cabinet Liner	HIPS	
WEIGHTS & DIMENSIONS		
Net Weight	280.0	
Case Depth Without Door	30.625	

WEIGHTS & DIMENSIONS		
Side Air Clearances	0.125	
Depth Without Handle	35.0	
Overall Depth	37.5	
Top Air Clearances	1.0	
Back Air Clearances	2.0	
Height to Top of Case	68.625	
Overall Width	32.75	
Overall Height	69.875	
Width w/Door Open 90 Degrees Incl. Handle	40.875	
Approximate Shipping Weight	302.0	
Depth with Door Open 90(degree)	47.75	

FEATURES		
Filter Location	Upper right corner	
Icemaker	Factory-Installed	
Door Liner	HIPS	
Dispenser Features	LED Dispenser Light Water Filter Indicator Light	
Fresh Food Features	Interior Lighting - Dual Level LED	
Door Alarm	Yes	
Freezer Features	Interior Lighting - LED	
Configuration	French Door	
Leveling System	2 Point Front Adjustable	
Temperature Management Features	Multiflow Air System with Electronic Sensors Turbo Cool setting	
Defrost Type	Frost Guard	
Fresh Food Cabinet Shelves	1 Quick Space Shelf 4 Split Adjustable 5 Total Glass	
Control Type	Digital Temperature Display External Electronic Temperature Controls	
Fresh Food Door Bins	3 Adjustable with Gallon Storage 4 Fixed 7 Clear Look	
Exterior Style	Free-Standing	
Water Filtration	GE Water Filtration (XWFE Filter) Water Filter Indicator Light	
Freezer Storage Baskets	1 Full-Width, Full-Extension Plastic 2 Total	

FEATURES		
Product Type	Bottom Freezer Refrigerator French-Door Refrigerator	
Fresh Food Cabinet Drawers	1 Full-Width, Adjustable Temperature Drawer 2 Humidity Controlled Drawers Multi-Level Drawers	
Dispenser	Cubes, Crushed Ice and Chilled Water External Water	
Performance Features	Easily Removable Door Gaskets	

PRODUCT: INTEGRATED DISHWASHER WITH STEAM

MODEL : GDT665SSNSS

MODEL : GDT665SSNSS		
FILTER		
App Filter - Bottle Wash	Yes	
App Filter - Food Disposer	Yes	
App Filter - Stainless Steel Interior	Yes	
App Filter - Cabinet Width	Dish Traditional 24 in.	
App Filter - Product Type	Dish Built-In Top Control	
App Filter - WiFi Connect	Optional	
APPEARANCE		
Handle	Rounded Handle - Stainless Steel	
Installation	Built-Up Floor Capable Flush Cabinet Installation Side or Top Mount Install Brackets Included	
Handle Color	Stainless Steel w/Chrome	
Door Appearance	Full-length door	
Door Style	Long Door with Top Controls	
Color Appearance	Stainless Steel	
WARE	RANTY	
Warranty Notes	See written warranty for full details	
Parts Warranty	Limited 1-year entire appliance	
Labor Warranty	Limited 1-year entire appliance	
POWER /	RATINGS	
Calrod Heater Watts	800/500	
Power Connection	Optional cord kit (GPFCORD - WX09X70910, WX09X70911)	
Volts/Hertz/Amps	120V; 60Hz; 6.6A	
ECONOMIC	CAL / QUIET	
Quiet Features	Quiet Water Valve Sealed Toe Kick Tub Collar Trim	
Quiet Package	46 dBA	
Outer Wrap	Bitumen Full-wrap Blanket	
Motor Type	Single Speed	
Door Insulation	Insulation Mastic	

WEIGHTS & DIMENSIONS		
Net Weight	99.0	
Overall Depth	24.0	
Overall Depth with Handle	25.6	
Height w/Legs Extended - Maximum Height	34.625	
Overall Width	23.75	
Overall Height	34.0	
Approximate Shipping Weight	112.0	
Cabinet Width	24.0	
Height w/ Legs Retracted - Minimum Height	33.375	

FEA	TURES	
Wash System Features	Automatic HotStart Automatic Temperature Control Bottle Jets (4) Drain Pump Dual Pumps and Motors Piranha(TM) Hard Food Disposer with removable filter	
Style	Built-In Top Control	
Upper Rack	1 Rack handle Ball-Tip Tines Premium Height Adjustable	
Racking Material	Nylon	
Rack Features	1 Piece Silverware Basket with 3 Cell Covers Adjustable Upper Rack Ball-Tipped Tines Fold-Down Tines - Lower	
Dishwasher Control Features	1"Clean" Light, 1"Sanitized" Light Cycle Progress Indicators 3 Digit Display Cycle Countdown with Bi-Color LED Status Light on door Audible End-of-Cycle Signal Last Cycle Memory	
WiFi Connect	Optional (Requires part no. PBX23W00Y0)	
Showroom Power Mode	Yes	
Dishwasher Drying Features	Dry Boost(TM) Fan Assist Dry Heated Dry - On/Off Multi-Wattage Wash & Dry Element	
Leveling System	4 Leveling Legs	
Control Type	8 Touchpads Clean Touch Controls Top Controls	
Number of Place Settings	Up to 16	
Tub Type	Tall Tub	
Rack Color	Silver	
Exterior Style	Traditional	

FEAT	URES
Number of Cycles	5
Wash System	3-Level 600 Series
Racking System	Full 3rd rack
Dishwasher Cycles	1 Hour Wash Auto Sense Heavy Wash Light Wash Normal Wash
Number of Options	11
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O
Tub and Door Liner	Stainless Steel
Latch	Pull with Handle
Wash Arms	3 Wash Levels Lower Middle Upper
Lower Rack	1 Rack handle Ball-Tip Tines Multi-Position Fold Down Tines
Additional Protection	Active Flood Protect
Water Filtration System	100% Filtration with Piranha Hard Food Disposer and Removable Filter
Sensor	Clean Sensor
Dispenser	Rinse Aid with Indicator and Adjustment
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O

FEAT	TURES
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O

FEATURES		
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O	
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O	
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O	
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O	
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O	

FEAT	URES
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost
Dishwasher Options	Wash Zone Lower O Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O

PRODUCT: 30" SELF CLEAN CONVECTION GAS RANGE

MODEL: JGB700SEJSS

MODEL: JGB700SEJSS		
CAPACITY		
Total Capacity (cubic feet)	5.0	
FILTER		
App Filter - Cleaning Type	Steam and Self-Clean	
App Filter - Control Type	Electronic touchpad	
App Filter - Drawer Type	Storage	
App Filter - Cooktop Type	Continuous Grates with Griddle	
App Filter - Cooking Technology	Convection	
App Filter - Cabinet Width	Cooking 30 in. (Standard)	
App Filter - Product Type	Ranges Free-Standing Single Oven	
App Filter - Convection	Yes	
App Filter - Fuel Type	Gas	
App Filter - Edge-to-Edge Cooktop	Yes	
APPEARANCE		
Control Knobs	Stainless Steel Appearance	
Handle Color	Stainless Steel	
Handle Design	Designer Style	
Cooktop Burner Grate Color	Matte Black	
Oven Door Features	Big View Oven Window	
Color Appearance	Stainless Steel/Dark Gray	
POWER A	RATINGS	
Top Burner BTU Rating - LP (000's BTU's)	(1) 18.0; (1) 5.0; (1) 9.5; (1) 12.0; (1) 8.0	
Bake/Broiler BTU Rating - Nat. Gas (000's BTU's)	16.0 Bake / 13.5 Broiler	
Top Burner BTU Rating - Nat. Gas (000's BTU's)	(1) 18.0; (1) 12.0; (1) 8.0; (1) 9.5; (1) 5.0	
Volts/Hertz/Amps	120v; 60Hz; 15A	
Bake/Broiler BTU Rating - LP (000's BTU's)	16.0 Bake / 12.0 Broiler	
WARRANTY		
Warranty Notes	See written warranty for full details	
Parts Warranty	Limited 1-year entire appliance	
Labor Warranty	Limited 1-year entire appliance	
WEIGHTS & DIMENSIONS		
Net Weight	190.0	

WEIGHTS & DIMENSIONS		
Height to Cooking Surface (in.)	36 - 36 1/2	
Depth Without Handle	26.25	
Overall Depth	28.75	
Depth with Door Open	46.25	
Oven Interior Dimensions (W x H x D) (in.)	24 x 19 x 19	
Overall Width	30.0	
Overall Height	47.25	
Approximate Shipping Weight	210.0	
Cabinet Width	30.0	

FEATURES	
Burner - Right Front	9,500 BTU
Burner - Left Rear	5,000 BTU Precise Simmer
Oven Cleaning Type	Self-Clean with Steam Clean Option
Cooktop Burner Type	Sealed
Burner - Right Rear	12,000 BTU
Oven Rack Features	2 Oven Racks
Fuel Type	Natural Gas (factory set)
Burner - Center	10,000 BTU Oval
Cooking Technology	Convection
Cooktop Surface	Edge-to-Edge Gray One-Piece Upswept Porcelain-Enamel
Configuration	Range with Storage Drawer
Burner - Left Front	18,000 BTU Power Boil
Cooktop Burner Grate Material	Heavy Cast Iron
Control Type	Electronic Touch
Oven Cooking Modes	Convection Bake
Ignition System	Electronic
Oven Control Features	Audible Preheat Signal Auto Self Clean Delay Bake Option
Product Type	Free-Standing Single Oven
Drawer Type	Storage
Interior Oven Light	1 Auto Incandescent
Cooktop Type	Continuous Grates with Griddle