

QUOTE # 10-9610

June 27, 2020 02:04 AM



SALES PERSON

Josh Reagan
josh.reagan@slymanbros.com

14755 Manchester Rd, Ballwin, MO 63011
Slyman Bros (West County)
Phone: 636-227-7727

BILLING INFORMATION

Lisa Puyear
lisa_kremer@hotmail.com
2673 Joyceridge Dr
Chesterfield, Missouri, 63017
314-640-4127

DELIVER TO

Lisa Puyear
lisa_kremer@hotmail.com
2673 Joyceridge Dr
Chesterfield, Missouri, 63017
314-640-4127

PRODUCT	DESCRIPTION	PRICE	QTY	TOTAL
ZDT925SPNSS	FULLY INTEGRATED DISHWASHER	\$0.00	1	\$0.00
ZKD90DPSNSS	27" DOUBLE OVEN W/ UPPER CONVECTION	\$4,500.00	1	\$4,500.00
SMD2489ES	24 IN. 1.2 CU. FT. 950W SHARP STAINLESS STEEL IOT EASY WAVE OPEN MICROWAVE DRAWER OVEN	\$499.99	1	\$499.99
ZDBR240NBS	BEVERAGE CENTER	\$0.00	1	\$0.00
ZXGW1H1PPSS	MONOGRAM BEVERAGE COOLER STATEMENT HANDLE	\$125.00	1	\$125.00
ZIP360NNSS	36" FRENCH DOOR REFRIGERATOR	\$9,000.00	1	\$9,000.00
ZKSB3H3PNSS	MONOGRAM FRENCH DOOR REFRIGERATOR STATEMENT HANDLE KIT	\$300.00	1	\$300.00
ZGU364NDPSS	36" PROFESSIONAL GAS RANGETOP	\$3,730.00	1	\$3,730.00
AK9234AS	34 3/8" ONE PIECE LINER	\$499.99	1	\$499.99

Haul Away Old: Yes

NOTES

Subtotals	\$18,654.98
Sales Tax (West County)	\$1,630.07
Delivery Charge	\$0.00
Total	\$20,285.05

Balance Due (USD) \$20,285.05

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : ZDT925SPNSS

App Filter - Cabinet Width

1. Dish Traditional 24 in.

App Filter - WiFi Connect

1. Built-In

Handle

1. Statement Collection

Installation

1. True Flush

Handle Color

1. Stainless Steel

Door Appearance

1. Fully integrated door

Door Style

1. Long Door with Top Controls

Design Style

1. Statement Collection

Color Appearance

1. Stainless Steel

Warranty Notes

1. See written warranty for full details

Parts Warranty

1. Limited 2-year entire appliance
Limited 5-year racks/electronic control board
Limited lifetime of product tub/door liner

Labor Warranty

1. Limited 2-year entire appliance
Limited lifetime of product tub/door liner

Calrod Heater Watts

1. 1200

Volts/Hertz/Amps

1. 120V; 60Hz; 10.2A

Quiet Features

1. Quiet Water Valve
Sealed Toe Kick
Tub Collar Trim

Quiet Package

1. 42 dBA

Outer Wrap

1. Bitumen
Full-wrap Blanket

Motor Type

1. Variable Speed

Door Insulation

1. Insulation
Mastic

Net Weight

1. 126.0

Overall Depth

1. 24.0

Height w/Legs Extended - Maximum Height

1. 34.625

Overall Width

1. 23.75

Overall Height

1. 34.0

Approximate Shipping Weight

1. 139.0

Cabinet Width

1. 24.0

Height w/ Legs Retracted - Minimum Height

1. 33.375

Wash System Features

1. 90+ Spray Jet Wash System
Automatic Temperature Control
Bottle Wash Jets
Dedicated Silverware Jets
Deep Clean Silverware Jets
Hard Food Disposer with removable filter
Hidden
2. 90+ Spray Jet Wash System
Automatic Temperature Control
Bottle Wash Jets
Dedicated Silverware Jets
Deep Clean Silverware Jets
Hard Food Disposer with removable filter
Hidden
3. 90+ Spray Jet Wash System
Automatic Temperature Control
Bottle Wash Jets
Dedicated Silverware Jets
Deep Clean Silverware Jets
Hard Food Disposer with removable filter
Hidden
4. 90+ Spray Jet Wash System
Automatic Temperature Control
Bottle Wash Jets
Dedicated Silverware Jets
Deep Clean Silverware Jets
Hard Food Disposer with removable filter
Hidden
5. 90+ Spray Jet Wash System
Automatic Temperature Control
Bottle Wash Jets
Dedicated Silverware Jets
Deep Clean Silverware Jets
Hard Food Disposer with removable filter
Hidden
6. 90+ Spray Jet Wash System
Automatic Temperature Control
Bottle Wash Jets
Dedicated Silverware Jets
Deep Clean Silverware Jets
Hard Food Disposer with removable filter
Hidden
7. 90+ Spray Jet Wash System
Automatic Temperature Control
Bottle Wash Jets
Dedicated Silverware Jets
Deep Clean Silverware Jets
Hard Food Disposer with removable filter
Hidden
8. 90+ Spray Jet Wash System
Automatic Temperature Control
Bottle Wash Jets
Dedicated Silverware Jets
Deep Clean Silverware Jets
Hard Food Disposer with removable filter
Hidden
9. 90+ Spray Jet Wash System
Automatic Temperature Control
Bottle Wash Jets
Dedicated Silverware Jets
Deep Clean Silverware Jets
Hard Food Disposer with removable filter
Hidden

Style

1. Built-In Top Control

Upper Rack

1. 1 Rack handle
1/2 fixed tines, 1/2 fold down tines
2 Stem Safe Shelves
Ball-Tip Tines
Premium Height Adjustable

Rack Features

1. 2 Fold-Down Tines - Lower
2 Utility Shelves with 2 Stem Safe - Upper
3 Piece Silverware Basket with Soft Touch Handle
Adjustable Upper Rack
Ball-Tipped Tines

Dishwasher Control Features

1. Audible End-of-Cycle Signal
Hi-Resolution Gray Scale LCD Control Display with Cycle Status Bar on door
Last Cycle Memory

WiFi Connect

1. Built-In

Showroom Power Mode

1. Yes

Cutlery Tray

1. Full 3rd rack (above upper rack)

Connected Capabilities

1. Amazon Alexa
Amazon Dash Replenishment
IFTTT
The Google Assistant

Sabbath/Door Wakeup Mode

1. Yes

Dishwasher Drying Features

1. 2 Fans/Extra Heater
Fan Dry On/Off plus Max Dry

Interior Lighting

1. LED

Leveling System

1. Front Adjustable Leveling Legs

Control Type

1. Electronic Tactile Buttons
Top Controls

Number of Place Settings

1. Up to 16

Tub Type

1. Tall Tub

Rack Color

1. Silver

Exterior Style

1. Stainless Steel

Number of Cycles

1. 7

Wash System

1. 900 Series

Racking System

1. Full 3rd rack

Dishwasher Cycles

1. 30 Min Wash
Auto Wash
Delicate
Eco Wash
Intense
Normal
Rinse

Number of Options

1. 11

Dishwasher Options

1. Bottle Wash
Child Lock
Delay Start 1-12 Hr.
Heated Dry
Pre Soak
Sani (Certified to NSF Standard 184)
Start/Reset
Wash TempBoost
Wash Zone Lower Only
Wash Zone Upper
2. Bottle Wash
Child Lock
Delay Start 1-12 Hr.
Heated Dry
Pre Soak
Sani (Certified to NSF Standard 184)
Start/Reset
Wash TempBoost
Wash Zone Lower Only
Wash Zone Upper
3. Bottle Wash
Child Lock
Delay Start 1-12 Hr.
Heated Dry
Pre Soak
Sani (Certified to NSF Standard 184)
Start/Reset
Wash TempBoost
Wash Zone Lower Only
Wash Zone Upper
4. Bottle Wash
Child Lock
Delay Start 1-12 Hr.
Heated Dry
Pre Soak
Sani (Certified to NSF Standard 184)
Start/Reset
Wash TempBoost
Wash Zone Lower Only
Wash Zone Upper
5. Bottle Wash
Child Lock
Delay Start 1-12 Hr.
Heated Dry
Pre Soak
Sani (Certified to NSF Standard 184)
Start/Reset
Wash TempBoost
Wash Zone Lower Only
Wash Zone Upper
6. Bottle Wash
Child Lock
Delay Start 1-12 Hr.
Heated Dry
Pre Soak
Sani (Certified to NSF Standard 184)
Start/Reset
Wash TempBoost
Wash Zone Lower Only
Wash Zone Upper
7. Bottle Wash
Child Lock
Delay Start 1-12 Hr.
Heated Dry
Pre Soak
Sani (Certified to NSF Standard 184)
Start/Reset
Wash TempBoost
Wash Zone Lower Only
Wash Zone Upper
8. Bottle Wash
Child Lock
Delay Start 1-12 Hr.
Heated Dry
Pre Soak
Sani (Certified to NSF Standard 184)
Start/Reset
Wash TempBoost
Wash Zone Lower Only
Wash Zone Upper
9. Bottle Wash
Child Lock
Delay Start 1-12 Hr.
Heated Dry
Pre Soak
Sani (Certified to NSF Standard 184)
Start/Reset
Wash TempBoost
Wash Zone Lower Only
Wash Zone Upper

Tub and Door Liner

1. Stainless Steel

Latch

1. Pull with Handle

Wash Arms

1. 3 Pressurized Wash Arms
90+ Spray Jet Wash System
Bottle Wash Jets
Jets - Variable Pressure
Lower - Reversing Blade
Middle - Blade
Silverware Wash Jets

Lower Rack

1. 1 Rack handle
Ball-Tip Tines
Multi-Position Fold Down Tines

Floor Protection

1. Floor Protect with Alert

Water Filtration System

1. 100% Filtration with Hard Food Disposer and Removable Filter

Sensor

1. Clean Sensor

Dispenser

1. Electronic Low Rinse Aid Sensor
Rinse Aid with Indicator and Adjustment

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : ZKD90DPSNSS

Total Capacity (cubic feet)

- 1. 8.6

Capacity (Cu. Ft.)

- 1. 4.3 Upper / 4.3 Lower

App Filter - Cabinet Width

- 1. Cooking 27 in.

App Filter - WiFi Connect

- 1. Built-In

Handle

- 1. Statement Collection

Installation

- 1. Flush Appearance
Over Warming Drawer
Side-by-Side

Handle Color

- 1. Stainless Steel

Design Style

- 1. Statement Collection

Oven Door Features

- 1. Drop-Down
Oven Window
Soft-Close Hinges

Frameless Oven Door(s)

- 1. Stainless Steel

Color Appearance

- 1. Stainless Steel

KW Rating at 208V

1. 5.4

Bake Wattage

1. 2600W

KW Rating at 240V

1. 7.2

Convection Wattage

1. 2400W

Broiler Wattage

1. 3400W

Amp Rating at 208V

1. 30

Amp Rating at 240V

1. 30

Warranty Notes

1. See written warranty for full details

Parts Warranty

1. Limited 2-year entire appliance

Labor Warranty

1. Limited 2-year entire appliance

Net Weight

1. 229.0

Oven Interior Dimensions (lower)

1. 21-1/2 x 17-1/4 x 20

Cutout Dimensions (w x h x d) (in.)

1. 25-1/4 x 50-1/8 x 23-1/2

Overall Depth

1. 26.625

Oven Interior Dimensions (upper)

1. 21-1/2 x 17-1/4 x 20

Overall Width

1. 26.75

Overall Height

1. 51.125

Approximate Shipping Weight

1. 250.0

Cabinet Width

1. 27.0

Oven Cleaning Type

1. Self-Clean with Steam Clean Option

Cooking System

1. Traditional (Lower)
True European Convection (Upper)

Oven Interior

1. 2 Halogen Interior Oven Lights (Both Ovens)
Black Gloss Finish
Hidden Bake

Oven Rack Features

1. 1 Self-Clean Heavy-Duty, Full Extension Oven Rack (Upper)
2 Self-Clean Heavy-Duty Oven Racks (Upper)
3 Self-Clean Heavy-Duty Oven Racks (Lower)
6 Ladder-Rack Positions (Both Ovens)

Oven Features

1. 10-Pass Bake Element
8-Pass Broil Element
Closed Door Broiling

Optional Accessories

1. ZX27VT2 Flush Vent Trim Accessory

Fuel Type

1. Electric

Cleaning Time

1. Variable with Delay Clean Option

WiFi Connect

1. Built-In

Cooking Technology

1. Convection Upper; Traditional Lower

Connected Capabilities

1. Amazon Alexa
Drop
IFTTT
Innit
Nest
The Google Assistant
2. Amazon Alexa
Drop
IFTTT
Innit
The Google Assistant

Configuration

1. Double Oven

Self-Clean Oven Door Lock

1. Automatic

Control Type

1. 7" Full-Color Touch LCD Screen

Oven Cooking Modes

1. Convection Bake
Convection Bake Multi-Rack
Convection Roast
Keep Warm
Proof
Scan-to-Cook
Thermal Bake
Thermal Broil Hi/Lo

Oven Control Features

1. 12-Hour Shut-Off Capability
Audible Preheat Signal
Auto Recipe Conversion
Certified Sabbath Mode
Control Lock Capability
Cook Time
C(degree) or F(degree) Programmable
Del
2. 12-Hour Shut-Off Capability
Audible Preheat Signal
Auto Recipe Conversion
Certified Sabbath Mode
Control Lock Capability
Cook Time
C(degree) or F(degree) Programmable
Del
3. 12-Hour Shut-Off Capability
Audible Preheat Signal
Auto Recipe Conversion
Certified Sabbath Mode
Control Lock Capability
Cook Time
C(degree) or F(degree) Programmable
Del
4. 12-Hour Shut-Off Capability
Audible Preheat Signal
Auto Recipe Conversion
Certified Sabbath Mode
Control Lock Capability
Cook Time
C(degree) or F(degree) Programmable
Del
5. 12-Hour Shut-Off Capability
Audible Preheat Signal
Auto Recipe Conversion
Certified Sabbath Mode
Control Lock Capability
Cook Time
C(degree) or F(degree) Programmable
Del
6. 12-Hour Shut-Off Capability
Audible Preheat Signal
Auto Recipe Conversion
Certified Sabbath Mode
Control Lock Capability
Cook Time
C(degree) or F(degree) Programmable
Del
7. 12-Hour Shut-Off Capability
Audible Preheat Signal
Auto Recipe Conversion
Certified Sabbath Mode
Control Lock

- Capability
Cook Time
C(degree) or F(degree) Programmable
Del
8. 12-Hour Shut-Off Capability
Audible Preheat Signal
Auto Recipe Conversion
Certified Sabbath Mode
Control Lock
Capability
Cook Time
C(degree) or F(degree) Programmable
Del
9. 12-Hour Shut-Off Capability
Audible Preheat Signal
Auto Recipe Conversion
Certified Sabbath Mode
Control Lock
Capability
Cook Time
C(degree) or F(degree) Programmable
Del

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : SMD2489ES

Finish

- 1. Stainless Steel, Black Glass

Drawer Opening

- 1. Mobile App, "Easy Wave Open" Motion Sensor or Open/Close Button

Width

- 1. 24"

Capacity (cu. ft.)

- 1. 1.2

Output Power (watts)

- 1. 950

Interior Light

- 1. LED

Timer / Setting

- 1. Yes

Open / Close

- 1. Yes

Start / +30 Sec

- 1. Yes

Stop / Clear

- 1. Yes

Power Level

- 1. 11

Clock

1. Yes

Multi-Stage Cooking

1. 4

Control Lock

1. Yes

Demo Mode

1. Yes

Microwave ON Indicator

1. Yes

End of Cooking Reminder

1. Yes

Auto Start

1. Yes

Standby Mode

1. Yes

Control Panel Location

1. Center / Top

Control Panel Type

1. Glass Touch, Drop-Down 45(degree) Angle

Display Type

1. LCD

Display Color

1. White on Black Background

Popcorn

1. Sensor

Reheat

1. Sensor

Defrost Setting

1. Ground Meat, Steaks/Chops, Boneless Poultry, Bone-in Poultry, Roast, Casserole or Soup

Sensor Cook

1. Baked Potatoes, Sweet Potatoes, Fish/Seafood, Brown Rice, White Rice, Quick Fresh Vegetables, Longer Fresh Vegetables, Steamer Bags, Frozen Vegetables, Ground Meat, Frozen Entrées

Melt, Soft & Warm Options

1. Butter, Chocolate, Ice Cream, Cream Cheese, Syrup, Dessert Topping

Other Menus

1. Beverage Reheat, Hot Water, Hot Cereal

Mobile Application

1. Yes, available for iOS and Android

Voice Control

1. Yes, home assistant, not included.

WiFi Connectivity

1. Yes

Oven Floor

1. Patterned Glass

Flush Mount Ready

1. Yes, Vent Built into the Bottom

Power Source

1. 120V, 60Hz / 14.5A / 1.67 KW

Cavity Interior

1. 17-5/16" x 7-1/8" x 16-9/16"

Product Dimensions

1. 23-5/8" x 16.0" x 23-7/16"

Shipping Dimensions

1. 29-1/4" x 21-1/2" x 27-7/8"

Product Weight / Shipping Weight

1. 74.0 lbs. / 85.8 lbs.

Standard Mount Cutout Dimensions

1. 22-1/8" x 15-9/16" x 23-1/2"

Flush Mount Cutout Dimensions

1. 23-7/8" x 16-1/4" x 23-1/2"

Parts

1. 1 year

Labor

1. 1 year

Magnetron Tube

1. 5 years (parts only)

UPC

1. 00074000620896
2. 074000621039
3. 074000620865

Model

1. SKMD30E9ES
2. SKMD24U0ES

Product Name

1. Extension Kit for 30" Width
2. Drawer Pedestal

Color

1. Stainless Steel with Black Glass
2. Stainless Steel or Custom Panel Ready

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : ZDBR240NBS

Total Capacity (cubic feet)

1. 5.5

Unit Capacity

1. 126 12 oz. Cans/10 wine bottles

Handle

1. Order ZXGWIH1CPSS for Minimalist Collection
Order ZXGWIH1PPSS for Statement Collection
2. Separate Purchase Required

Installation

1. Built-In or Free-Standing

Door Style

1. Glass Door

Toe kick

1. Black installed, Stainless included

Color Appearance

1. Stainless Steel

Door Stops

1. 110 Degree

Door Swing

1. Reversible Hinges

Warranty Notes

1. For models produced on or after January 1, 2006
See written warranty for full details

Parts Warranty

1. Limited 2-year entire appliance
Limited 5-year sealed refrigerating system

Labor Warranty

1. Limited 2-year entire appliance
Limited 5-year sealed refrigerating system

Volts/Hertz/Amps

1. 120v; 60Hz; 2 A

Net Weight

1. 110.0

Side Air Clearances

1. 0.0

Overall Depth

1. 23.75

Top Air Clearances

1. 0.0

Back Air Clearances

1. 0.0

Overall Width

1. 23.75

Overall Height

1. 34.5

Approximate Shipping Weight

1. 120.0

Spillproof Glass Shelves

1. Yes

Sabbath Mode

1. Yes

Removable Shelves

1. Yes

Interior Lighting

1. LED

Tuckaway Shelf

1. Yes

Leveling System

1. Leveling Legs

Control Type

1. Digital Temperature Display
Upfront Electronic Temperature Controls

Wine Racks

1. 2 Half Size With Wood Fronts

Adjustable Temperature Control

1. Yes

Product Type

1. Beverage Center

Full Extension Slides

1. Yes

Handle Purchased Separately

1. Requires Statement Handle Kit (ZXGW1H1PPSS) or Minimalist Handle Kit (ZXGW1H1CPSS)

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : zxgw1h1ppss

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : ZIPS360NNSS

Total Capacity (cubic feet)

- 1. 20.8

Fresh Food Capacity

- 1. 14.51

Freezer Capacity

- 1. 6.29

Master Light Control Switch

- 1. Yes

Installation

- 1. Industry Standard Built-In Installation

Easy Access Hinged Grille

- 1. Yes

Coil-Free Back

- 1. Yes

Hidden Door Hinge(s)

- 1. Yes

Door Style

- 1. Solid Door

Design Style

- 1. Universal: Statement or Minimalist Stainless Steel

Color Appearance

- 1. Stainless Steel

Adjustable Rollers

1. 2

Door Stops

1. 90, 115 and 130 Degree

Door Swing

1. Hinges on Left & Right

Handle Purchased Separately

1. Requires Statement Handle Kit (ZKSB3H3PNSS) or Minimalist Handle Kit (ZKSB3H3CNSS)

Warranty Notes

1. See written warranty for full details

Parts Warranty

1. Limited 12-year sealed refrigerating system parts
Limited 2-year entire appliance
Limited 5-year sealed refrigerating system

Labor Warranty

1. Limited 2-year entire appliance
Limited 5-year sealed refrigerating system

Volts/Hertz/Amps

1. 115V; 60Hz; 20A

Quiet Features

1. Stainless Sealed Adjustable Toe Kick

Net Weight

1. 670.0

Case Depth Without Door

1. 23.625

Overall Depth

1. 25.8125

Height to Top of Case

1. 83.5

Overall Width

1. 36.0

Overall Height

1. 84.0

Approximate Shipping Weight

1. 700.0

Filter Location

1. Behind the top access panel

Refrigerant Type

1. R-134a

Icemaker

1. Factory-Installed

Sabbath Mode

1. Yes

Freezer Features

1. Freezer Drawer with Full Extension Slides

Filter Change Indicator

1. Yes - On Upfront Control

Deli Drawer

1. Soft-close with glass and metal design

Configuration

1. French Door

Interior Lighting

1. GE Reveal(R)

Leveling System

1. 4 Point (2 adjustable back rollers, 2 adjustable front legs)

Fresh Food Door Features

1. 2 Fixed with Gallon Storage
4 Adjustable

Temperature Management Features

1. Independent Temperature Controls
Multi-Shelf Air Management Tower

Defrost Type

1. Automatic Defrost

Fresh Food Cabinet Shelves

1. 5

Control Type

1. Upfront Electronic Digital Temperature Display

Vegetable / Fruit Crisper(s)

1. 2 Drawers w/ Full-Extension Slides

Fresh Food Door Bins

1. 6 with glass and metal design

Exterior Style

1. Built-In

Independent Utility Basket

1. with Full Extension Slides

Water Filtration

1. GE Water Filtration 6 Month
MWF

Freezer Storage Baskets

1. 2 Wire

Product Type

1. Bottom Freezer Refrigerator
Built-In Refrigerator
French-Door Refrigerator

Produce Drawer

1. Soft-close with glass and metal design

Dispenser

1. Non-Dispenser

Freezer Cabinet Shelves

1. 1 Freezer Drawer/Ice Bucket on Full-Extension Slides

Fresh Food Cabinet Shelf Features

1. 1 Fixed
5 Adjustable
Glass with metal trim

Handle

1. Separate Purchase Required

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : zksb3h3pnss

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : ZGU364NDPSS

Control Knobs

- 1. Diecast Metallic (Included)

Installation

- 1. Semi-Flush Installation Capable

Design Style

- 1. Professional Stainless Steel

Color Appearance

- 1. Stainless Steel

Burner BTU Ratings (000's/BTU) - LP Gas

- 1. (4) 15.0; 140 Degree simmer

Burner BTU Ratings (000's/BTU) - Natural Gas

- 1. (4) 18.0; 140 Degree simmer

Griddle BTU Rating (000's/BTU) - Natural Gas

- 1. 18.0

Griddle BTU Rating (000's/BTU) - LP Gas

- 1. 16.0

Volts/Hertz/Amps

- 1. 120v; 60Hz; 15A

Warranty Notes

- 1. See written warranty for full details

Parts Warranty

- 1. Limited 2-year entire appliance
Limited 5-year gas surface burners

Labor Warranty

- 1. Limited 2-year entire appliance

Net Weight

- 1. 135.0

Overall Depth

- 1. 27.5

Overall Width

- 1. 35.875

Overall Height

- 1. 8.5

Approximate Shipping Weight

- 1. 163.0

Cabinet Width

- 1. 36.0

Burner Indicator Light

- 1. Yes

Cooktop Burner Type

- 1. 4 Sealed, Dual Flame Stacked

Cooktop Burner Grate Features

- 1. Porcelainized Cast Iron 3-Piece Reversible (Flat/Wok) Grates

Automatic Re-Ignition

- 1. Yes

Fuel Type

- 1. Natural Gas (factory set)

Configuration

1. 4 Burners; Griddle

Lighting

1. LED Bullnose Task Lighting

Ignition System

1. Electronic

Stainless Steel Grill / Griddle Covers

1. 1

Control Location

1. Upfront

140 Deg. Simmer Burner

1. All Burners - Adjustable

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : AK9234AS

UPC

1. 646328002618

BLOWER INCLUDED YES/NO

1. yes

INTERNAL BLOWER 1 CFM

1. 600

BLOWER CFM w/ACT

1. 390, 290

INTERNAL BLOWER 1 SONES

1. 6

CONTROLS TYPE

1. Electronic

BLOWER SPEEDS

1. 6

AUTOMATIC DELAY-OFF

1. yes

CLEANAIR FUNCTION

1. yes

LIGHTS TYPE (INCLUDED)

1. halogen

LIGHTS QUANTITY

1. 2

WATTS PER BULB

1. 35

LIGHTS LEVELS

1. 2

FILTER TYPE

1. pro baffle

DUCT DISCHARGE

1. vertical or horizontal

DUCT SIZE, VERTICAL, INCHES

1. 8

DUCT SIZE, HORIZONTAL, INCHES

1. 8, 3.25 x 10

MOUNTING HEIGHT ABOVE COOKTOP, INCHES

1. 26 - 36

INPUT VOLTAGE

1. 120

MAXIMUM AMPERAGE

1. 5

NOMINAL WIDTH, INCHES

1. 36

NET WIDTH, INCHES

1. 34.375

DEPTH, INCHES

1. 19.25

HEIGHT, INCHES (for chimney hoods, heights include duct covers)

1. 12

WEIGHT, LBS

1. 42.2

SHIPPING HEIGHT, INCHES

1. 25.87

SHIPPING WIDTH, INCHES

1. 37.99

SHIPPING LENGTH, INCHES

1. 17.32

SHIPPING WEIGHT, LBS

1. 53