# **QUOTE # 10-9638**

June 27, 2020 04:37 AM

#### SALES PERSON

Jimmy Reed jimmy.reed@slymanbros.com Slyman Bros

15050 Manchester Rd, Ballwin, MO 63011 Slyman Bros (West County) Phone: 636-227-7727

## DELIVER TO

Karen Collins collinskkc@gmail.com 1083 Charolais Dr Ballwin, Missouri, 63011 314-852-6582

Karen Collins
collinskkc@gmail.com
1083 Charolais Dr
Ballwin, Missouri, 63011
314-852-6582

BILLING INFORMATION

PRODUCT	DESCRIPTION	PRICE	QTY	TOTAL
PWE23KYNFS	23 CU FT FRENCH DOOR REFRIGERATOR	\$2,099.99	1	\$2,099.99
PSS93YPFS	30" SMART SLIDE-IN CONVECTION RANGE	\$1,369.99	1	\$1,369.99
PDT775SYNFS	INTEGRATED DISHWASHER WITH STEAM	\$949.99	1	\$949.99
SMD2470ASY	24" 1.2 CU FT MICROWAVE DRAWER OVEN	\$1,024.99	1	\$1,024.99
ALT130SS	BROAN 30INCH ALTA	\$199.99	1	\$199.99
				Haul Away Old: No

PRODUCT: 23 CU FT FRENCH DOOR REFRIGERATOR

MODEL: PWE23KYNFS

MODEL : PWE23KYNFS		
CAPACITY		
Total Capacity (cubic feet)	23.1	
Fresh Food Capacity	15.93	
Freezer Capacity	7.16	
FILTER		
App Filter - Capacity	Refer Large (20-24 cu. ft.)	
App Filter - Autofill	No	
App Filter - Hot Water	No	
App Filter - Product Type	Refer French Door	
App Filter - Dispenser	No	
App Filter - Icemaker	Yes	
APPEARANCE		
Counter-Depth Design	Yes	
Handle Color	Stainless Steel w/Chrome	
Exterior Design	Contoured Doors	
Handle Design	Designer Style	
Hidden Door Hinge(s)	Yes	
Textured Steel Case	Case Only - Dark Gray	
Color Appearance	Fingerprint Resistant Stainless Steel	
Door Stops	Yes	
Door Swing	Hinges on Left & Right	
WARF	RANTY	
Warranty Notes	See written warranty for full details	
Parts Warranty	Limited 1-year entire appliance Limited 5-year sealed refrigerating system	
Labor Warranty	Limited 1-year entire appliance Limited 5-year sealed refrigerating system	
POWER / RATINGS		
Volts/Hertz/Amps	120v; 60Hz; 15A	
WEIGHTS &	DIMENSIONS	
Net Weight	333.0	
Case Depth Without Door	24.375	
Side Air Clearances	0.125	

WEIGHTS & DIMENSIONS		
Depth Without Handle	28.75	
Overall Depth	31.25	
Top Air Clearances	1.0	
Back Air Clearances	2.0	
Height to Top of Case	69.0	
Overall Width	35.75	
Overall Height	69.875	
Width w/Door Open 90 Degrees Incl. Handle	44.625	
Approximate Shipping Weight	363.0	
Depth with Door Open 90(degree)	43.375	

FEATURES		
Filter Location	Left wall	
Icemaker	Factory-Installed	
Dispenser Features	Door Alarm Internal Dispenser	
Fresh Food Features	Showcase LED Lighting (7)	
WiFi Connect	ConnectPlus	
Freezer Features	Interior Lighting - LED (2)	
Configuration	French Door	
Temperature Management System	TwinChill(TM) Evaporators	
Leveling System	2 Front Leveling Legs	
Fresh Food Door Features	Dairy Compartment Drop Down Tray	
Defrost Type	Frost Guard	
Fresh Food Cabinet Shelves	1 Quick Space Shelf 3 Spill Proof 4 Split Adjustable; 1 Full-Width 5 Total - Glass with Silver Trim	
Control Type	Internal Electronic Digital Temperature Display	
Fresh Food Door Bins	4 Adjustable with Gallon Storage 6 Total	
Exterior Style	Counter-Depth	
Water Filtration	Advanced Filtration System (RPWFE) Removes Pharmaceuticals Water Filter Indicator Light	
Freezer Storage Baskets	2 Full-Width	
Product Type	Bottom Freezer Refrigerator Counter Depth Refrigerator French-Door Refrigerator	
Freezer Door Bins	1 Total	

FEATURES		
Fresh Food Cabinet Drawers	1 Full-Width, Adjustable Temperature Drawer 2 Adjustable Humidity 3 Total Electronic Temperature Control w/ LED Lighting	
Dispenser	Internal Water	
Performance Features	Easily Removable Door Gaskets Sabbath Mode Capable	

PRODUCT: 30" SMART SLIDE-IN CONVECTION RANGE

MODEL: PSS93YPFS

CAPACITY		
Total Capacity (cubic feet)	5.3	
FIL	TER	
App Filter - Cleaning Type	Steam and Self-Clean	
App Filter - Control Type	Electronic touchpad	
App Filter - Drawer Type	Storage	
App Filter - Cooktop Type	Radiant Smoothtop	
App Filter - Cooking Technology	Convection	
App Filter - Cabinet Width	Cooking 30 in. (Standard)	
App Filter - Product Type	Ranges Slide-In Single Oven	
App Filter - Convection	Yes	
App Filter - Fuel Type	Electric	
App Filter - WiFi Connect	Built-In	
App Filter - Edge-to-Edge Cooktop	Yes	
APPEARANCE		
Control Knobs	Weighted Stainless Steel Appearance	
Handle Color	Stainless Steel	
Handle Design	Designer Style	
Textured Steel Side Panels	Yes	
Oven Door Features	Big View Oven Window Full-Wrapped Metal Frame Full-Wrapped Stainless	
Color Appearance	Fingerprint Resistant Stainless Steel	
POWER /	RATINGS	
KW Rating at 208V	11.6	
Bake Wattage	2850W	
KW Rating at 240V	15.5	
Broiler Wattage	3800W	
Amp Rating at 208V	40	
Amp Rating at 240V	40	
WARI	RANTY	
Warranty Notes	See written warranty for full details	
Parts Warranty	Limited 1-year entire appliance	

W		п	А	A.I	$T \setminus$	,

Labor Warranty

Limited 1-year entire appliance

Edbor Warranty	Limited 1-year entire appliance	
WEIGHTS & DIMENSIONS		
Net Weight	200.0	
Height to Cooking Surface (in.)	35 3/4 - 36 1/2	
Depth Without Handle	25.5	
Overall Depth	28.0	
Depth with Door Open	47.875	
Oven Interior Dimensions (W x H x D) (in.)	24-1/8 x 19-1/2 x 19-3/8	
Overall Width	29.875	
Overall Height	37.25	
Approximate Shipping Weight	221.0	
Cabinet Width	30.0	
FEATURES		

FEATURES		
Oven Cleaning Type	Steam Clean	
Hot Surface Indicator Lights	5	
Cooktop Burner Type	Radiant Smoothtop	
Cooking System	True European Convection with Precise Air	
Oven Interior	1 Halogen Light	
Element - Center	6" 100W Warming Zone	
Element - Left Front	8"/5" 1900W Bridge	
Oven Rack Features	3 Flat Heavy Nickels 6 Rack Positions	
Melt Setting	Yes	
Oven Features	6-Pass Broil Element Hidden Bake	
Fuel Type	Electric	
WiFi Connect	Built-In	
Cooking Technology	Convection	
Cooktop Surface	Edge-to-Edge Gray Patterned Ceramic Glass One-Piece Upswept	
Connected Capabilities	Amazon Alexa DiGiorno Drop IFTTT Innit Nest The Google Assistant	
Configuration	Range with Storage Drawer	

FEATURES		
Control Type	Digital Temperature Display Electronic Oven Controls	
Oven Cooking Modes	AirFry Baked Goods Convection Bake Convection Roast Frozen Pizza Frozen Snacks Proof Warming	
Element - Right Front	12"/9"/6" 3600W Power Boil	
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Chef Connect Control Lock Capability C(degree) or F(	
Product Type	Slide-In Single Oven	
Drawer Type	Storage	
Cooktop Type	Radiant Smoothtop	
Control Location	Backsplash	
Element - Right Rear	6" 1200W	
Storage Drawer Features	Removable Full-Width	
Heating Element "ON" Indicator Light	1	
Element - Left Rear	8" 2000W Bridge	
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Certified Sabbath Mode Chef Connect Control Lock Capability C(degree) or F(degree) Programmabl	
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Certified Sabbath Mode Chef Connect Control Lock Capability C(degree) or F(degree) Programmabl	
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Certified Sabbath Mode Chef Connect Control Lock Capability C(degree) or F(degree) Programmabl	

FEAT	TURES
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Certified Sabbath Mode Chef Connect Control Lock Capability C(degree) or F(degree) Programmabl
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Certified Sabbath Mode Chef Connect Control Lock Capability C(degree) or F(degree) Programmabl
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Certified Sabbath Mode Chef Connect Control Lock Capability C(degree) or F(degree) Programmabl
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Certified Sabbath Mode Chef Connect Control Lock Capability C(degree) or F(degree) Programmabl
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Certified Sabbath Mode Chef Connect Control Lock Capability C(degree) or F(degree) Programmabl
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Certified Sabbath Mode Chef Connect Control Lock Capability C(degree) or F(degree) Programmabl
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Certified Sabbath Mode Chef Connect Control Lock Capability C(degree) or F(degree) Programmabl

FEA <sup>-</sup>	FEATURES	
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Certified Sabbath Mode Chef Connect Control Lock Capability C(degree) or F(degree) Programmabl	
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Certified Sabbath Mode Chef Connect Control Lock Capability C(degree) or F(degree) Programmabl	
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Certified Sabbath Mode Chef Connect Control Lock Capability C(degree) or F(degree) Programmabl	
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Certified Sabbath Mode Chef Connect Control Lock Capability C(degree) or F(degree) Programmabl	

PRODUCT: INTEGRATED DISHWASHER WITH STEAM

MODEL : PDT775SYNFS

MODEL : PDT775SYNFS	
FI	LTER
App Filter - Bottle Wash	Yes
App Filter - Food Disposer	Yes
App Filter - Stainless Steel Interior	Yes
App Filter - Cabinet Width	Dish Traditional 24 in.
App Filter - Product Type	Dish Built-In Top Control
App Filter - WiFi Connect	Built-In
APPE	ARANCE
Handle	Rounded Handle - Stainless Steel
Installation	Built-Up Floor Capable Flush Cabinet Installation Side Installation or Top Installation Included
Handle Color	Stainless Steel w/Chrome
Door Appearance	Full-length door
Door Style	Long Door with Top Controls
Color Appearance	Fingerprint Resistant Stainless Steel
WAF	RANTY
Warranty Notes	See written warranty for full details
Parts Warranty	Limited 1-year entire appliance
Labor Warranty	Limited 1-year entire appliance
POWER	/ RATINGS
Calrod Heater Watts	1200/400
Power Connection	Optional cord kit (GPFCORD - WX09X70910, WX09X70911)
Volts/Hertz/Amps	120V; 60Hz; 10.2A
ECONOMICAL / QUIET	
Quiet Features	Quiet Water Valve Sealed Toe Kick Tub Collar Trim
Quiet Package	42 dBA
Outer Wrap	Bitumen Full-wrap Blanket
Motor Type	Variable Speed
Door Insulation	Insulation Mastic

WEIGHTS & DIMENSIONS	
Net Weight	108.0
Overall Depth	24.0
Overall Depth with Handle	25.6
Height w/Legs Extended - Maximum Height	34.625
Overall Width	23.75
Overall Height	34.0
Approximate Shipping Weight	121.0
Cabinet Width	24.0
Height w/ Legs Retracted - Minimum Height	33.375

FEATURES  ### Sproy Jet Wosh System Automatic HotStort Automatic HotStort Automatic HotStort Automatic Feriperrature Control Bottle Jets (4) Deep Clean Silverware Jets Drain Pump Hidden Heater Plranhor(TM) Hard Food Dispo  #### Studen Heater Plranhor(TM) Hard Food Dispo  #### Studen Heater Plranhor(TM) Hard Food Dispo  #### Studen Heater ##### Studen Heater #### Studen Heater ##### Studen Heater ##### Studen Heater #### Studen Heater #### Studen Heater ##### Studen Heater ###### Studen Heater ###### Studen Heater ###### Studen Heater ######## Studen Heater ########## Studen Heater ####################################	·		
Automatic HotStart Automatic Temperature Control Bottle Jets (4) Deep Clean Silverware Jets Drain Pump Hidden Heeter Piranhof/TM) Hard Food Dispo  Style  Built-in Top Control  1 Rack handle 1/2 fread times, 1/2 fold down times Ball-Tip Times Premium Height Adjustable  Racking Material  Nylon  Rack Features  Adjustable Upper Rack Ball-Tipped Times Fold-Down Times - Lower Fold-Down Times -	FEAT	TURES	
Upper Rack  1 Rack handle 1/2 fixed tines, 1/2 fold down tines Ball-Tip Tines Premium Height Adjustable  Racking Material  Nylon  1 Piece Silverware Basket with 3 Cell Covers Adjustable Upper Rack Ball-Tipped Tines Fold-Down Tines - Lower Fold-down tines - Upper  1 "Clean" Light, 1 "Sanitized" Light Cycle Progress Indicators 3 Digit Display Cycle Countdown with Cycle Status Bar on door Audible End-of-Cycle Signal Last Cycle Memory White LE  WiFi Connect  Built-in  Showroom Power Mode  Yes  Cutlery Tray  Optional 3rd rack (GPF3RACK)  Hidden Heater Twin Turbo Dry Boost(TM)  Leveling System  3 Point Leveling 8 Touchpads Cap Touch Controls Top Controls	Wash System Features	Automatic HotStart Automatic Temperature Control Bottle Jets (4) Deep Clean Silverware Jets Drain Pump Hidden Heater	
Upper Rack  1/2 fixed tines, 1/2 fold down tines Ball-Tip Tines Premium Height Adjustable  Racking Material  Nylon  1 Piece Silverware Basket with 3 Cell Covers Adjustable Upper Rack Ball-Tipped Tines Fold-Down Tines - Lower Fold-down tines - Upper  1 "Clean" Light, 1 "Sanitized" Light Cycle Progress Indicators 3 Digit Display Cycle Countdown with Cycle Status Bar on door Audible End-of-Cycle Signal Last Cycle Memory White LE  WIFI Connect  Built-In  Showroom Power Mode  Yes  Cutlery Tray  Optional 3rd rack (GPF3RACK)  Hidden Heater Twin Turbo Dry Boost(TM)  Leveling System  3 Point Leveling  8 Touchpads Cap Touch Controls Top Controls	Style	Built-In Top Control	
1 Piece Silverware Basket with 3 Cell Covers Adjustable Upper Rack Ball-Tipped Tines Fold-Down Tines - Lower Fold-down tines - Upper  1 "Clean" Light, 1 "Sanitized" Light Cycle Progress Indicators 3 Digit Display Cycle Countdown with Cycle Status Bar on door Audible End-of-Cycle Signal Last Cycle Memory White LE  WiFi Connect Bull-In Showroom Power Mode Yes  Cutlery Tray Optional 3rd rack (GPF3RACK)  Hidden Heater Twin Turbo Dry Boost(TM)  Leveling System 3 Point Leveling 8 Touchpads Control Type Controls	Upper Rack	1/2 fixed tines, 1/2 fold down tines Ball-Tip Tines	
Adjustable Upper Rack Ball-Tipped Tines Fold-Down Tines - Lower Fold-down tines - Upper  1 "Clean" Light, 1 "Sanitized" Light Cycle Progress Indicators 3 Digit Display Cycle Countdown with Cycle Status Bar on door Audible End-of-Cycle Signal Last Cycle Memory White LE  WiFi Connect Built-In  Showroom Power Mode Yes  Cutlery Tray Optional 3rd rack (GPF3RACK)  Dishwasher Drying Features Hidden Heater Twin Turbo Dry Boost(TM)  Leveling System 3 Point Leveling 8 Touchpads Cap Touch Controls Top Controls	Racking Material	Nylon	
Dishwasher Control Features  3 Digit Display Cycle Countdown with Cycle Status Bar on door Audible End-of-Cycle Signal Last Cycle Memory White LE  WiFi Connect  Built-In  Showroom Power Mode  Yes  Cutlery Tray  Optional 3rd rack (GPF3RACK)  Dishwasher Drying Features  Hidden Heater Twin Turbo Dry Boost(TM)  Leveling System  3 Point Leveling  8 Touchpads Cap Touch Controls Top Controls	Rack Features	Adjustable Upper Rack Ball-Tipped Tines Fold-Down Tines - Lower	
Showroom Power Mode  Cutlery Tray  Optional 3rd rack (GPF3RACK)  Hidden Heater Twin Turbo Dry Boost(TM)  Leveling System  3 Point Leveling  8 Touchpads Cap Touch Controls  Top Controls	Dishwasher Control Features	3 Digit Display Cycle Countdown with Cycle Status Bar on door Audible End-of-Cycle Signal Last Cycle Memory	
Cutlery Tray  Optional 3rd rack (GPF3RACK)  Hidden Heater Twin Turbo Dry Boost(TM)  Leveling System  3 Point Leveling  8 Touchpads Cap Touch Controls Top Controls	WiFi Connect	Built-In	
Dishwasher Drying Features  Hidden Heater Twin Turbo Dry Boost(TM)  Leveling System  3 Point Leveling  8 Touchpads Cap Touch Controls Top Controls	Showroom Power Mode	Yes	
Dishwasher Drying Features  Twin Turbo Dry Boost(TM)  Leveling System  3 Point Leveling  8 Touchpads  Cap Touch Controls  Top Controls	Cutlery Tray	Optional 3rd rack (GPF3RACK)	
8 Touchpads Control Type Cap Touch Controls Top Controls	Dishwasher Drying Features		
Control Type Cap Touch Controls Top Controls	Leveling System	3 Point Leveling	
Number of Place Settings Up to 16	Control Type	Cap Touch Controls	
	Number of Place Settings	Up to 16	

FEATURES		
Tub Type	Tall Tub	
Rack Color	Silver	
Exterior Style	Traditional	
Number of Cycles	5	
Wash System	700 Series	
Dishwasher Cycles	1 Hour Wash Auto Sense Heavy Wash Light Wash Normal Wash	
Number of Options	11	
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam Presoak Twin Turbo Dry Boost(TM) Wash TempBoost Wash Z	
Tub and Door Liner	Stainless Steel	
Latch	Pull with Handle	
Wash Arms	3 Wash Levels Lower Middle Upper	
Lower Rack	1 Rack handle Ball-Tip Tines Multi-Position Fold Down Tines	
Additional Protection	Active Flood Protect Leak Defense with Active Flood Protect	
Floor Protection	Leak Defense with Active Flood Protect - Leak Pan with Sensor	
Water Filtration System	100% Filtration with Piranha Hard Food Disposer and Removable Filter	
Sensor	Clean Sensor	
Dispenser	Electronic Low Rinse Aid Sensor Rinse Aid with Indicator and Adjustment	
Wash System Features	90+ Spray Jet Wash System Automatic HotStart Automatic Temperature Control Bottle Jets (4) Deep Clean Silverware Jets Drain Pump Hidden Heater Piranha(TM) Hard Food Dispo	

FEATURES		
Dishwasher Control Features	1"Clean" Light, 1"Sanitized" Light Cycle Progress Indicators 3 Digit Display Cycle Countdown with Cycle Status Bar on door Audible End-of-Cycle Signal Last Cycle Memory White LE	
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam Presoak Twin Turbo Dry Boost(TM) Wash TempBoost Wash Z	
Wash System Features	90+ Spray Jet Wash System Automatic HotStart Automatic Temperature Control Bottle Jets (4) Deep Clean Silverware Jets Drain Pump Hidden Heater Piranha(TM) Hard Food Dispo	
Dishwasher Control Features	1"Clean" Light, 1"Sanitized" Light Cycle Progress Indicators 3 Digit Display Cycle Countdown with Cycle Status Bar on door Audible End-of-Cycle Signal Last Cycle Memory White LE	
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam Presoak Twin Turbo Dry Boost(TM) Wash TempBoost Wash Z	
Wash System Features	90+ Spray Jet Wash System Automatic HotStart Automatic Temperature Control Bottle Jets (4) Deep Clean Silverware Jets Drain Pump Hidden Heater Piranha(TM) Hard Food Dispo	
Dishwasher Control Features	1"Clean" Light, 1"Sanitized" Light Cycle Progress Indicators 3 Digit Display Cycle Countdown with Cycle Status Bar on door Audible End-of-Cycle Signal Last Cycle Memory White LE	

FEAT	URES
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam Presoak Twin Turbo Dry Boost(TM) Wash TempBoost Wash Z
Wash System Features	90+ Spray Jet Wash System Automatic HotStart Automatic Temperature Control Bottle Jets (4) Deep Clean Silverware Jets Drain Pump Hidden Heater Piranha(TM) Hard Food Dispo
Dishwasher Control Features	1"Clean" Light, 1"Sanitized" Light Cycle Progress Indicators 3 Digit Display Cycle Countdown with Cycle Status Bar on door Audible End-of-Cycle Signal Last Cycle Memory White LE
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam Presoak Twin Turbo Dry Boost(TM) Wash TempBoost Wash Z
Wash System Features	90+ Spray Jet Wash System Automatic HotStart Automatic Temperature Control Bottle Jets (4) Deep Clean Silverware Jets Drain Pump Hidden Heater Piranha(TM) Hard Food Dispo
Dishwasher Control Features	1 "Clean" Light, 1 "Sanitized" Light Cycle Progress Indicators 3 Digit Display Cycle Countdown with Cycle Status Bar on door Audible End-of-Cycle Signal Last Cycle Memory White LE

FEAT	URES
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam Presoak Twin Turbo Dry Boost(TM) Wash TempBoost Wash Z
Wash System Features	90+ Spray Jet Wash System Automatic HotStart Automatic Temperature Control Bottle Jets (4) Deep Clean Silverware Jets Drain Pump Hidden Heater Piranha(TM) Hard Food Dispo
Dishwasher Control Features	1"Clean" Light, 1"Sanitized" Light Cycle Progress Indicators 3 Digit Display Cycle Countdown with Cycle Status Bar on door Audible End-of-Cycle Signal Last Cycle Memory White LE
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam Presoak Twin Turbo Dry Boost(TM) Wash TempBoost Wash Z
Wash System Features	90+ Spray Jet Wash System Automatic HotStart Automatic Temperature Control Bottle Jets (4) Deep Clean Silverware Jets Drain Pump Hidden Heater Piranha(TM) Hard Food Dispo
Dishwasher Control Features	1"Clean" Light, 1"Sanitized" Light Cycle Progress Indicators 3 Digit Display Cycle Countdown with Cycle Status Bar on door Audible End-of-Cycle Signal Last Cycle Memory White LE

FEAT	URES
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam Presoak Twin Turbo Dry Boost(TM) Wash TempBoost Wash Z
Wash System Features	90+ Spray Jet Wash System Automatic HotStart Automatic Temperature Control Bottle Jets (4) Deep Clean Silverware Jets Drain Pump Hidden Heater Piranha(TM) Hard Food Dispo
Dishwasher Control Features	1"Clean" Light, 1"Sanitized" Light Cycle Progress Indicators 3 Digit Display Cycle Countdown with Cycle Status Bar on door Audible End-of-Cycle Signal Last Cycle Memory White LE
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam Presoak Twin Turbo Dry Boost(TM) Wash TempBoost Wash Z
Wash System Features	90+ Spray Jet Wash System Automatic HotStart Automatic Temperature Control Bottle Jets (4) Deep Clean Silverware Jets Drain Pump Hidden Heater Piranha(TM) Hard Food Dispo
Dishwasher Control Features	1 "Clean" Light, 1 "Sanitized" Light Cycle Progress Indicators 3 Digit Display Cycle Countdown with Cycle Status Bar on door Audible End-of-Cycle Signal Last Cycle Memory White LE

FEAT	URES
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam Presoak Twin Turbo Dry Boost(TM) Wash TempBoost Wash Z
Wash System Features	90+ Spray Jet Wash System Automatic HotStart Automatic Temperature Control Bottle Jets (4) Deep Clean Silverware Jets Drain Pump Hidden Heater Piranha(TM) Hard Food Dispo
Dishwasher Control Features	1"Clean" Light, 1"Sanitized" Light Cycle Progress Indicators 3 Digit Display Cycle Countdown with Cycle Status Bar on door Audible End-of-Cycle Signal Last Cycle Memory White LE
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam Presoak Twin Turbo Dry Boost(TM) Wash TempBoost Wash Z
Wash System Features	90+ Spray Jet Wash System Automatic HotStart Automatic Temperature Control Bottle Jets (4) Deep Clean Silverware Jets Drain Pump Hidden Heater Piranha(TM) Hard Food Dispo
Dishwasher Control Features	1 "Clean" Light, 1 "Sanitized" Light Cycle Progress Indicators 3 Digit Display Cycle Countdown with Cycle Status Bar on door Audible End-of-Cycle Signal Last Cycle Memory White LE

FEAT	URES
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam Presoak Twin Turbo Dry Boost(TM) Wash TempBoost Wash Z
Wash System Features	90+ Spray Jet Wash System Automatic HotStart Automatic Temperature Control Bottle Jets (4) Deep Clean Silverware Jets Drain Pump Hidden Heater Piranha(TM) Hard Food Dispo
Dishwasher Control Features	1"Clean" Light, 1"Sanitized" Light Cycle Progress Indicators 3 Digit Display Cycle Countdown with Cycle Status Bar on door Audible End-of-Cycle Signal Last Cycle Memory White LE
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam Presoak Twin Turbo Dry Boost(TM) Wash TempBoost Wash Z
Wash System Features	90+ Spray Jet Wash System Automatic HotStart Automatic Temperature Control Bottle Jets (4) Deep Clean Silverware Jets Drain Pump Hidden Heater Piranha(TM) Hard Food Dispo
Dishwasher Control Features	1 "Clean" Light, 1 "Sanitized" Light Cycle Progress Indicators 3 Digit Display Cycle Countdown with Cycle Status Bar on door Audible End-of-Cycle Signal Last Cycle Memory White LE

FEATURES		
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam Presoak Twin Turbo Dry Boost(TM) Wash TempBoost Wash Z	
Wash System Features	90+ Spray Jet Wash System Automatic HotStart Automatic Temperature Control Bottle Jets (4) Deep Clean Silverware Jets Drain Pump Hidden Heater Piranha(TM) Hard Food Dispo	
Dishwasher Control Features	1"Clean" Light, 1"Sanitized" Light Cycle Progress Indicators 3 Digit Display Cycle Countdown with Cycle Status Bar on door Audible End-of-Cycle Signal Last Cycle Memory White LE	
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam Presoak Twin Turbo Dry Boost(TM) Wash TempBoost Wash Z	

PRODUCT: 24" 1.2 CU FT MICROWAVE DRAWER OVEN

MODEL: SMD2470ASY

	Features	
Finish	Stainless Steel	
Drawer Opening	Easy Touch Automatic	
Capacity*	1.2 Cu. Ft. (holds 9" x 13" dish)	
Output Power	950 Watts	
Sensor Cook, Reheat and Popcorn	Yes, 12 settings	
Reheat Auto Settings	2 Settings	
Defrost Auto Settings	6 Settings	
Microwave Keep Warm Setting	Yes, up to 30 minutes	
Clock	Yes	
Minute Plus	Yes	
Interior Oven Light	Yes	
Kitchen Timer	Yes	
Control Lock	Yes	
Demonstration Mode	Yes	
Built-In Ready for Easy Installation	Yes	
Capacity	1.2 Cu. Ft. (holds 9" x 13" dish)	
	Control Panel	
Control Panel Location	Center/Top	
Control Panel Type	Touchpad, Drop-Down 45(degree) Angle	
Display Type	LCD	
Display Color	White on Black Background	
Additional Specifications		
Power Connection	3-Prong Grounding Plug (included)	
Power Ratings	120V, 60Hz / 1.67 kW, 14.5 Amps	
Safety Compliance	FCC, DHHS, UL Listed	
Power Ratings	120V, 60Hz / 1.67kW, 14.5 Amps	
Safety Compliance:	FCC, DHHS, UL listed	
Dimensions & Weight (in./lbs.) (W x H x D)		
Cutout Dimensions	22 1/8" x 15 9/16" x 23 1/2"	
Product Dimensions	23 7/8" x 15 7/8" x 23 1/64"	
Shipping Weight (lbs.)	86	
	74	

Dimensions & Weight (in like ) (IM v Ll v D)		
Dimensions & Weight (in./lbs.) (W x H x D)		
Shipping Weight	86	
Product Weight	74	
Warranty/UPC		
Parts	1 Year	
Labor	1 Year	
Magnetron Tube	5 Years total (Part Only)	
UPC	074000619371	
Optional Accessory		
Optional Accessory		
24" Flush Mount Deflector Vent	SKMD24F0AS	
Flush Mount Deflector Vent Kit	(1) PREF-B019MRP0 (2) LX-CZB055MRE0	
30" Flush Mount Deflector Vent	SKMD30F0AS	

(1) PREF-B020MRP0 (2) LX-CZB055MRE0

Flush Mount Deflector Vent Kit

PRODUCT : BROAN 30INCH ALTA

MODEL : alt130ss