

# QUOTE # 10-9728

June 29, 2020 03:46 AM



## SALES PERSON

Jimmy Reed  
jimmy.reed@slymanbros.com

15050 Manchester Rd, Ballwin, MO 63011  
Slyman Bros (West County)  
Phone: 636-227-7727

## BILLING INFORMATION

Jennifer Feldman  
1515 Lafayette Ave  
St. Louis, Missouri, 63104  
314-249-7949

## DELIVER TO

Jennifer Feldman  
1515 Lafayette Ave  
St. Louis, Missouri, 63104  
314-249-7949

PRODUCT	DESCRIPTION	PRICE	QTY	TOTAL
JES1450FS	SLIDE-IN ELECTRIC CONVECTION RANGE	\$2,249.10	1	\$2,249.10
		<b>NOTES</b>		
		10% Builder's Discount		
KSEG700ESS	SLIDE IN CONVECTION RANGE	\$1,899.99	1	\$1,899.99
PSS93YPFS	30" SMART SLIDE-IN CONVECTION RANGE	\$1,424.99	1	\$1,424.99
				Haul Away Old: No

## NOTES

Subtotals	\$5,574.08
Sales Tax (West County)	\$487.06
Delivery Charge	\$0.00
<b>Total</b>	<b>\$6,061.14</b>

---

**Balance Due (USD) \$6,061.14**

**SPEC PRODUCT DETAIL**

PRODUCT : SLIDE-IN ELECTRIC CONVECTION RANGE

MODEL : JES1450FS

Dimensions	
Capacity	7-1/10
Depth Closed Including Handles (in)	28-7/8
Height (in)	36.0
Width (in)	29-7/8

Configuration and Overview	
Size (in)	30
Fuel Type	Electric Radiant
Range Type	Slide-in
Prop 65	CALIFORNIA RESIDENTS ONLY - WARNING: Cancer and Reproductive Harm - <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
UL	UL
ADA Compliant	ADA Height and Operation Compliant

Appearance	
Handle Material	Metal
Door Type	Metal & Glass
Handle Color	Stainless Steel
Handle Type	Towel Bar

Oven Details	
Drawer Type	Baking Drawer
Power On Indicator Light	Yes
Automatic Convection Conversion Temperature Adjust	Yes
Oven Cooking System	Convection
Interior Color	Grey
Oven Control Location	Front
Oven Control Type	Electronic Touch
Bake Element Power	3600W
Broiler Location	Top of Oven
Number of Oven Lights	2
Oven Light Switch Location	Oven Control
Oven Light Type	Incandescent
Number of Oven Racks	3
Number of Rack Guides	7

**Oven Details**

Oven Rack Type	Max Capacity, Gliding Roll-Out, and Heavy Duty
Hidden Bake Element	Yes
Convection Functions	Bake

**Cooktop Details**

Heating Element On Indicator Light	Yes
Hot Surface Indicator Light	Yes
Power Outage Compatible	No
Cooktop Element Style	Radiant
Cooktop Surface Color	Black
Cooktop Surface Material	Ceramic Glass
Number of Cooking Element-Burners	5
Cooktop Control Knob Type	Metal
Cooktop Control Type	Knobs
Center Front Element-Burner Size	6"
Left Front Element-Burner Size	12"/9"/6"
Left Front Element-Burner Type	Triple
Left Rear Element-Burner Size	6"
Left Rear Element-Burner Type	Radiant Hyper
Right Front Element-Burner Size	10"
Right Front Element-Burner Type	Radiant Hyper
Right Rear Element-Burner Size	6"

**Details**

Bake Element Power	3600W
Broiler Element Power	4000W
Cooktop Surface Material	Ceramic Glass
Oven Cleaning Type	AquaLift(R) Self Clean
Number of Rack Guides	7

**Electrical**

Power Cord Included	No
---------------------	----

**Controls**

Knob Color	Stainless Steel
Knob Type	Metal
Electronic Display Type	Stainless Steel

**Exterior**

Oven Window Size

Extra Large

**Design Type**

Design Expression

Euro-Style

**Features**

Power Outage Compatible

No

**SPEC PRODUCT DETAIL**

PRODUCT : SLIDE IN CONVECTION RANGE

MODEL : KSEG700ESS

Dimensions	
Capacity	6-2/5
Depth Closed Excluding Handles	26-3/8 in
Depth Closed Including Handles	28-7/8 in
Depth With Door Open 90 Degree	48-3/4 in
Height	36.0 in
Width	29-7/8 in

Configuration and Overview	
ADA Compliant	ADA Height and Operation Compliant
Fuel Type	Electric
LP Convertible	No
Prop 65	CALIFORNIA RESIDENTS ONLY - WARNING: Cancer and Reproductive Harm - <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> .
Range Type	Slide-in
Size	30 in
UL	UL

Appearance	
Door Type	Metal & Glass
Handle Color	Stainless Steel
Handle Material	Metal
Handle Type	Towel Bar

Oven Details	
Automatic Convection Conversion Temperature Adjust	Yes
Bake Element Power	3600W
Broiler Location	Top of Oven
Convection Element Type	Single-Fan
Convection Functions	Bake, Broil, Roast
Drawer Type	Storage Drawer
Hidden Bake Element	Yes
Interior Color	Grey
Number of Oven Lights	2
Number of Oven Racks	3
Number of Rack Guides	7

**Oven Details**

Oven Control Type	Electronic Touch
Oven Cooking System	Convection
Oven Interior Depth	20-5/8 in
Oven Interior Height	22-1/8 in
Oven Interior Width	24-1/8 in
Oven Light Type	Incandescent
Oven Rack Type	1 Max Capacity, 1 Standard, 1 Steam Rack
Power On Indicator Light	Yes

**Cooktop Details**

Center Rear Element-Burner Power	100W
Center Rear Element-Burner Size	6"
Cooktop Element Style	Radiant
Cooktop Surface Color	Black
Cooktop Surface Material	Ceramic Glass
Heating Element On Indicator Light	Yes
Hot Surface Indicator Light	Yes
Left Front Element-Burner Power	3000W/1950W/1050W
Left Front Element-Burner Size	12"/9"/6"
Left Front Element-Burner Type	Triple
Left Rear Element-Burner Power	1300W
Left Rear Element-Burner Size	6"
Left Rear Element-Burner Type	Hyper
Number of Cooking Element-Burners	5
Power Outage Compatible	No
Right Front Element-Burner Power	3200W
Right Front Element-Burner Size	10"
Right Front Element-Burner Type	Hyper
Right Rear Element-Burner Size	6"
Right Rear Element-Burner Type	Single

**Details**

Bake Element Power	3600W
Broiler Element Power	4000W
Convection Element Type	Single-Fan
Number of Rack Guides	7
Oven Cleaning Type	AquaLift(R) Self Clean

**Electrical**

Power Cord Included	No
---------------------	----

**Controls**

Knob Color	Stainless Steel
------------	-----------------

Knob Type	Metal
-----------	-------

**Exterior**

Oven Window Size	Large
------------------	-------

**Features**

Power Outage Compatible	No
-------------------------	----

**GDS**

GPC Code	10003690
----------	----------

IsInvoiceUnit	true
---------------	------

IsOrderableUnit	true
-----------------	------

Product Type	EA
--------------	----

UDEX	1100400623
------	------------

isBaseUnit	true
------------	------

isConsumerUnit	true
----------------	------

**SPEC PRODUCT DETAIL**

PRODUCT : 30" SMART SLIDE-IN CONVECTION RANGE

MODEL : PSS93YPFS

CAPACITY	
Total Capacity (cubic feet)	5.3
FILTER	
App Filter - Cleaning Type	Steam and Self-Clean
App Filter - Control Type	Electronic touchpad
App Filter - Drawer Type	Storage
App Filter - Cooktop Type	Radiant Smoothtop
App Filter - Cooking Technology	Convection
App Filter - Cabinet Width	Cooking 30 in. (Standard)
App Filter - Product Type	Ranges Slide-In Single Oven
App Filter - Convection	Yes
App Filter - Fuel Type	Electric
App Filter - WiFi Connect	Built-In
App Filter - Edge-to-Edge Cooktop	Yes
APPEARANCE	
Control Knobs	Weighted Stainless Steel Appearance
Handle Color	Stainless Steel
Handle Design	Designer Style
Textured Steel Side Panels	Yes
Oven Door Features	Big View Oven Window Full-Wrapped Metal Frame Full-Wrapped Stainless
Color Appearance	Fingerprint Resistant Stainless Steel
POWER / RATINGS	
KW Rating at 208V	11.6
Bake Wattage	2850W
KW Rating at 240V	15.5
Broiler Wattage	3800W
Amp Rating at 208V	40
Amp Rating at 240V	40
WARRANTY	
Warranty Notes	See written warranty for full details
Parts Warranty	Limited 1-year entire appliance



**WARRANTY**

Labor Warranty	Limited 1-year entire appliance
----------------	---------------------------------

**WEIGHTS & DIMENSIONS**

Net Weight	200.0
Height to Cooking Surface (in.)	35 3/4 - 36 1/2
Depth Without Handle	25.5
Overall Depth	28.0
Depth with Door Open	47.875
Oven Interior Dimensions (W x H x D) (in.)	24-1/8 x 19-1/2 x 19-3/8
Overall Width	29.875
Overall Height	37.25
Approximate Shipping Weight	221.0
Cabinet Width	30.0

**FEATURES**

Oven Cleaning Type	Steam Clean
Hot Surface Indicator Lights	5
Cooktop Burner Type	Radiant Smoothtop
Cooking System	True European Convection with Precise Air
Oven Interior	1 Halogen Light
Element - Center	6" 100W Warming Zone
Element - Left Front	8"/5" 1900W Bridge
Oven Rack Features	3 Flat Heavy Nickels 6 Rack Positions
Melt Setting	Yes
Oven Features	6-Pass Broil Element Hidden Bake
Fuel Type	Electric
WiFi Connect	Built-In
Cooking Technology	Convection
Cooktop Surface	Edge-to-Edge Gray Patterned Ceramic Glass One-Piece Upswept
Connected Capabilities	Amazon Alexa DiGiorno Drop IFTTT Innit Nest The Google Assistant
Configuration	Range with Storage Drawer

**FEATURES**

Control Type	Digital Temperature Display Electronic Oven Controls
Oven Cooking Modes	AirFry Baked Goods Convection Bake Convection Roast Frozen Pizza Frozen Snacks Proof Warming
Element - Right Front	12"/9"/6" 3600W Power Boil
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Chef Connect Control Lock Capability C(degree) or F(
Product Type	Slide-In Single Oven
Drawer Type	Storage
Cooktop Type	Radiant Smoothtop
Control Location	Backsplash
Element - Right Rear	6" 1200W
Storage Drawer Features	Removable Full-Width
Heating Element "ON" Indicator Light	1
Element - Left Rear	8" 2000W Bridge
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Certified Sabbath Mode Chef Connect Control Lock Capability C(degree) or F(degree) Programmabl
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Certified Sabbath Mode Chef Connect Control Lock Capability C(degree) or F(degree) Programmabl
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Certified Sabbath Mode Chef Connect Control Lock Capability C(degree) or F(degree) Programmabl

**FEATURES**

Oven Control Features	<p>Audible Preheat Signal                  Auto Oven Shut-Off with Override                  Auto Recipe Conversion                  Certified Sabbath Mode                  Chef Connect                  Control Lock Capability                  C(degree) or F(degree) Programmabl</p>
Oven Control Features	<p>Audible Preheat Signal                  Auto Oven Shut-Off with Override                  Auto Recipe Conversion                  Certified Sabbath Mode                  Chef Connect                  Control Lock Capability                  C(degree) or F(degree) Programmabl</p>
Oven Control Features	<p>Audible Preheat Signal                  Auto Oven Shut-Off with Override                  Auto Recipe Conversion                  Certified Sabbath Mode                  Chef Connect                  Control Lock Capability                  C(degree) or F(degree) Programmabl</p>
Oven Control Features	<p>Audible Preheat Signal                  Auto Oven Shut-Off with Override                  Auto Recipe Conversion                  Certified Sabbath Mode                  Chef Connect                  Control Lock Capability                  C(degree) or F(degree) Programmabl</p>
Oven Control Features	<p>Audible Preheat Signal                  Auto Oven Shut-Off with Override                  Auto Recipe Conversion                  Certified Sabbath Mode                  Chef Connect                  Control Lock Capability                  C(degree) or F(degree) Programmabl</p>
Oven Control Features	<p>Audible Preheat Signal                  Auto Oven Shut-Off with Override                  Auto Recipe Conversion                  Certified Sabbath Mode                  Chef Connect                  Control Lock Capability                  C(degree) or F(degree) Programmabl</p>
Oven Control Features	<p>Audible Preheat Signal                  Auto Oven Shut-Off with Override                  Auto Recipe Conversion                  Certified Sabbath Mode                  Chef Connect                  Control Lock Capability                  C(degree) or F(degree) Programmabl</p>

**FEATURES**

Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Certified Sabbath Mode Chef Connect Control Lock Capability C(degree) or F(degree) Programmabl
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Certified Sabbath Mode Chef Connect Control Lock Capability C(degree) or F(degree) Programmabl
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Certified Sabbath Mode Chef Connect Control Lock Capability C(degree) or F(degree) Programmabl
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Certified Sabbath Mode Chef Connect Control Lock Capability C(degree) or F(degree) Programmabl