

QUOTE # 15-7319

May 27, 2020 12:45 PM



SALES PERSON

Jon Slyman
jon.slyman@slymanbros.com

1549 Fencorp Dr, Fenton, MO 63026
Slyman Bros (Fenton, MO)
Phone: 636-277-9010

BILLING INFORMATION

Lewis Homes
lewishomestl@gmail.com
204 Peeke Ave
Kirkwood, Missouri, 63122
314-244-3194

DELIVER TO

Mike Lewis
lewishomestl@gmail.com
960 Simmons Ave
Kirkwood, Missouri, 63122
314-244-3194

PRODUCT	DESCRIPTION	PRICE	QTY	TOTAL
KODE500ESS	30" DOUBLE CONVECTION OVEN	\$2,798.00	1	\$2,798.00
KUWR204ESB	46 BOTTLE DUAL ZONE WINE CELLAR	\$1,899.00	1	\$1,899.00
KBFN502ESS	42" B-I FRENCH DOOR REFRIGERATOR	\$7,899.00	1	\$7,899.00
KDTM604KPS	INTEGRATED CONSOLE DISHWASHER	\$949.00	1	\$949.00
KCGC506JSS	36" GAS COOKTOP	\$2,874.00	1	\$2,874.00
RMP17004	CUSTOM POWER PACK	\$599.00	1	\$599.00
KMBD104GSS	1.2 CU FT 950W MICROWAVE DRAWER	\$1,249.00	1	\$1,249.00

Haul Away Old: No

NOTES

Subtotals	\$18,267.00
Sales Tax (Fenton, MO)	\$1,390.67
Delivery Charge	\$0.00
Total	\$19,657.67

Balance Due (USD) \$19,657.67

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : KODE500ESS

Capacity

1. 10.00

Cutout Depth

1. 24.0 in

Cutout Height

1. 50-1/4 in

Cutout Width

1. 28-1/2 in

Depth

1. 27-1/8 in

Depth Closed Excluding Handles

1. 24-1/2 in

Depth With Door Open 90 Degree

1. 46-3/4 in

Height

1. 51-1/4 in

Lower Oven Capacity

1. 5.0 cu. ft.

Upper Oven Capacity

1. 5.0 cu. ft.

Width

1. 30.0 in

CUL

1. Yes

Fuel Type

1. Electric

Installable Under Cooktop

1. No

LP Convertible

1. No

Oven Type

1. Double

Prop 65

1. CALIFORNIA RESIDENTS ONLY - WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov .

Size

1. 30 in

UL

1. UL

Automatic Shut-Off

1. Yes

Bake Element Power

1. 2800W Both
2. 2800W Both

Broiler Location

1. Top of Oven

Convection Element Type

1. True
2. True

Convection Functions

1. Bake Broil Roast Both

Delay Clean

1. Yes

Door Broil Position

1. Closed

Door Lock

1. Yes

Door Removable

1. Yes

Hidden Bake Element

1. Yes

Interior Coating

1. Porcelain

Interior Color

1. Blue

Language Conversion

1. English/French

Light Control

1. Oven Light Touch Pad

Light Type

1. Halogen

Lower Oven Interior Depth

1. 19.0 in

Lower Oven Interior Height

1. 18.0 in

Lower Oven Interior Width

1. 25.0 in

Lower Oven Number of Oven Lights

1. 2

Number of Bake Elements

1. 1

Number of Broil Elements

1. 1

Number of Lower Oven Racks

1. 3

Number of Lower Rack Guides

1. 6

Number of Upper Oven Racks

1. 3

Number of Upper Rack Guides

1. 6

Oven Cooking System

1. Convection Both

Oven Rack 1 Type

1. Heavy Duty

Oven Rack 2 Type

1. Heavy Duty

Oven Rack 3 Type

1. Gliding Roll-Out

Self-Cleaning Oven Racks

- 1. No

Temperature Conversion

- 1. Yes

Upper Oven Interior Depth

- 1. 19.0 in

Upper Oven Interior Height

- 1. 18.0 in

Upper Oven Interior Width

- 1. 25.0 in

Upper Oven Number of Oven Lights

- 1. 2

Door Type

- 1. Metal & Glass

Flush Installation Approved

- 1. Yes

Handle Color

- 1. Stainless Steel

Handle Material

- 1. Metal

Broiler Element Power

- 1. 4000W Both

Oven Cleaning Type

- 1. Adjustable Self Cleaning

Oven Window Size

1. Extra Large

GPC Code

1. 10001950

IsInvoiceUnit

1. true

IsOrderableUnit

1. true

Product Type

1. EA

UDEX

1. 1100400623

isBaseUnit

1. true

isConsumerUnit

1. true

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : KUWR204ESB

Cutout Depth

- 1. 24.0 in

Cutout Height

- 1. 34-5/8 in

Cutout Width

- 1. 24.0 in

Depth

- 1. 26-3/4 in

Depth Closed Excluding Handles

- 1. 24-3/8 in

Depth Closed Including Handles

- 1. 26-3/4 in

Depth Excluding Doors

- 1. 22.0 in

Depth With Door Open 90 Degree

- 1. 47-3/4 in

Height

- 1. 35-1/8 in

Maximum Height

- 1. 35-1/8 in

Minimum Height

- 1. 34-3/8 in

Width

1. 23-3/4 in

CEC

1. CEC Listed

Installation Option

1. Freestanding or Built-In

Prop 65

1. CALIFORNIA RESIDENTS ONLY - WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov .

UL

1. UL

Control Lockout

1. Yes

Cooling On/Off

1. Yes

Door Ajar/Open Alarm

1. Yes

Location of Controls

1. Interior Up Front

Number of Temperature Controlled Zones

1. 2

Sabbath Mode

1. Yes

Cabinet Finish

1. Textured

Handle Location

1. Vertical

Handle Material

1. Metal

Reversible Door

1. No

Window

1. Yes

Interior Light

1. LED

Number of Shelves

1. 6

Rack Front Material

1. Wood

Shelf Description

1. White

Temperature Divider LED Dimmer Switch

1. No

Zone 1 Capacity

1. Up to 24 Bottles

Zone 1 Description

1. White Wine

Zone 2 Description

1. Red Wine

Energy Star(R) Qualified

1. No

Hz

1. 60

Annual Energy Usage [kWh]

1. 441.0

GPC Code

1. 10003695

IsInvoiceUnit

1. true

IsOrderableUnit

1. true

Product Type

1. EA

UDEX

1. 1101290375

isBaseUnit

1. true

isConsumerUnit

1. true

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : KBFN502ESS

Cabinet Width

1. 41-1/4 in

Capacity

1. 24-17/100

Cutout Depth

1. 24.0 in

Cutout Height

1. 83-1/2 in

Cutout Width

1. 41-1/2 in

Depth

1. 27-3/4 in

Depth Closed Excluding Handles

1. 25-1/8 in

Depth Closed Including Handles

1. 27-3/4 in

Depth Excluding Doors

1. 23-3/8 in

Depth With Door Open 90 Degree

1. 44-1/4 in

Freezer Volume

1. 6.42 cu. ft.

Height

1. 83-3/8 in

Height To Top Of Cabinet

1. 83-3/8 in

Refrigerator Volume

1. 17.75 cu. ft.

Width

1. 42-1/4 in

ADA Compliant

1. No

Advance Foam Insulation

1. 99.9% lower Global Warming Potential and Better Energy Performance

CEE Tier

1. Tier I

Counter Depth

1. Yes

Prop 65

1. CALIFORNIA RESIDENTS ONLY - WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov .

UL

1. UL

Cabinet Finish

1. Smooth

Door Finish

1. Smooth

Door Style

1. Flat

Handle Color

1. Stainless Steel

Handle Material

1. Metal

Hidden Hinge

1. Yes

LCD Touch Screen

1. No

Air Filter Indicator/Reset

1. No

Automatic Defrost

1. Yes

Door Ajar/Open Alarm

1. Yes

Location of Controls

1. Interior Up Front

Sabbath Mode

1. Yes

Fresh Flow Air Filter

1. Yes

Produce Preserver

1. Yes

Water Filter Indicator/Reset

1. Yes

Water Filter Location

- 1. Exterior

Lighting

- 1. LED

Non Climate Control Drawers

- 1. 4 Half Width

Number of Interior Shelves

- 1. 4

Dispenser Type

- 1. No Dispenser

Energy Star(R) Qualified

- 1. ENERGY STAR(R) Certified

Light

- 1. LED

Installation Configuration

- 1. Built-In

Icemaker

- 1. Factory Installed

GPC Code

- 1. 10003695

IsInvoiceUnit

- 1. true

IsOrderableUnit

- 1. true

Product Type

1. EA

UDEX

1. 1101290375

isBaseUnit

1. true

isConsumerUnit

1. true

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : KDTM604KPS

Depth

1. 26-3/4 in

Depth Closed Excluding Handles

1. 24-1/2 in

Depth Closed Including Handles

1. 26-3/4 in

Depth With Door Open 90 Degree

1. 51.0 in

Height

1. 33-1/2 in

Number of Place Settings

1. 16

Width

1. 23-7/8 in

Decibel Level dBA

1. 44

Dishwasher Type

1. Built-In

Automatic Temperature Controls

1. Yes

Location of Controls

1. Top, Hidden

Sensor

- 1. Yes

Door Style

- 1. Flat

Handle Material

- 1. Metal

Built-In Water Softener

- 1. No

Dispenser

- 1. Detergent and Rinse Aid

Hoses Included

- 1. Drain Hose

Interior Light

- 1. No

Number of Racks

- 1. 3

Number of Wash Levels

- 1. 7.0

Number of Washarms

- 1. 5

Rack Material

- 1. Nylon

Rinse Aid Dispenser Level Indicator

- 1. Yes

True Hold Door

1. Yes

Tub Material

1. Stainless Steel

Tub Style

1. Built-in Tall Tub 24''''

Water Filtration

1. Yes

Sound Package

1. Yes

Number of Wash Cycles

1. 5

Dishwasher Option Selections

1. Hi Temp Wash, Sani Rinse(R), ProDry , Extended ProDry, Top 2 Racks, 1-24 Hour Delay

Cushion-Tip Tines

1. Yes

Fold-Down Tines

1. 1 Adjustable & 1 Fold Down

Style

1. Extended

Utility Basket

1. No

Covers

1. Yes

Culinary Basket

1. No

Location

1. Bottom Rack

Adjustable

1. No

Removable

1. Yes

Energy Star(R) Qualified

1. ENERGY STAR(R) Certified

NSF(R) Certified

1. Yes

Power Cord Included

1. No

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : KCGC506JSS

Cutout Depth Min

- 1. 22-1/4 in

Cutout Width Max

- 1. 35-3/4 in

Cutout Width Min

- 1. 35-1/4 in

Depth

- 1. 27-7/8 in

Height

- 1. 7-7/16 in

Width

- 1. 35-3/4 in

Cooktop Type

- 1. Commercial

Fuel Type

- 1. Gas

Installs Over Built-In Oven

- 1. No

LP Convertible

- 1. Yes - Kit Included

Power Boost

- 1. No

Size

- 1. 36 in

Infinite Heat Controls

- 1. No

Knob Color

- 1. Stainless Steel

Knob Type

- 1. Metal

Location of Controls

- 1. Front

Automatic Pan Detection

- 1. No

Center Front Element-Burner Power

- 1. 15,000 BTU

Center Front Element-Burner Type

- 1. Professional

Center Rear Element-Burner Power

- 1. 5000 BTU

Cooktop Element Style

- 1. Sealed Burners

Cooktop Surface Color

- 1. Black

Cooktop Surface Material

- 1. Porcelain Coated Steel

Downdraft Vent

1. No

Grate Details

1. Dishwasher Safe, Matte Finish, Porcelain Coated Cast Grates, Individual

Heating Element On Indicator Light

1. No

Hot Surface Indicator Light

1. No

Ignition Type

1. Flame-Sensing Re-ignition

Left Front Element-Burner Power

1. 20,000 BTU

Left Front Element-Burner Type

1. Dual-Stacked Burner

Left Rear Element-Burner Power

1. 15,000 BTU

Left Rear Element-Burner Type

1. Professional

Number of Cooking Element-Burners

1. 6

Number of Grates

1. 6

Right Front Element-Burner Power

1. 20,000 BTU

Right Front Element-Burner Type

1. Dual-Stacked Burner

Right Rear Element-Burner Type

1. Professional

Digital Display

1. No

Power Outage Compatible

1. No

208V Compatible

1. No

Power Cord Included

1. Yes

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : RMP17004

Color Finish

- 1. Stainless Steel

CFM

- 1. 400

Sones

- 1. 9

Product Depth

- 1. 11-1/4"

Product Height

- 1. 9-5/8"

Product Width

- 1. 27-9/16"

Light Type

- 1. Halogen

Nightlight Or Nightlight Setting

- 1. No

Light Bulb Wattage

- 1. 50W

Light Bulb Recommended Type

- 1. GU10 MR16

Light Bulbs Included

- 1. Yes

Light Bulb Quantity

1. 2

Filter Quantity

1. 2

Boost Mode

1. No

Heat Sentry(R) - Temperature Sensor

1. Yes

Filter Type

1. Aluminum

Motor Number Of Speeds

1. Variable

ADA Compliance

1. No

Damper Included

1. Yes

Non-ducted Filter Included

1. No

Amperage

1. 3.53

Rated Voltage

1. 120

Switch Control Type

1. Slide

Non-Ducted Recirculation Capable

1. RMP17004 only

Warranty

1. 1 Year

UL Listed

1. Yes

Duct Connector Size

1. 6" Round

Duct Direction

1. Vertical

Duct Shape

1. Round

Duct Diameter

1. 6"

HVI Certified

1. Yes

ENERGY STAR(R) certified product

1. No

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : KMBD104GSS

Capacity

1. 1-1/5

Cutout Depth

1. 24.0 in

Cutout Width

1. 22-1/8 in

Depth

1. 23-1/4 in

Height

1. 16.0 in

Width

1. 23-7/8 in

ADA Compliant

1. No

CUL

1. Yes

Microwave Type

1. Built-In

Prop 65

1. CALIFORNIA RESIDENTS ONLY - WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov .

Size

1. 24 in

UL

1. UL

Location of Controls

1. Top

Number of Keypads

1. 1

Cavity Finish

1. Powder Coat

Convection

1. No

Cooking Power

1. 950 w

Grill

1. No

Interior Depth

1. 16-9/16

Interior Height

1. 7-1/8

Interior Light

1. Incandescent

Interior Width

1. 17-5/16

Microwave Selections

1. Add A Minute, Auto Cook, Beverage, Control Lock, Cook, Cook Power, Cook Time, Defrost, End of Cycle Signal, Fresh Vegetable, Frozen Entree, Frozen Vegetable, Languages - English/French, Off/C
2. Add A Minute, Auto Cook, Beverage, Control Lock, Cook, Cook Power, Cook Time, Defrost, End of Cycle Signal, Fresh Vegetable, Frozen Entree, Frozen Vegetable, Languages - English/French, Off/C
3. Add A Minute, Auto Cook, Beverage, Control Lock, Cook, Cook Power, Cook Time, Defrost, End of Cycle Signal, Fresh Vegetable, Frozen

1. No

Clock

1. Yes

Night Light

1. No

Number of Power Levels

1. 11

Timer

1. Yes

Microwave Configuration

1. Built-In

Connectivity

1. No

Works With

1. No