

QUOTE # 29-492

January 09, 2020 06:04 AM
Expiration Date : July 31, 2020



SALES PERSON

Mike Orlando
mike.orlando@slymanbros.com

52 Crossroads Plaza, O'Fallon, MO 63368
Slyman Bros (O'Fallon, MO)
Phone: 636-277-9025

BILLING INFORMATION

Melissa Fischer
DoggyDoc96@yahoo.com
422 Quiet Field Dr
St. Peters, Missouri, 63376
314-603-8317

DELIVER TO

Melissa Fischer
DoggyDoc96@yahoo.com
422 Quiet Field Dr
St. Peters, Missouri, 63376
314-603-8317

PRODUCT	DESCRIPTION	PRICE	QTY	TOTAL
VTR1030W	1000 CFM REMOTE BLOWER	\$0.00	1	\$0.00
DWHD650WPR	PANEL READY INTEGRATED DISHWASHER	\$1,215.00	1	\$1,215.00
T30IR905SP	BUILT-IN REFRIGERATOR	\$5,800.00	1	\$5,800.00
T18ID905LP	BUILT-IN FREEZER W/IWD	\$5,300.00	1	\$5,300.00
UCG1510NII	UNIVERSAL 15" BUILT-IN COMPACTOR	\$925.00	1	\$925.00
DWHD770WPR	24-INCH CUSTOM PANEL SAPPHIRE(R)	\$500.00	1	\$500.00
WHS625FWESS1	17 CU. FT. CONVERTIBLE UPRIGHT FREEZER	\$800.00	1	\$800.00
PRD48WCSGU	48-INCH PRO GRAND(R) COMMERCIAL DEPTH DUAL FUEL STEAM RANGE	\$16,299.00	1	\$16,299.00
VCIN48GWS	48-INCH PROFESSIONAL CUSTOM INSERT	\$0.00	1	\$0.00
MB30WP	30-INCH PROFESSIONAL BUILT-IN MICROWAVE	\$1,699.00	1	\$1,699.00
POD302RW	30-INCH PROFESSIONAL DOUBLE WALL OVEN WITH RIGHT SIDE OPENING DOOR	\$8,199.00	1	\$8,199.00

Haul Away Old: No

NOTES

Subtotals	\$40,737.00
Sales Tax (O'Fallon, MO)	\$3,238.59
Delivery Charge	\$0.00
Total	\$43,975.59

Balance Due (USD) \$43,975.59

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : VTR1030W

Name of product image

1. MCSA02216265_i7492_1622057_VTR1030W_PAK_def.jpg

Installation type

1. Built-in

Height of the packed product (mm)

1. 429 mm

SKU

1. VTR1030W

Depth of the packed product (mm)

1. 619 mm

EAN code

1. 825,225,941,279

Gross weight (kg)

1. 19.40 kg

Depth of the product

1. 480 mm

Width of the product (mm)

1. 308 mm

UPC code

1. 825225941279

Internal article number

1. VTR1030W

Net weight (kg)

1. 18.620 kg

Height of the product (mm)

1. 43 mm

Width of the packed product (mm)

1. 679 mm

Brand

1. Thermador

Product group for which the accessory is available

1. Others

Product packaging dimensions (HxWxD) (mm)

1. 429 x 679 x 619 mm
2. 429 x 679 x 619 mm

Country of origin

1. US

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : DWHD650WPR

Installation Type

1. Full-integrated
2. Full-integrated
3. Full-integrated

Number of place settings

1. 16
2. 16

List of programmes

1. Auto, Hand Wash, Normal, Pots & Pans, Quick, Rinse
2. Auto, Hand Wash, Normal, Pots & Pans, Quick, Rinse

Cycle Options

1. Extra dry, half load, Intensive Zone, Remote Start
2. Extra dry, half load, Power Boost, Remote Start

Display

1. Yes
2. Yes

Silence level (dBA)

1. 48
2. 48

3rd Rack

1. Chef's Tool Drawer
2. Chef's Tool Drawer

Power Cord Length

1. 67"
2. 67"
3. 67"

Duration of the left-on mode - NEW (2012/30/EC) (min)

1. 0 min

Home Connect

1. Yes

Home Connect Features

1. iService Remote, Remote Monitoring and Control
2. Remote Monitoring and Control

Connectivity type

1. Wi-Fi

Overall appliance dimensions (HxWxD) (in)

1. 33 7/8" x 23 9/16" x 23 1/16"

Number of wash cycles

1. 5

Net weight (lbs)

1. 93 lbs
2. 93.000

Status indicator

1. End of program audible, indicator LED red, Infolight blue, Time remaining indic. internal, water inlet

Program 1

1. Pots & Pans

Program 2

1. Auto

Program 3

1. Normal
2. Regular US

Program 4

1. Hand Wash
2. Delicate/Economy Wash US

Program 5

1. Quick
2. Quick Wash US

Program 6

1. Rinse
2. Rinse & Hold US

Programme duration, programme1 (min.)

1. 110-135

Programme duration, programme2 (min.)

1. 105-129

Programme duration, programme3 (min.)

1. 130-135

Reference programme

1. Regular US

Temperature program 1

1. 150-160 (degree)F
2. 150-160

Temperature program 2

1. 127-150 (degree)F
2. 127-150

Temperature program 3

1. 113-131 (degree)F
2. 113-131

Leak protection system

1. Aqua Stop

Water consumption program 1

1. 4.9-6.4 gal
2. 4.9-6.4

Water consumption program 2

1. 3.5-6.5 gal
2. 3.5-6.5

Water consumption program 3

1. 2.4-5.5 gal
2. 2.4-5.5

Total annual water consumption (g)

1. 624 gallons
2. 624

Maximum temperature for water intake ((degree)C)

1. 60 (degree)C
2. 60

Watts (W)

1. 1,440 W
2. 1,440

Current (A)

1. 12 A
2. 12

Plug type

1. Nema5-15P

Color / Control Panel

1. Grey

Installation type

1. Built-in

Panel ready

1. Not possible

Drying system

1. Inherent heat

Concealed heating element

1. Yes

Tub material

1. Stainless steel

List of programs

1. Auto, Hand Wash, Normal, Pots & Pans, Quick, Rinse
2. Auto, Hand Wash, Normal, Pots & Pans, Quick, Rinse

Home Connect(TM)

1. Yes

Surge-back protect. installed

1. Yes

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : T30IR905SP

Appliance Width (in)

1. 29 3/4"

Required cutout size (HxWxD) (in)

1. 84" x 30" x 24 3/4"

Variant color

1. Not applicable

Silence level (dBA)

1. 40

Door Hinge

1. Right reversible

Shelf Material - Refrigerator

1. Glass

Power Cord Length

1. 118"

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : T18ID905LP

Appliance Width (in)

1. 17 3/4"
2. 17 3/4"

Required cutout size (HxWxD) (in)

1. 84" x 18" x 24 3/4"

Variant color

1. Not applicable
2. Not applicable

Silence level (dBA)

1. 42

Door Hinge

1. Left

Light

1. Yes

Power Cord Length

1. 118"
2. 118"

Construction type

1. SBS components

Cold appliance

1. Isobutane

Number of compressors

1. 1

Oven Control

- 1. Electronic

Number of independent cooling systems

- 1. 1

Frost free system

- 1. Fridge and freezer

Installation Type

- 1. N/A

Depth (in)

- 1. 24"

Net weight (lbs)

- 1. 290.000

Total unit net capacity (l)

- 1. 220

Type of control

- 1. Economy setting / Holiday mode, Super setting for freezer, Warning signal door open

Warning signal / malfunction

- 1. No signal

Watts (W)

- 1. 350

Current (A)

- 1. 10

Frequency (Hz)

- 1. 60

Plug type

1. 120V-3 prong

Volts (V)

1. 110-120

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : UCG1510NII

Total Capacity (cubic feet)

- 1. 1.4

Toe kick

- 1. Black (Optional Stainless Steel WC17X10019, WC17X10011, WC17X10006)

Color Appearance

- 1. Custom Panels Required

Warranty Notes

- 1. See written warranty for full details

Parts Warranty

- 1. Limited 1-year entire appliance

Labor Warranty

- 1. Limited 1-year entire appliance

Volts/Hertz/Amps

- 1. 120v; 60Hz; 15A

Net Weight

- 1. 129.0

Cutout Dimensions (w x h x d) (in.)

- 1. 15 x 34-1/4 x 24

Overall Depth

- 1. 24.0

Height w/Legs Extended - Maximum Height

- 1. 35.0

Height With Legs Retracted

1. 33.75

Overall Width

1. 14.875

Overall Height

1. 35.0

Approximate Shipping Weight

1. 141.0

Cabinet Width

1. 15.0

Style

1. Built-In

Leveling System

1. Leveling Legs with Rear Wheels

Compactor Features

1. Automatic Anti-Jam
Lock/Start Control w/Removable Key
Side Release Bin
Slide-Out/Removable Drawer
Toe/Foot Pedal
Drawer Opener

Compression Ratio (Avg.)

1. 75% Reduction

Ram Force

1. 2300 lb

Control Location

1. Hidden

Construction

1. Heavy Gauge Steel

Cycle Time

1. Less than 30 seconds

Motor Horsepower

1. 1/3 hp

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : DWHD770WPR

Installation Type

1. Full-integrated
2. Full-integrated
3. Full-integrated

Number of place settings

1. 16
2. 16

List of programmes

1. 1 Hour, Auto, Hand Wash, Normal, Pots & Pans, Quick, Rinse
2. 1 Hour, Auto, Hand Wash, Normal, Pots & Pans, Quick, Rinse

Cycle Options

1. half load, Intensive Zone, Remote Start, Sanitation, VarioSpeed, Zeo Dry
2. half load, Power Boost, Remote Start, Sanitation, Save Time, Star Dry

Display

1. Yes
2. Yes

Silence level (dBA)

1. 42
2. 42

3rd Rack

1. Adjustable Chef's Tool Drawer
2. Adjustable Chef's Tool Drawer

Interior light

1. Yes
2. Yes

Power Cord Length

1. 67"
2. 67"

3. 67"

Duration of the left-on mode - NEW (2012/30/EC) (min)

1. 0 min

Home Connect

1. Yes

Home Connect Features

1. iService Remote, Remote Monitoring and Control
2. Remote Monitoring and Control

Connectivity type

1. Wi-Fi

Overall appliance dimensions (HxWxD) (in)

1. 33 7/8" x 23 9/16" x 23 1/16"

Number of wash cycles

1. 7

Net weight (lbs)

1. 110 lbs
2. 110.000

Status indicator

1. End of program audible, rem. time proj. White, sanitized LED US, water inlet

Program 1

1. Pots & Pans

Program 2

1. Auto

Program 3

1. Normal
2. Regular US

Program 4

1. Hand Wash

2. Delicate/Economy Wash US

Program 6

1. Quick
2. Quick Wash US

Program 7

1. Rinse & Hold US

Programme duration, programme1 (min.)

1. 110-135

Programme duration, programme2 (min.)

1. 105-129

Programme duration, programme3 (min.)

1. 95-119

Programme duration, programme7 (min.)

1. 9

Reference programme

1. Regular US

Temperature program 1

1. 150-160 (degree)F
2. 150-160

Temperature program 2

1. 130-150 (degree)F
2. 130-150

Temperature program 3

1. 122-131 (degree)F
2. 122-131

Leak protection system

1. Aqua Stop

Water consumption program 1

1. 4.8-6.3 gal
2. 4.8-6.3

Water consumption program 2

1. 3.5-6.6 gal
2. 3.5-6.6

Water consumption program 3

1. 1.5-4.5 gal
2. 1.5-4.5

Water consumption program 7

1. 1 gal
2. 1

Total annual water consumption (g)

1. 624 gallons
2. 624

Maximum temperature for water intake ((degree)C)

1. 60 (degree)C
2. 60

Watts (W)

1. 1,440 W
2. 1,440

Current (A)

1. 12 A
2. 12

Plug type

1. Nema5-15P

Color / Control Panel

1. Grey

Installation type

1. Built-in

Panel ready

1. Not possible

Concealed heating element

1. Yes

Tub material

1. Stainless steel

List of programs

1. 1 Hour, Auto, Hand Wash, Normal, Pots & Pans, Quick, Rinse
2. 1 Hour, Auto, Hand Wash, Normal, Pots & Pans, Quick, Rinse

Home Connect(TM)

1. Yes

Glass protection

1. Yes
2. Yes

Surge-back protect. installed

1. Yes

Water softener

1. Yes

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : WHS625FWESS1

Capacity

1. 17 Cu. Ft.
2. 17 Cu Ft

Control Type

1. Electronic
2. Electronic

Defrost Type

1. Automatic
2. Automatic

Defrost Drain

1. Yes

Temperature Range

1. 5 ~ -7.6

Temperature Alarm System

1. Yes

Interior Light

1. Yes

Fast Freeze Settings

1. Yes

Door Shelves

1. 4 - Fixed
2. 4, Fixed

Cabinet Shelves

1. 4 - Wire Adjustable
2. 4, Wire Adjustable

Bulk Basket Storage

1. 1 - Wire
2. 1, Wire

Door Handle

1. Grip
2. Grip

Leveling Legs

1. 2.0
2. 2

Casters

1. 2.0

Clean Back

1. Yes

E-Star

1. Yes

Energy Certification

1. UL
2. UL

Product (W*D*H)

1. 32.76 in x 31.6 in x 65 in

Weight

1. 195.2 lbs

Model Number

1. WHS-625FWESS1

Temperature Range (F)

1. 5 ~ -7.6

Caster

1. 2

Product Dimensions (W*D*H)

1. 32.76 in x 31.6 in x 65 in

Weight (lbs)

1. 195.2 lbs

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : PRD48WCSGU

Brand

1. Thermador
2. Thermador

SKU

1. PRD48WCSGU
2. PRD48WCSGU

Product color

1. Stainless Steel

Installation type

1. Free-standing

Type of control

1. Rotary knob, sword knobs

Door Material - primary cavity

1. Stainless steel

Energy source

1. Gas
2. Mixed

Type of energy - primary cavity

1. Gas heating for cooker and hob

Overall appliance dimensions (HxWxD) (in)

1. 35 7/8" x 47 15/16" x 27 7/8"

Required cutout size (HxWxD) (in)

1. 48" width slide-in

Net weight (lbs)

1. 556.000 lbs
2. 556.000

Cooking mode

1. Centre-area grill/broiler, Circulating air w heating ring, Convection Bake, Convection broil, Gas multifunction, Selfcleaning pyrolytic, Top/bottom heat

Current (A)

1. 50 A
2. 50

Watts (W)

1. 15,000 W
2. 15,000

Plug type

1. no plug

Volts (V)

1. 240/208 V
2. 240/208

Included accessories

1. 1 x nozzle set for liquid gas, 1 x grid, 1 x temperature sensor, 1 x telescopic rack, 1 x grill plate, 1 x Broiler pan, 1 x broiler pan small, 1 x island trim, 1 x STS tray-GN2/3-unpunched-28

Optional accessories - primary cavity

1. CS1XLH, CS1XLPH, CS2LH, CS2XLH, CS2XLPH, CSRACKH, PA12CHPBLK, PA12GRILFW, PA12GRILLW, PA24CVRW, PA48WLBG, PA48WTKG, PAALTKITGW, PABRICKBKW, PABRICKW, PAGRIDDL, PAGRIDDLW, PAGRIDLFW, PAKNOBL
2. CS1XLH, CS1XLPH, CS2LH, CS2XLH, CS2XLPH, CSRACKH, PA12CHPBLK, PA12LCVRN, PA48JHSSG, PA48JLBSG, PA48JTKG, PABRICKBKN, PAGRIDDL, PAGRIDDLN, PAKNOBLUNG, PWOKRINGHC, PA12GRILFW, PA12GRILLW, PA2
3. CS1XLH, CS1XLPH, CS2LH, CS2XLH, CS2XLPH, CSRACKH, PA12CHPBLK, PA12GRILFW, PA12GRILLW, PA24CVRW, PA48WLBG, PA48WTKG, PAALTKITGW, PABRICKBKW, PABRICKW, PAGRIDDL, PAGRIDDLW, PAGRIDLFW, PAKNOBLUWG, PALPKITDGW, PARKB48CGY, PWOKRINGHC

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : VCIN48GWS

Installation type

1. Built-in
2. Built-in

Air circulation

1. Ducted
2. Ducted
3. Ducted

Type of control

1. Illuminated buttons, touch control
2. Illuminated buttons, touch control

Color body

1. Stainless Steel

Grease filter material

1. Washable stainless steel

Installation Type

1. Wall-mounted

Material

1. Stainless steel

Motor location

1. without motor

Typology

1. Pull-out

Watts (W)

1. 1,428 W
2. 1,428

Power Cord Length

1. 0"

Frequency (Hz)

1. 60 Hz
2. 60

Total output power of the motors

1. 0 W

Volts (V)

1. 120 V
2. 120

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : MB30WP

Max. Microwave power (W)

1. 950 W
2. 950

Door opening

1. Handle
2. Handle
3. Handle

Type

1. MW only
2. MW only
3. MW only

Cavity material

1. Stainless steel

Product color

1. Stainless Steel

Installation type

1. Built-in

Oven Control

1. Electronic

Turntable

1. Yes

Overall appliance dimensions (HxWxD) (in)

1. 19 5/8" x 29 3/4" x 19 5/8"

Cavity capacity (cu ft)

1. 2 Cu Ft
2. 1.6

Cavity dimensions (in)

1. 9 7/8" x 16 1/2" x 16 1/2"

Net weight (lbs)

1. 78.000 lbs
2. 78.000

Turntable diameter (in)

1. 14 1/8"

Type of auto-cooking

1. Sensor and weight control

Included accessories

1. 1 x grid high, 1 x grid flat

Clock / Timer

1. Yes

Type of control

1. Touch Control

Watts (W)

1. 1,750 W
2. 1,750

Power Cord Length

1. 43"

Current (A)

1. 15 A
2. 15

Frequency (Hz)

1. 60 Hz
2. 60

Plug type

1. Nema5-15P

Volts (V)

1. 120 V
2. 120

SPEC PRODUCT DETAIL

PRODUCT :

MODEL : POD302RW

Included accessories

1. 1 x oven racks /upper, 1 x oven racks /lower, 1 x rotary spit, 1 x temperature probe /upper, 4 x telescopic rack, 1 x Broiler pan
2. 1 x oven racks /upper, 1 x oven racks /lower, 1 x rotary spit, 1 x temperature probe /upper, 4 x telescopic rack, 1 x Broiler pan

Home Connect

1. Yes

Home Connect Features

1. iService Remote, Remote Monitoring and Control
2. Remote Diagnostics, Remote Monitoring and Control

Connectivity type

1. Wi-Fi

Product color

1. Stainless Steel

Installation type

1. Built-in

Control Panel Material

1. stainless steel + glass insert

Type of control setting devices - oven 1

1. Touch Control

Door Material - primary cavity

1. Stainless steel behind glass

Energy source

1. Electric

Overall appliance dimensions (HxWxD) (in)

1. 52 1/16" x 29 3/4" x 24 1/2"

Required cutout size (HxWxD) (in)

1. 51" x 28 1/2" x 23 1/2"

Net weight (lbs)

1. 328.000 lbs
2. 328.000

T/b heating temperature max. ((degree)F)

1. 550 (degree)F
2. 550

Hot air temperature max. ((degree)F)

1. 550 (degree)F
2. 550

Power Cord Length

1. 60"

Current (A)

1. 40 A
2. 40

Watts (W)

1. 9,200 W
2. 9,200

Plug type

1. fixed connection, no plug

Volts (V)

1. 240/208 V
2. 240/208

Home Connect(TM)

1. Yes

Cooking mode

1. 3rd element convection, Convection Bake, Convection Broil, Conventional heat, Dehydrate, Dough proving setting, Full width broil, Half width variable broil, Hot air broiling, Intensive hot ai
2. 3rd element convection, Convection Bake, Convection Broil, Conventional heat, Dehydrate, Dough proving setting, Full width broil, Half width

variable broil, Hot air broiling, Intensive hot ai

3. 3rd element convection, Convection Bake, Convection Broil, Conventional heat, Dehydrate, Dough proving setting, Full width broil, Half width variable broil, Hot air broiling, Intensive hot air, low temperature cooking, Pizza setting, Rotisserie, warming