

# QUOTE # 29-864

January 18, 2020 01:06 AM



## SALES PERSON

Jake Waterkotte  
jake.waterkotte@slymanbros.com

52 Crossroads Plaza, O'Fallon, MO 63368  
Slyman Bros (O'Fallon, MO)  
Phone: 636-277-9025

## BILLING INFORMATION

David And Amy Harper  
amy.l.harper@me.com  
8668 Nealy Ln  
Edwardsville, Illinois, 62025  
636-485-1121

## DELIVER TO

David And Amy Harper  
amy.l.harper@me.com  
8668 Nealy Ln  
Edwardsville, Illinois, 62025  
636-485-1121

PRODUCT	DESCRIPTION	PRICE	QTY	TOTAL
SMD2470ASY	24" 1.2 CU FT MICROWAVE DRAWER OVEN	\$1,000.00	1	\$1,000.00
CFE28TP2MS1	28 CU FT FRENCH DOOR REFRIGERATOR	\$2,600.00	1	\$2,600.00
HERT486GDFSNET	48" DUAL FUEL CONVECTION RANGE	\$12,599.00	1	\$12,599.00
DW24XT	FULLY INTEGRATED DISHWASHER	\$550.00	1	\$550.00
HERHK24DW	DISHWASHER HANDLE	\$50.00	1	\$50.00
FF7005WN	3.5 CU FT FRONT LOAD WASHER	\$1,800.00	1	\$1,800.00
DF7000WG	7.0 CU FT GAS DRYER	\$1,300.00	1	\$1,300.00
PDR108W	SPEED QUEEN PEDESTALS	\$185.00	2	\$370.00

Haul Away Old: No

## NOTES

Subtotals	\$20,269.00
Sales Tax (O'Fallon, MO)	\$0.00
Delivery Charge	\$0.00
<b>Total</b>	<b>\$20,269.00</b>

**Balance Due (USD) \$20,269.00**

**SPEC PRODUCT DETAIL**

PRODUCT :

MODEL : SMD2470ASY

**Finish**

- 1. Stainless Steel

**Drawer Opening**

- 1. Easy Touch Automatic

**Capacity\***

- 1. 1.2 Cu. Ft. (holds 9" x 13" dish)

**Output Power**

- 1. 950 Watts

**Sensor Cook, Reheat and Popcorn**

- 1. Yes, 12 settings

**Reheat Auto Settings**

- 1. 2 Settings

**Defrost Auto Settings**

- 1. 6 Settings

**Microwave Keep Warm Setting**

- 1. Yes, up to 30 minutes

**Clock**

- 1. Yes

**Minute Plus**

- 1. Yes

**Interior Oven Light**

- 1. Yes

**Kitchen Timer**

- 1. Yes

**Control Lock**

- 1. Yes

**Demonstration Mode**

1. Yes

**Built-In Ready for Easy Installation**

1. Yes

**Control Panel Location**

1. Center/Top

**Control Panel Type**

1. Touchpad, Drop-Down 45(degree) Angle

**Display Type**

1. LCD

**Display Color**

1. White on Black Background

**Power Connection**

1. 3-Prong Grounding Plug (included)

**Power Ratings**

1. 120V, 60Hz / 1.67 kW, 14.5 Amps
2. 120V, 60Hz / 1.67kW, 14.5 Amps

**Safety Compliance**

1. FCC, DHHS, UL Listed

**Cutout Dimensions**

1. 22 1/8" x 15 9/16" x 23 1/2"

**Product Dimensions**

1. 23 7/8" x 15 7/8" x 23 1/64"

**Shipping Weight (lbs.)**

1. 86

**Product Weight (lbs.)**

1. 74

**Parts**

1. 1 Year

**Labor**

1. 1 Year

**Magnetron Tube**

1. 5 Years total (Part Only)

**UPC**

1. 074000619371

**24" Flush Mount Deflector Vent**

1. SKMD24F0AS

**Flush Mount Deflector Vent Kit**

1. (1) PREF-B019MRP0 (2) LX-CZB055MRE0
2. (1) PREF-B020MRP0 (2) LX-CZB055MRE0

**Capacity**

1. 1.2 Cu. Ft. (holds 9" x 13" dish)

**Safety Compliance:**

1. FCC, DHHS, UL listed

**Shipping Weight**

1. 86

**Product Weight**

1. 74

**30" Flush Mount Deflector Vent**

1. SKMD30F0AS

## **SPEC PRODUCT DETAIL**

PRODUCT :

MODEL : CFE28TP2MS1

### **Temperature Management Features**

1. Turbo Cool setting<br>

### **Dispenser Features**

1. Door Alarm<br><br> Hot Water<br><br> LCD Screen Controls<br><br> LED Dispenser Light<br><br> Precise Fill<br><br> Water Filter Indicator Light<br>

### **Control Type**

1. External Touch Color LCD<br>

### **Icemaker**

1. Space Saving Ice<br>

### **WiFi Connect**

1. Built-In<br>

### **Performance Features**

1. Easily Removable Door Gaskets<br><br> Sabbath Mode Capable<br>

### **Filter Location**

1. Left wall<br>

### **Freezer Storage Baskets**

1. 2 Full-Width<br>

### **Temperature Management System**

1. TwinChill Evaporators<br>

### **Connected Capabilities**

1. Amazon Alexa<br><br> IFTTT<br><br> The Google Assistant<br>

### **Defrost Type**

1. Frost Guard<br>

### **Fresh Food Door Features**

1. Dairy Compartment<br><br> Drop Down Tray<br>

### **Leveling System**

1. 2 Front Leveling Legs<br>

**Fresh Food Cabinet Shelves**

1. 1 Quick Space Shelf<br><br> 3 Spill Proof<br><br> 4 Split Adjustable; 1 Full-Width<br><br> 5 Total - Glass with Silver Trim<br>

**Fresh Food Door Bins**

1. 2 Adjustable with Gallon Storage<br><br> 6 Total<br>

**Freezer Features**

1. Interior Lighting - Showcase LED (2)<br><br> Turbo Freeze<br>

**Exterior Style**

1. Free-Standing<br>

**Configuration**

1. French Door<br>

**Dispenser**

1. Cubes, Crushed Ice and Water<br><br> Large Stainless Steel<br>

**Fresh Food Cabinet Drawers**

1. 1 Full-Width, Adjustable Temperature Drawer<br><br> 2 Adjustable Humidity Drawers<br><br> 3 Total<br><br> Electronic Temperature Control w/ LED Lighting<br>

**Water Filtration**

1. Advanced Filtration System (RPWFE)<br><br> Removes Pharmaceuticals<br><br> Water Filter Indicator Light<br>

**Product Type**

1. Bottom Freezer Refrigerator<br><br> French-Door Refrigerator<br>

**Fresh Food Capacity**

1. 18.67 cu ft<br>

**Total Capacity (cubic feet)**

1. 27.80 cu ft<br>

**Freezer Capacity**

1. 9.17 cu ft<br>

**Optional Kits**

1. CXLB3H3PMBT Brushed Black<br><br> CXLB3H3PMBZ Brushed Bronze<br><br> CXLB3H3PMCU Brushed Copper<br>

**Overall Depth**

1. 36 1/4 in<br>

**Net Weight**

1. 388 lb<br>

**Overall Width**

1. 35 3/4 in<br>

**Back Air Clearances**

1. 2 in<br>

**Approximate Shipping Weight**

1. 423 lb<br>

**Depth with Door Open 90(degree)**

1. 48 3/8 in<br>

**Width w/Door Open 90 Degrees Incl. Handle**

1. 44 3/4 in<br>

**Case Depth Without Door**

1. 29 3/8 in<br>

**Top Air Clearances**

1. 1 in<br>

**Side Air Clearances**

1. 1/8 in<br>

**Depth Without Handle**

1. 35 1/4 in<br>

**Height to Top of Case**

1. 69 in<br>

**Overall Height**

1. 69 7/8 in<br>

**Exterior Design**

1. Flat Doors<br>

**Door Stops**

1. Yes<br>

**Handle Color**

1. Brushed Stainless<br>

**Door Swing**

1. Hinges on Left & Right<br>

**Color Appearance**

1. Stainless Steel<br>

**Handle**

1. Café <br>

**Hidden Door Hinge(s)**

1. Yes<br>

**Warranty Notes**

1. See written warranty for full details<br>

**Labor Warranty**

1. Limited 1-year entire appliance<br><br> Limited 5-year sealed refrigerating system<br>

**Parts Warranty**

1. Limited 1-year entire appliance<br><br> Limited 5-year sealed refrigerating system<br>

**Volts/Hertz/Amps**

1. 120V ; 60Hz ; 15A<br>



**SPEC PRODUCT DETAIL**

PRODUCT :

MODEL : HERT486GDFSNET

**Size**

- 1. 48 in
- 2. 48 in

**Gas zones**

- 1. 6 burners
- 2. 6 burners

**Knobs**

- 1. solid metal
- 2. solid metal

**Burner type**

- 1. brass
- 2. brass

**Main oven type**

- 1. electric pyrolytic
- 2. electric pyrolytic

**Auxiliary oven type**

- 1. electric conventional
- 2. electric conventional

**Cooking zones**

- 1. 7

**Griddle zones**

- 1. electric

**Worktop type**

- 1. electric / gas

**Grates**

- 1. cast iron

**Continous grating**

- 1. yes

**Thermocouple safety device**

- 1. yes

**One-hand ignition**

- 1. yes

**Backguard**

- 1. yes

**Wok adapter**

- 1. yes

**Simmer ring**

- 1. yes

**Dual wok**

- 1. 1300 BTU/h - 19 000 BTU/h (2)

**Rapid**

- 1. 2500 BTU/h - 10 400 BTU/h (1)

**Semi-rapid**

- 1. 1500 BTU/h - 5900 BTU/h (2)

**Auxiliary**

- 1. 750 BTU/h - 3500 BTU/h (1)

**Griddle power**

- 1. 1100 W

**Griddle drip tray**

- 1. yes

**Griddle dual control**

- 1. yes

**Oven configuration**

- 1. double

**Oven fuel**

- 1. electric

**Oven convection system**

- 1. dual diagonal with heating element

**Main oven broiler type**

- 1. electric

**Main oven functions**

1. bake / broiler / convection / convection bake / convection broiler / dehydrate / pizza / proofing / pyrolytic self clean / warming

**Main oven volume**

1. 4.6 ft

**Auxiliary oven broiler type**

1. electric

**Auxiliary oven functions**

1. bake / bottom bake / broiler / upper bake

**Auxiliary oven volume**

1. 2.4 ft

**Inner oven door**

1. triple

**Removable inner glass**

1. yes

**Cooling fan**

1. yes

**Oven levels**

1. 7

**Food probe**

1. yes

**Door hinge**

1. soft-close

**Sliding shelves**

1. 2 sets of telescopic glides

**Wire-shelves**

1. 2 each cavity

**Tray**

1. 1 enamelled

**Grill trivet for tray**

1. yes

**Oven lights**

1. double lateral

**Legs**

1. stainless steel

**Electrical requirements**

1. 120/240V 60 Hz - 8500W 40 A / 120/208V 60 Hz - 6800W 40 A

## **SPEC PRODUCT DETAIL**

PRODUCT :

MODEL : DW24XT

### **Size**

1. 24 In
2. 24 In

### **Style**

1. factory installed panel
2. factory installed panel

### **Installation type**

1. built-in
2. built-in

### **Finishing**

1. Stainless steel no fingerprint
2. Stainless steel no fingerprint
3. no fingerprint stainless steel
4. no fingerprint stainless steel

### **Place setting**

1. 16
2. 16

### **Sound insulation**

1. 45 db (α)
2. 45 db (α)

### **Handle style**

1. Professional
2. Professional Series

### **Controls**

1. Concealed

### **Interface**

1. LED touch

### **Wash cycle**

1. 6 - Heavy, Auto, Normal, Quick, Eco, Rinse

### **Wash Options**

1. 5 - Power zone, Extra dry, Sani boost, Hi temp, Delay start 24h

**Filter system**

1. Triple plastic and stainless steel

**Illumination**

1. 2 - Led

**Food disposer**

1. yes

**Sani boost**

1. yes

**Spray arms**

1. 3

**Number of racks**

1. 3

**Flexible Top Drawer**

1. yes

**Power zone**

1. yes

**Energy star certification**

1. 249kw/yr

**Certification**

1. CSA

**Electrical requirements**

1. 115 V - 60 Hz - 8.40 A

**SPEC PRODUCT DETAIL**

PRODUCT :

MODEL : HERHK24DW

**Size**

1. 24 in

**Family**

1. handle kit

**Product**

1. Dishwashers

**SPEC PRODUCT DETAIL**

PRODUCT :

MODEL : FF7005WN

**Product Code (W)**

1. FF7005WN

**Product Code (SS)**

1. FF7005SN

**Stainless Steel Washtub Capacity**

1. 3.5 Cubic Feet

**Outer DRAINTUB Material**

1. Stainless Steel

**Color**

1. White
2. Stainless Steel

**Width (in)**

1. 26 7/8

**Depth (in)**

1. 27 3/4

**Height (in)**

1. 40 7/16

**Depth with Door Open (in)**

1. 53 7/8

**Depth with Hose & Door (in)**

1. 31 3/8

**Preset Cycles**

1. 9

**Spin Speed Selections**

1. 4

**Temperature Selections**

1. 4



**Motor Size (HP)**

- 1. 1 - Variable

**Agency Approvals**

- 1. cULus

**Max Spin Speed - RPM**

- 1. 1200

**Soap Compartments**

- 1. 4

**Favorite Cycles**

- 1. Yes

**Time Remaining Display**

- 1. Yes

**End of Cycle Signal**

- 1. Yes

**Prewash**

- 1. Yes

**Soak**

- 1. Yes

**Delay Start**

- 1. Yes

**Soil Level Selection**

- 1. yes

**Fill Hoses Included**

- 1. Yes

**Cycle Indicator Light**

- 1. Yes

**Model Number - White**

- 1. AFNE9BSP116TW13

**Model Number - Stainless Steel**

- 1. AFNE9BSP116TN13

**Year Warranty**

1. 5

**Product Code (W-RH)**

1. FF7008WN

**Model Number- White- Right-Hinge Door**

1. AFNE9BSP116TW01

**SPEC PRODUCT DETAIL**

PRODUCT :

MODEL : DF7000WG

**Product Code - White**

- 1. DF7000WG

**Product Code - Stainless Steel**

- 1. DF7000SG

**Heating Source**

- 1. Gas

**Secured Lint Filter**

- 1. yes

**Cylinder Light**

- 1. Yes

**Reversible Door**

- 1. Yes

**Drum Capacity**

- 1. 7.0 Cubic Feet

**Color**

- 1. White or Stainless Steel

**Cabinet Material**

- 1. Galvanized Steel

**Width (in)**

- 1. 26 7/8

**Depth (in)**

- 1. 28

**Depth with Door Open (in)**

- 1. 51 1/2

**Height (in)**

- 1. 40 7/16

**Work Surface Height (in)**

1. 40 7/16

**Extra-Large Door Opening (sq. ft.)**

1. 2.06

**Shipping Weight (lb)**

1. 140

**Preset Cycles**

1. 7

**Automatic Dry Cycles**

1. 4

**Temperature Selections**

1. 4

**Moisture Sensor**

1. Yes

**Eco Cycle**

1. Yes

**Motor Size (HP)**

1. 1/3

**Agency Approvals**

1. CSAus Star, MA Gas Board

**ADA Compliant**

1. Yes

**Heavy-Duty Exhaust Fan (cfm)**

1. 220

**Multiple Vent Options**

1. Yes

**Quiet, Efficient Blower**

1. Yes

**Adjustable End-of-Cycle Buzzer**

1. Yes

**Extended Tumble**

1. Yes

**Favorite Cycles**

1. Yes

**Time Remaining Display**

1. Yes

**Model Number - White**

1. ADGE9BGS115TW01

**Model Number - Stainless Steel**

1. ADGE9BSS115TN01

**Electric Heating Wattage**

1. N/A

**Gas Consumption (BTU)**

1. 22,500

**SPEC PRODUCT DETAIL**

PRODUCT :

MODEL : pdr108w