

QUOTE # 29-9023

June 20, 2020 10:45 AM



SALES PERSON

Cody Coleman
cody.coleman@slymanbros.com

52 Crossroads Plaza, O'Fallon, MO 63368
Slyman Bros (O'Fallon, MO)
Phone: 636-277-9025

BILLING INFORMATION

Vonda Davis
52 Crossroads Plaza
O'Fallon, Missouri, 63368
636-277-9025

DELIVER TO

Vonda Davis
vonda.r.davis@gmail.com
52 Crossroads Plaza
O'Fallon, Missouri, 63368
636-277-9025

PRODUCT	DESCRIPTION	PRICE	QTY	TOTAL
GWE23GYNFS	23 CU FT FRENCH DOOR REFRIGERATOR	\$2,299.00	1	\$2,299.00
JTD3000SNSS	30" SELF CLEAN DOUBLE WALL OVEN	\$1,425.00	1	\$1,425.00
JGP5030SLSS	30" BUILT IN GAS COOKTOP	\$569.00	1	\$569.00
GDP645SYNFS	BUILT-IN DISHWASHER WITH STEAM	\$549.00	1	\$549.00
SMD2470ASY	24" 1.2 CU FT MICROWAVE DRAWER OVEN	\$1,199.00	1	\$1,199.00
JVW5301SJSS	30" CHIMNEY HOOD	\$425.00	1	\$425.00
FFFU13F2VW	13' FROST FREE UPRIGHT FREEZER	\$550.00	1	\$550.00

Haul Away Old: No

NOTES

Subtotals	\$7,016.00
Sales Tax (O'Fallon, MO)	\$557.77
Delivery Charge	\$0.00
Total	\$7,573.77

Balance Due (USD) \$7,573.77

SPEC PRODUCT DETAIL

PRODUCT : 23 CU FT FRENCH DOOR REFRIGERATOR

MODEL : GWE23GYNFS

FEATURES	
Configuration	French Door
WiFi Connect	ConnectPlus
Temperature Management System	TwinChill Evaporators
Defrost Type	Frost Guard
Control Type	Internal Electronic Digital Temperature Display
Dispenser	Non-Dispenser
Icemaker	Factory-Installed
Water Filtration	Advanced Filtration System (RPWFE) Removes Pharmaceuticals
Filter Location	Left wall
Fresh Food Cabinet Drawers	1 Full-Width 2 Adjustable Humidity 3 Total
Fresh Food Cabinet Shelves	4 Spill Proof 4 Split Adjustable; 1 Full-Width 5 Total - Glass
Fresh Food Door Bins	4 Adjustable with Gallon Storage 6 Total
Freezer Storage Baskets	2 Full-Width
Freezer Features	Interior Lighting - Showcase LED (2)
Exterior Style	Counter-Depth
Leveling System	2 Front Leveling Legs
Sabbath Mode	Yes
Performance Features	Easily Removable Door Gaskets
Product Type	Bottom Freezer Refrigerator Counter Depth Refrigerator French-Door Refrigerator

CAPACITY	
Total Capacity (cubic feet)	23.1 cu ft
Fresh Food Capacity	15.93 cu ft
Freezer Capacity	7.16 cu ft

APPEARANCE	
Color Appearance	Fingerprint Resistant Stainless Steel
Counter-Depth Design	Yes
Door Stops	Yes

APPEARANCE

Door Swing	Hinges on Left & Right
Exterior Design	Contoured Doors
Handle Color	Stainless Steel Appearance
Handle Design	Designer Style
Hidden Door Hinge(s)	Yes
Textured Steel Case	Case Only - Dark Gray
Adjustable Rollers	2

WEIGHTS & DIMENSIONS

Height to Top of Hinge	69 7/8 in
Approximate Shipping Weight	375 lb
Net Weight	345 lb
Overall Depth	31 1/4 in
Overall Height	70 1/2 in
Overall Width	35 3/4 in
Case Depth Without Door	24 3/8 in
Depth with Door Open 90(degree)	43 3/8 in
Depth Without Handle	29 3/4 in
Height to Top of Case	69 in
Width w/Door Open 90 Degrees Incl. Handle	44 5/8 in
Back Air Clearances	2 in
Side Air Clearances	0 1/8 in
Top Air Clearances	1 in

WARRANTY

Parts Warranty	Limited 1-year entire appliance
Labor Warranty	Limited 1-year entire appliance
Warranty Notes	See written warranty for full details

SPEC PRODUCT DETAIL

PRODUCT : 30" SELF CLEAN DOUBLE WALL OVEN

MODEL : JTD3000SNSS

CAPACITY	
Total Capacity (cubic feet)	10.0
Capacity (Cu. Ft.)	5.0 Upper / 5.0 Lower

FILTER	
App Filter - Cleaning Type	Steam and Self-Clean
App Filter - Control Type	Electronic touchpad
App Filter - Cooking Technology	Traditional
App Filter - Cabinet Width	Cooking 30 in. (Standard)
App Filter - Product Type	Wall Oven Double
App Filter - Convection	No
App Filter - Fuel Type	Electric
App Filter - WiFi Connect	Built-In

APPEARANCE	
Handle	Brushed Stainless Designer Style
Installation	Above Warming Drawer Side-by-Side
Oven Door Features	Big View Oven Window
Color Appearance	Stainless Steel

POWER / RATINGS	
KW Rating at 208V	6.3
Bake Wattage	2850W
KW Rating at 240V	8.4
Broiler Wattage	4000W
Amp Rating at 208V	40
Amp Rating at 240V	40

WARRANTY	
Warranty Notes	See written warranty for full details
Parts Warranty	Limited 1-year entire appliance
Labor Warranty	Limited 1-year entire appliance

WEIGHTS & DIMENSIONS	
Net Weight	234.0
Oven Interior Dimensions (lower)	25 x 17-3/8 x 20-1/4

WEIGHTS & DIMENSIONS

Cutout Dimensions (w x h x d) (in.)	28-1/2 x 51-13/16 x 23-1/2
Overall Depth	26.75
Oven Interior Dimensions (upper)	25 x 17-3/8 x 20-1/4
Overall Width	29.75
Overall Height	53.0
Approximate Shipping Weight	260.0
Cabinet Width	30.0

FEATURES

Oven Cleaning Type	Self-Clean with Steam Clean Option
Oven Interior	1 Halogen Interior Oven Light (Both Ovens) Black Gloss Finish Hidden Bake
Oven Rack Features	4 Self-Clean Heavy-Duty Oven Racks (Both Ovens) 6 Embossed Rack Positions (Both Ovens)
Oven Features	10-Pass Bake Element 8-Pass Broil Element Closed Door Broiling
Fuel Type	Electric
Cleaning Time	Variable with Delay Clean Option
WiFi Connect	Built-In
Cooking Technology	Traditional
Connected Capabilities	Amazon Alexa Drop IFTTT Innit Nest The Google Assistant
Configuration	Double Oven
Self-Clean Oven Door Lock	Automatic
Control Type	Electronic Glass Touch LED
Oven Cooking Modes	Thermal Bake Thermal Broil Hi/Lo
Oven Control Features	12-Hour Shut-Off Capability Audible Preheat Signal Certified Sabbath Mode Control Lock Capability Cook Time C(degree) or F(degree) Programmable (Upper) Delay Time Electro
Product Type	Double Oven

FEATURES

Oven Control Features

12-Hour Shut-Off Capability
Audible Preheat Signal
Certified Sabbath Mode
Control Lock Capability
Cook Time
C(degree) or F(degree) Programmable (Upper)
Delay Time
Electro

Oven Control Features

12-Hour Shut-Off Capability
Audible Preheat Signal
Certified Sabbath Mode
Control Lock Capability
Cook Time
C(degree) or F(degree) Programmable (Upper)
Delay Time
Electro

Oven Control Features

12-Hour Shut-Off Capability
Audible Preheat Signal
Certified Sabbath Mode
Control Lock Capability
Cook Time
C(degree) or F(degree) Programmable (Upper)
Delay Time
Electro

Oven Control Features

12-Hour Shut-Off Capability
Audible Preheat Signal
Certified Sabbath Mode
Control Lock Capability
Cook Time
C(degree) or F(degree) Programmable (Upper)
Delay Time
Electro

Oven Control Features

12-Hour Shut-Off Capability
Audible Preheat Signal
Certified Sabbath Mode
Control Lock Capability
Cook Time
C(degree) or F(degree) Programmable (Upper)
Delay Time
Electro

SPEC PRODUCT DETAIL

PRODUCT : 30" BUILT IN GAS COOKTOP

MODEL : JGP5030SLSS

FILTER	
App Filter - Control Type	Rotary knobs
App Filter - Cooktop Type	Continuous Grates
App Filter - Cabinet Width	Cooking 30 in. (Standard)
App Filter - Fuel Type	Gas

APPEARANCE	
Control Knobs	Dishwasher Safe Stainless Steel Appearance
Cooktop Burner Grate Color	Matte Black
Color Appearance	Stainless Steel

POWER / RATINGS	
Burner BTU Ratings (000's/BTU) - LP Gas	(1) 15.0; (1) 12.0; (2) 9.5; (1) 5.0
Burner BTU Ratings (000's/BTU) - Natural Gas	(1) 15.0; (1) 12.0; (2) 9.5; (1) 5.0
Volts/Hertz/Amps	120V; 60Hz; 5A

WARRANTY	
Warranty Notes	See written warranty for full details
Parts Warranty	Limited 1-year entire appliance
Labor Warranty	Limited 1-year entire appliance

WEIGHTS & DIMENSIONS	
Net Weight	42.0
Overall Depth	21.0
Cutout Dimensions (Width x Depth) (In.)	28-1/2 x 19-5/8
Overall Width	30.0
Overall Height	5.5
Approximate Shipping Weight	48.0
Cabinet Width	30.0

FEATURES	
Burner - Right Front	12,000 BTU
Burner - Left Rear	9,500 BTU
Cooktop Burner Type	5 Sealed
Burner - Right Rear	5,000 BTU

FEATURES

Cooktop Burner Grate Features	Continuous Grates Dishwasher Safe Edge-to-Edge Grates
Valves (Degree of Turn)	270
Fuel Type	Natural Gas (factory set)
Burner - Center	15,000 BTU Power Boil
Cooktop Surface	Deep Stainless Steel
Burner - Left Front	9,500 BTU
Cooktop Burner Grate Material	Heavy Cast
Control Type	Knob
Ignition System	Electronic
Cooktop Type	Continuous Grates
Control Location	Front Center

SPEC PRODUCT DETAIL

PRODUCT : BUILT-IN DISHWASHER WITH STEAM

MODEL : GDP645SYNFS

FILTER	
App Filter - Bottle Wash	Yes
App Filter - Food Disposer	Yes
App Filter - Stainless Steel Interior	Yes
App Filter - Cabinet Width	Dish Traditional 24 in.
App Filter - Product Type	Dish Built-In Top Control
App Filter - WiFi Connect	Optional

APPEARANCE	
Handle	Pocket Handle
Installation	Built-Up Floor Capable Flush Cabinet Installation Side or Top Mount Install Brackets Included
Handle Color	Color-Matched
Door Appearance	Full-length door
Door Style	Long Door with Top Controls
Color Appearance	Fingerprint Resistant Stainless Steel

WARRANTY	
Warranty Notes	See written warranty for full details
Parts Warranty	Limited 1-year entire appliance
Labor Warranty	Limited 1-year entire appliance

POWER / RATINGS	
Calrod Heater Watts	800/500
Power Connection	Optional cord kit (GPFCORD - WX09X70910, WX09X70911)
Volts/Hertz/Amps	120V; 60Hz; 6.6A

ECONOMICAL / QUIET	
Quiet Features	Quiet Water Valve Sealed Toe Kick Tub Collar Trim
Quiet Package	48 dBA
Outer Wrap	Bitumen Full-wrap Blanket
Motor Type	Single Speed
Door Insulation	Insulation Mastic

WEIGHTS & DIMENSIONS

Net Weight	99.0
Overall Depth	24.0
Height w/Legs Extended - Maximum Height	34.625
Overall Width	23.75
Overall Height	34.0
Approximate Shipping Weight	112.0
Cabinet Width	24.0
Height w/ Legs Retracted - Minimum Height	33.375

FEATURES

Wash System Features	<p>Automatic HotStart Automatic Temperature Control Bottle Jets (4) Drain Pump Dual Pumps and Motors Piranha(TM) Hard Food Disposer with removable filter</p>
Style	Built-In Top Control
Upper Rack	<p>2 Stem Safe Shelves Ball-Tip Tines Height Adjustable Removable</p>
Racking Material	Nylon
Rack Features	<p>1 Piece Silverware Basket with 3 Cell Covers 2 Plastic Utility Shelves with Stem Safe Adjustable Upper Rack Ball-Tipped Tines</p>
Dishwasher Control Features	<p>1 "Clean" Light, 1 "Sanitized" Light Cycle Progress Indicators 3 Digit Display Cycle Countdown with Bi-Color LED Status Light on door Audible End-of-Cycle Signal Last Cycle Memory</p>
WiFi Connect	Optional (Requires part no. PBX23W00Y0)
Showroom Power Mode	Yes
Dishwasher Drying Features	<p>Dry Boost(TM) Fan Assist Dry Heated Dry - On/Off Multi-Wattage Wash & Dry Element</p>
Leveling System	4 Leveling Legs
Control Type	<p>8 Touchpads Clean Touch Controls Top Controls</p>
Number of Place Settings	Up to 16
Tub Type	Tall Tub
Rack Color	Silver
Exterior Style	Traditional

FEATURES

Number of Cycles	5
Wash System	3-Level 600 Series
Dishwasher Cycles	1 Hour Wash Auto Sense Heavy Wash Light Wash Normal Wash
Number of Options	11
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O
Tub and Door Liner	Stainless Steel
Latch	Pull with Handle
Wash Arms	3 Wash Levels Lower Middle Upper
Lower Rack	Ball-Tip Tines
Additional Protection	Active Flood Protect
Water Filtration System	100% Filtration with Piranha Hard Food Disposer and Removable Filter
Sensor	Clean Sensor
Dispenser	Rinse Aid with Indicator and Adjustment
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O

FEATURES

Dishwasher Options

Bottle Jets
Child Lock
Delay Start 1-12 Hr.
Dry Boost(TM)
Heated Dry
Sani (Certified to NSF Standard 184)
Start/Reset
Steam PreWash
Wash TempBoost
Wash Zone Lower O

Dishwasher Options

Bottle Jets
Child Lock
Delay Start 1-12 Hr.
Dry Boost(TM)
Heated Dry
Sani (Certified to NSF Standard 184)
Start/Reset
Steam PreWash
Wash TempBoost
Wash Zone Lower O

Dishwasher Options

Bottle Jets
Child Lock
Delay Start 1-12 Hr.
Dry Boost(TM)
Heated Dry
Sani (Certified to NSF Standard 184)
Start/Reset
Steam PreWash
Wash TempBoost
Wash Zone Lower O

SPEC PRODUCT DETAIL

PRODUCT : 24" 1.2 CU FT MICROWAVE DRAWER OVEN

MODEL : SMD2470ASY

Features	
Finish	Stainless Steel
Drawer Opening	Easy Touch Automatic
Capacity*	1.2 Cu. Ft. (holds 9" x 13" dish)
Output Power	950 Watts
Sensor Cook, Reheat and Popcorn	Yes, 12 settings
Reheat Auto Settings	2 Settings
Defrost Auto Settings	6 Settings
Microwave Keep Warm Setting	Yes, up to 30 minutes
Clock	Yes
Minute Plus	Yes
Interior Oven Light	Yes
Kitchen Timer	Yes
Control Lock	Yes
Demonstration Mode	Yes
Built-In Ready for Easy Installation	Yes

Control Panel	
Control Panel Location	Center/Top
Control Panel Type	Touchpad, Drop-Down 45(degree) Angle
Display Type	LCD
Display Color	White on Black Background

Additional Specifications	
Power Connection	3-Prong Grounding Plug (included)
Power Ratings	120V, 60Hz / 1.67 kW, 14.5 Amps
Safety Compliance	FCC, DHHS, UL Listed

Dimensions & Weight (in./lbs.) (W x H x D)	
Cutout Dimensions	22 1/8" x 15 9/16" x 23 1/2"
Product Dimensions	23 7/8" x 15 7/8" x 23 1/64"
Shipping Weight (lbs.)	86
Product Weight (lbs.)	74

Warranty/UPC	
Parts	1 Year

Warranty/UPC

Labor	1 Year
Magnetron Tube	5 Years total (Part Only)
UPC	074000619371

Optional Accessory

24" Flush Mount Deflector Vent	SKMD24F0AS
Flush Mount Deflector Vent Kit	(1) PREF-B019MRP0 (2) LX-CZB055MRE0

SPEC PRODUCT DETAIL

PRODUCT : 30" CHIMNEY HOOD

MODEL : JVV5301SJSS

FILTER	
App Filter - Venting Type	Convertible
App Filter - Hood Type	Designer (includes "canopy" and "chimney")
App Filter - Cabinet Width	Vent 30 in. (Standard)
APPEARANCE	
Blower / Light Switch Color	Backlit
Color Appearance	Stainless Steel
WARRANTY	
Warranty Notes	See written warranty for full details
Parts Warranty	Limited 1-year entire appliance
Labor Warranty	Limited 1-year entire appliance
POWER / RATINGS	
Amp Rating at 120V	2.5
ECONOMICAL / QUIET	
Venting Type	Convertible
WEIGHTS & DIMENSIONS	
Net Weight	43.0
Overall Depth	18.5
Overall Width	30.0
Overall Height	9.875
Approximate Shipping Weight	61.0
Cabinet Width	30.0
FEATURES	
6" Round Duct	Yes
Optional Accessories	UXCF72 - Charcoal Filter UXDC53SJSS - 10 (ft.) Ceiling Duct Cover Kit UXDC72SJSS - 9 (ft.) Ceiling Duct Cover Kit UXRC70 - Remote Control
CFM/ Sones Rating	150/1.0 (Working Speed) 340/5.1 (High Speed) 350/6.6 (Boost Speed)
Exhaust Options	Recirculating Vented to Outside
Cooktop Lighting	Halogen

FEATURES

Control Type	Backlit
Ducting	Vertical Only
Removable Grease Filter(s)	Yes
Fan Speed Control	4-Speed
Product Type	Designer Hood
Control Location	Front
Filter Cleaning	Dishwasher Safe
Light Controls	On/Off/Night

SPEC PRODUCT DETAIL

PRODUCT : 13' FROST FREE UPRIGHT FREEZER

MODEL : FFFU13F2VW

General Specifications	
Shipping Weight (lbs)	150
Refrigerant Type	R600a
Dimensions and Volume	
Freezer (Cu. Ft.)	13
Width	27-3/4"
Height With Hinge	67-3/4"
Depth of Cabinet	23-1/8"
Depth With Door	26"
Certifications & Approvals	
UL Listed	Yes
ENERGY STAR(R) Certified	No
Exterior	
Reversible Door	Yes
Cabinet Color	White
Controls	
Power On/Off	Yes
Door Ajar Alarm	Yes
High Temp Alarm	Yes
Control Location	Back Wall
Control Type	Dial
Freezer	
Shelf Material	Wire
Door Bin Color	Silver Metallic
Interior Lighting	LED
Number of Adjustable Shelves	4
Number of Fixed Door Bins	5
Auto Close Drawer	No
Automatic Defrost	Yes
Electrical Specifications	
Minimum Circuit Required (Amps)	15
Voltage Rating	115V 60Hz

Electrical Specifications

Power Cord Location

Right Bottom Rear