

QUOTE # 49-9244

June 23, 2020 12:32 PM



SALES PERSON

Bobby Slyman
bobby.slyman@slymanbros.com

4900 Hampton Ave, St. Louis, MO 63109
Slyman Bros (St. Louis City)
Phone: 314-352-8845

BILLING INFORMATION

Mary Reed
mreedmm@gmail.com
9439 Trillium Dr
St. Louis, Missouri, 63126
314-276-1188

DELIVER TO

Mary Reed
mreedmm@gmail.com
9439 Trillium Dr
St. Louis, Missouri, 63126
314-276-1188

PRODUCT	DESCRIPTION	PRICE	QTY	TOTAL
GWE23GYNFS	23 CU FT FRENCH DOOR REFRIGERATOR	\$1,750.00	1	\$1,750.00
JB750SJSS	SELF / STEAM CLEAN CONVECTION RANGE	\$639.96	1	\$639.96
GUD27ESSMWW	27" UNITIZED ELECTRIC STACK PAIR	\$1,175.00	1	\$1,175.00
GDT645SSNSS	INTEGRATED DISHWASHER WITH STEAM	\$499.95	1	\$499.95

Haul Away Old: No

NOTES

BOBBY SLYMAN - 12:34 PM 06-23-2020
Drop off only. Poss set in place and uncrate

Subtotals	\$4,064.91
Sales Tax (St. Louis City)	\$393.44
Delivery Charge	\$0.00
Total	\$4,458.35

Balance Due (USD) \$4,458.35

SPEC PRODUCT DETAIL

PRODUCT : 23 CU FT FRENCH DOOR REFRIGERATOR

MODEL : GWE23GYNFS

FEATURES	
Configuration	French Door
WiFi Connect	ConnectPlus
Temperature Management System	TwinChill Evaporators
Defrost Type	Frost Guard
Control Type	Internal Electronic Digital Temperature Display
Dispenser	Non-Dispenser
Icemaker	Factory-Installed
Water Filtration	Advanced Filtration System (RPWFE) Removes Pharmaceuticals
Filter Location	Left wall
Fresh Food Cabinet Drawers	1 Full-Width 2 Adjustable Humidity 3 Total
Fresh Food Cabinet Shelves	4 Spill Proof 4 Split Adjustable; 1 Full-Width 5 Total - Glass
Fresh Food Door Bins	4 Adjustable with Gallon Storage 6 Total
Freezer Storage Baskets	2 Full-Width
Freezer Features	Interior Lighting - Showcase LED (2)
Exterior Style	Counter-Depth
Leveling System	2 Front Leveling Legs
Sabbath Mode	Yes
Performance Features	Easily Removable Door Gaskets
Product Type	Bottom Freezer Refrigerator Counter Depth Refrigerator French-Door Refrigerator

CAPACITY	
Total Capacity (cubic feet)	23.1 cu ft
Fresh Food Capacity	15.93 cu ft
Freezer Capacity	7.16 cu ft

APPEARANCE	
Color Appearance	Fingerprint Resistant Stainless Steel
Counter-Depth Design	Yes
Door Stops	Yes

APPEARANCE

Door Swing	Hinges on Left & Right
Exterior Design	Contoured Doors
Handle Color	Stainless Steel Appearance
Handle Design	Designer Style
Hidden Door Hinge(s)	Yes
Textured Steel Case	Case Only - Dark Gray
Adjustable Rollers	2

WEIGHTS & DIMENSIONS

Height to Top of Hinge	69 7/8 in
Approximate Shipping Weight	375 lb
Net Weight	345 lb
Overall Depth	31 1/4 in
Overall Height	70 1/2 in
Overall Width	35 3/4 in
Case Depth Without Door	24 3/8 in
Depth with Door Open 90(degree)	43 3/8 in
Depth Without Handle	29 3/4 in
Height to Top of Case	69 in
Width w/Door Open 90 Degrees Incl. Handle	44 5/8 in
Back Air Clearances	2 in
Side Air Clearances	0 1/8 in
Top Air Clearances	1 in

WARRANTY

Parts Warranty	Limited 1-year entire appliance
Labor Warranty	Limited 1-year entire appliance
Warranty Notes	See written warranty for full details

SPEC PRODUCT DETAIL

PRODUCT : SELF / STEAM CLEAN CONVECTION RANGE

MODEL : JB750SJSS

CAPACITY	
Total Capacity (cubic feet)	5.3

FILTER	
App Filter - Cleaning Type	Steam and Self-Clean
App Filter - Control Type	Electronic touchpad
App Filter - Drawer Type	Storage
App Filter - Cooktop Type	Radiant Smoothtop
App Filter - Cooking Technology	Convection
App Filter - Cabinet Width	Cooking 30 in. (Standard)
App Filter - Product Type	Ranges Free-Standing Single Oven
App Filter - Convection	Yes
App Filter - Fuel Type	Electric

APPEARANCE	
Control Knobs	Stainless Steel Appearance
Handle Color	Color-Matched
Handle Design	Designer Style
Textured Steel Side Panels	Yes
Oven Door Features	Big View Oven Window Full-Wrapped Metal Frame Full-Wrapped Stainless
Color Appearance	Stainless Steel/Gray

POWER / RATINGS	
KW Rating at 208V	10.1
Bake Wattage	2850W
KW Rating at 240V	13.4
Broiler Wattage	3800W
Amp Rating at 208V	40
Amp Rating at 240V	40

WARRANTY	
Warranty Notes	See written warranty for full details
Parts Warranty	Limited 1-year entire appliance
Labor Warranty	Limited 1-year entire appliance

WEIGHTS & DIMENSIONS	
----------------------	--

Net Weight	160.0
Height to Cooking Surface (in.)	35 3/4 - 36 1/2
Depth Without Handle	25.5
Overall Depth	28.0
Depth with Door Open	47.875
Oven Interior Dimensions (W x H x D) (in.)	24-1/8 x 19-1/2 x 19-3/8
Overall Width	29.875
Overall Height	47.0
Approximate Shipping Weight	180.0
Cabinet Width	30.0

FEATURES

Oven Cleaning Type	Self-Clean with Steam Clean Option
Hot Surface Indicator Lights	1
Cooktop Burner Type	Radiant Smoothtop
Cooking System	True European Convection with Precise Air
Element - Center	6" 80W Warming Zone
Element - Left Front	9"/6" 3100W Power Boil
Oven Rack Features	3 Heavy-Duty Oven Racks 6 Rack Positions
Melt Setting	Yes
Oven Features	6-Pass Broil Element Hidden Bake
Fuel Type	Electric
Cooking Technology	Convection
Cooktop Surface	Gray Patterned Ceramic Glass One-Piece Upswept
Configuration	Range with Storage Drawer
Control Type	Digital Temperature Display Electronic Touchpads
Oven Cooking Modes	Warming
Element - Right Front	12"/9" 3000W
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Control Lock Capability Convection Bake Convection R
Product Type	Free-Standing Single Oven

FEATURES

Drawer Type	Storage
Interior Oven Light	1 Halogen Preheat Notification
Cooktop Type	Radiant Smoothtop
Control Location	Backsplash
Element - Right Rear	6" 1200W
Storage Drawer Features	Removable Full-Width
Heating Element "ON" Indicator Light	1
Element - Left Rear	6" 1200W
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Control Lock Capability Convection Bake Convection R
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Control Lock Capability Convection Bake Convection R
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Control Lock Capability Convection Bake Convection R
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Control Lock Capability Convection Bake Convection R
Oven Control Features	Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Control Lock Capability Convection Bake Convection R

FEATURES

Oven Control Features	<ul style="list-style-type: none"> Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Control Lock Capability Convection Bake Convection R
Oven Control Features	<ul style="list-style-type: none"> Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Control Lock Capability Convection Bake Convection R
Oven Control Features	<ul style="list-style-type: none"> Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Control Lock Capability Convection Bake Convection R
Oven Control Features	<ul style="list-style-type: none"> Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Control Lock Capability Convection Bake Convection R
Oven Control Features	<ul style="list-style-type: none"> Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Control Lock Capability Convection Bake Convection R
Oven Control Features	<ul style="list-style-type: none"> Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Control Lock Capability Convection Bake Convection R
Oven Control Features	<ul style="list-style-type: none"> Audible Preheat Signal Auto Oven Shut-Off with Override Auto Recipe Conversion Auto Self Clean Certified Sabbath Mode Control Lock Capability Convection Bake Convection R

FEATURES

Oven Control Features

Audible Preheat Signal
Auto Oven Shut-Off with Override
Auto Recipe Conversion
Auto Self Clean
Certified Sabbath Mode
Control Lock Capability
Convection Bake
Convection R

Oven Control Features

Audible Preheat Signal
Auto Oven Shut-Off with Override
Auto Recipe Conversion
Auto Self Clean
Certified Sabbath Mode
Control Lock Capability
Convection Bake
Convection R

Oven Control Features

Audible Preheat Signal
Auto Oven Shut-Off with Override
Auto Recipe Conversion
Auto Self Clean
Certified Sabbath Mode
Control Lock Capability
Convection Bake
Convection R

SPEC PRODUCT DETAIL

PRODUCT : 27" UNITIZED ELECTRIC STACK PAIR

MODEL : GUD27ESSMWW

CAPACITY	
Washer Capacity	3.8
Wash Basket Type	Stainless Steel
Dryer Capacity	5.9
FILTER	
App Filter - Agitator	Yes
App Filter - Capacity	Washer Medium (3.8-4.0 cu. ft.)
App Filter - Product Type	Stacked Washer & Dryer Combo
APPEARANCE	
Color Appearance	White on White
POWER / RATINGS	
Circuit Breaker or Time Delay Fuse	30 Amp
Volts/Hertz	120/240V or 120/208V; 60Hz
WARRANTY	
Warranty Notes	See written warranty for full details
Parts Warranty	Limited 1-year entire appliance
Labor Warranty	Limited 1-year entire appliance
ECONOMICAL / QUIET	
Quiet Package	Quiet-By-Design
WEIGHTS & DIMENSIONS	
Net Weight	249.0
Door Open Height	54.0
Overall Depth	30.875
Door Width	22.0
Overall Width	26.75
Overall Height	75.875
Approximate Shipping Weight	279.0
Cabinet Width	27.0
Depth with Door Open 90(degree)	47.5
FEATURES	

Easy Care Cycle	Auto Casuals Less Dry More Dry
Wash/Rinse Temperatures	6
Additional Cycles	Dewrinkle Quick Fluff
Washer Options/Settings	Deep Rinse (select when using fabric softener)
Fuel Type	Electric
Cottons Cycle	Auto Less Dry More Dry Optimum Dry
Automatic Dry Control	Yes
Case Material	Steel
Additional Washer Features	Inlet Fill Hoses Included Lid Latch
Drum Type	Dura Drum
Exhaust Options	3-Way (Rear; Left; Right)
Timed Dry	90 Minutes
Wash Mechanism	Single Action Agitator
Control Type	Rotary Electromechanical
Wash/Spin Speed Combinations	1
Number of Cycles	11 Washer/4 Dryer
Maximum Spin Speed	800 RPM
Additional Dryer Features	Up-Front Lint Filter
Heat Selections	4
Delicates Cycle	Auto Less Dry More Dry
Product Type	Stacked Washer & Dryer Combo
Water Levels	Adaptive Fill + 4 levels
Washer Cycles	Bulky Items Casuals Colors/Normal (Heavy, Normal, Light) Delicates Drain + Spin Speed Wash Whites (Heavy, Normal, Light)
Washer Control Features	LED Indicators
Dispenser	Bleach Fabric Softener

SPEC PRODUCT DETAIL

PRODUCT : INTEGRATED DISHWASHER WITH STEAM

MODEL : GDT645SSNSS

FILTER	
App Filter - Bottle Wash	Yes
App Filter - Food Disposer	Yes
App Filter - Stainless Steel Interior	Yes
App Filter - Cabinet Width	Dish Traditional 24 in.
App Filter - Product Type	Dish Built-In Top Control
App Filter - WiFi Connect	Optional

APPEARANCE	
Handle	Rounded Handle - Stainless Steel
Installation	Built-Up Floor Capable Flush Cabinet Installation Side or Top Mount Install Brackets Included
Handle Color	Stainless Steel w/Chrome
Door Appearance	Full-length door
Door Style	Long Door with Top Controls
Color Appearance	Stainless Steel

WARRANTY	
Warranty Notes	See written warranty for full details
Parts Warranty	Limited 1-year entire appliance
Labor Warranty	Limited 1-year entire appliance

POWER / RATINGS	
Calrod Heater Watts	800/500
Power Connection	Optional cord kit (GPFCORD - WX09X70910, WX09X70911)
Volts/Hertz/Amps	120V; 60Hz; 6.6A

ECONOMICAL / QUIET	
Quiet Features	Quiet Water Valve Sealed Toe Kick Tub Collar Trim
Quiet Package	48 dBA
Outer Wrap	Bitumen Full-wrap Blanket
Motor Type	Single Speed
Door Insulation	Insulation Mastic

WEIGHTS & DIMENSIONS

Net Weight	99.0
Overall Depth	24.0
Overall Depth with Handle	25.6
Height w/Legs Extended - Maximum Height	34.625
Overall Width	23.75
Overall Height	34.0
Approximate Shipping Weight	112.0
Cabinet Width	24.0
Height w/ Legs Retracted - Minimum Height	33.375

FEATURES

Wash System Features	Automatic HotStart Automatic Temperature Control Bottle Jets (4) Drain Pump Dual Pumps and Motors Piranha(TM) Hard Food Disposer with removable filter
Style	Built-In Top Control
Upper Rack	2 Stem Safe Shelves Ball-Tip Tines Height Adjustable Removable
Racking Material	Nylon
Rack Features	1 Piece Silverware Basket with 3 Cell Covers 2 Plastic Utility Shelves with Stem Safe Adjustable Upper Rack Ball-Tipped Tines
Dishwasher Control Features	1 "Clean" Light, 1 "Sanitized" Light Cycle Progress Indicators 3 Digit Display Cycle Countdown with Bi-Color LED Status Light on door Audible End-of-Cycle Signal Last Cycle Memory
WiFi Connect	Optional (Requires part no. PBX23W00Y0)
Showroom Power Mode	Yes
Dishwasher Drying Features	Dry Boost(TM) Fan Assist Dry Heated Dry - On/Off Multi-Wattage Wash & Dry Element
Leveling System	4 Leveling Legs
Control Type	8 Touchpads Clean Touch Controls Top Controls
Number of Place Settings	Up to 16
Tub Type	Tall Tub
Rack Color	Silver

FEATURES

Exterior Style	Traditional
Number of Cycles	5
Wash System	3-Level 600 Series
Dishwasher Cycles	1 Hour Wash Auto Sense Heavy Wash Light Wash Normal Wash
Number of Options	11
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O
Tub and Door Liner	Stainless Steel
Latch	Pull with Handle
Wash Arms	3 Wash Levels Lower Middle Upper
Lower Rack	Ball-Tip Tines
Additional Protection	Active Flood Protect
Water Filtration System	100% Filtration with Piranha Hard Food Disposer and Removable Filter
Sensor	Clean Sensor
Dispenser	Rinse Aid with Indicator and Adjustment
Dishwasher Options	Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O

FEATURES

Dishwasher Options	<p>Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O</p>
Dishwasher Options	<p>Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O</p>
Dishwasher Options	<p>Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O</p>
Dishwasher Options	<p>Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O</p>
Dishwasher Options	<p>Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O</p>

FEATURES

Dishwasher Options	<p>Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O</p>
Dishwasher Options	<p>Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O</p>
Dishwasher Options	<p>Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O</p>
Dishwasher Options	<p>Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O</p>
Dishwasher Options	<p>Bottle Jets Child Lock Delay Start 1-12 Hr. Dry Boost(TM) Heated Dry Sani (Certified to NSF Standard 184) Start/Reset Steam PreWash Wash TempBoost Wash Zone Lower O</p>

FEATURES

Dishwasher Options

Bottle Jets
Child Lock
Delay Start 1-12 Hr.
Dry Boost(TM)
Heated Dry
Sani (Certified to NSF Standard 184)
Start/Reset
Steam PreWash
Wash TempBoost
Wash Zone Lower O

Dishwasher Options

Bottle Jets
Child Lock
Delay Start 1-12 Hr.
Dry Boost(TM)
Heated Dry
Sani (Certified to NSF Standard 184)
Start/Reset
Steam PreWash
Wash TempBoost
Wash Zone Lower O

Dishwasher Options

Bottle Jets
Child Lock
Delay Start 1-12 Hr.
Dry Boost(TM)
Heated Dry
Sani (Certified to NSF Standard 184)
Start/Reset
Steam PreWash
Wash TempBoost
Wash Zone Lower O